

#### TABLE OF

## **CONTENTS**











## 01

#### **PAVERS**

Aqua Dublin°
 Aqualine™
 Basalt™
 Brooklyn™

**9** Cambridge Cobble®

**11** Charlestone<sup>™</sup>

13-24 Dimensions<sup>™</sup> 3-Piece 25-28 Dimensions<sup>™</sup> Payer

29 Dimensions™ Plank
31 Dimensions™ Slab
33 Dublin Cobble®

35 Empire<sup>™</sup>

**37** Geometric Shapes

39 Holland Stone41 Mega-Arbel®

**43-54** Origins<sup>™</sup> 3-Piece

55 Origins™ Paver57 Papvrus™

57 Papyrus<sup>™</sup>59 Plaza<sup>™</sup>

**61** Turfstone<sup>™</sup>

## 63

75

#### **PORCELAIN**

63 Glocal
65 Jurupa
67 Noon
69 November
71 Quarziti 2.0
73 Silverlake

Unico 2.0

## 95

## COPING, CAPS, EDGERS & STEPS

95 Anglia Edger<sup>®</sup>
97 Landings<sup>™</sup> Step
99 Marina<sup>™</sup> Coping
101 Melville<sup>™</sup> Coping





## 77

## WALLS

Ashlar Tandem™ 77 79 Diamond Pro® Air Straight 81 Diamond Pro® PS Quarried Diamond Pro® PS Smooth 83 Melville Tandem™ 85 87 Melville™ Wall 89 Shelton Wall™ 91 Steeple Crest™ Weston Stone™ 93

## 103

## KITCHENS & FIRE FEATURES

103 Artforms™
105 Bordeaux™ Series
107 Melville™ Series
109 Melville™ Fire Pit
111 Weston Stone™ Fire Pit



## WE COVER A LOT OF GROUND

LIFETIME TRANSFERABLE LIMITED WARRANTY

# TRANSFERRABLE WARRANTY TIMELY INVESTIGATIONS REPLACEMENT OF DEFECTIVE PRODUCT AT NO CHARGE

Oldcastle APG ("Belgard") is proud to inform you that all of our interlocking concrete paver and retaining walls ("Products") meet and/or exceed the requirements of ASTM C-936 and ASTM C-1372. Belgard guarantees its Products against these standards for the lifetime of the Product defined by CMHA. This guarantee does not apply to splitting, chipping or other breakage that could be caused by impact, abrasion or overloading. This warranty is transferable. The original proof of purchase is required.

This warranty is only valid if the material is installed under the guidelines of the CMHA or the Belgard Installation Guideline Manual. Improper installation voids this warranty. This warranty is for residential applications only and does not apply to commercial applications. It is recommended that the job is installed by a Belgard Contractor Program participant who guarantees their workmanship for a minimum of 3 years from the date of install. For warranty service, contact Belgard at 1-877-BELGARD. A service representative will investigate your claim within 10 business days. If the Belgard product fails to meet the specifications, Belgard will replace the defective product at no charge. Color matching cannot be guaranteed. Belgard will not be responsible for any replacement labor, consequential damages or incidental damages. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state. Some states do not allow for the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.


The warranties in this limited warranty are the only warranties applicable to the veneer products. There are no other warranties, representations, or conditions of any kind, express or implied, statutory or otherwise, with respect to the interlocking concrete paver or retaining wall products supplied by manufacturer, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. All such warranties are hereby specifically disclaimed and manufacturer shall have no liability therefor, not withstanding (1) manufacturer's actual knowledge of any intended use of the interlocking concrete paver or retaining wall products or (2) any advice or representations that may have been rendered by manufacturer concerning the design, manufacture, fabrication, sale, use, installation or provision of the interlocking concrete paver or retaining wall products. No statement, product, or description by manufacturer or its employees or other representatives, in addition to or beyond this limited warranty shall constitute a warranty. Buyer agrees that its sole and exclusive remedies for breach of this limited warranty, and the sole and exclusive obligations of manufacturer with respect to any claims for breach of this limited warranty, shall be those remedies expressly set forth herein.

## AQUA DUBLIN°

3-PIECE PERMEABLE | 80MM

Reduce stormwater runoff with a permeable system that offers a smooth surface and the classic look of cut stone.









TOSCANA VICTORIAN



## DRIVEWAY





ADA COMPLIANT

## PALLET INFORMATION

AQU	A DUBLIN° 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
	263/64 x 613/32 x 31/8		15	2.4		
8 0 MM	6 <sup>15</sup> / <sub>32</sub> x 6 <sup>15</sup> / <sub>32</sub> x 3 <sup>1</sup> / <sub>8</sub>	90.8	8	2.6	8	3100
	6 <sup>15</sup> / <sub>32</sub> x 9 <sup>13</sup> / <sub>16</sub> x 3 <sup>1</sup> / <sub>8</sub>		13	6.4		

Downloadable professional resources available at **Belgard.com/Resources** 

#### QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Multipiece system with a smooth surface and cut-stone aesthetic
- Can eliminate stormwater runoff and improve water quality
- · Meets the requirements of ASTM C936
- Suitable for pedestrian and vehicular applications
- Can be utilized to construct an ADA-compliant pavement
- Micro-chamfer to minimize vibration and enhance wheelchair comfort
- Optimized joint openings for infiltration and maintenance
- · Joint Width: 10 mm
- Initial Surface Infiltration Rate: >500 inches per hour (varies based on joint infill gradation)
- Surface Open Area: 10%

## SHAPES & SIZES

3-PIECE PERMEABLE | 80MM



263/64 x 613/32 x 31/8



 $6^{15}/_{32} \times 6^{15}/_{32} \times 3^{1}/_{8}$ 




 $6^{15}/_{32} \times 9^{13}/_{16} \times 3^{1}/_{8}$ 



# AQUALINE 4.5 X 9

PERMEABLE PAVER | 80MM












TOSCANA VICTORIAN











MECHANICAL

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- · Interlocking spacer bars for increased structural performance
- Smooth surface with a microchamfer to minimize vibration and enhance wheelchair comfort
- Can be utilized to construct an ADA-compliant pavement
- True installed dimensions for design optimization
- · Optimal joint openings for infiltration and maintenance
- Can eliminate stormwater runoff and improve water quality
- · Meets the requirements of ASTM C936
- Chamfer Width: 3 mm
- Spacer Bar Width: 10 mm
- Surface Infiltration Rate: > 500 inches per hour (varies based on joint infill gradation)
- Surface Open Area: 12%
- · Can be installed mechanically with herringbone pallet layout

#### SHAPES & SIZES

80MM



41/2 x 9 x 31/8

### PALLET INFORMATION

AQU	ALINE™	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
80MM	4½ x 9 x 3⅓	90	44	11.25	8	3052

Downloadable professional resources available at Belgard.com/Resources



#### ARTISAN COLLECTION

# BASALT


## 3-PIECE PAVER | 60MM



The distinct character of flame-textured or hammered stone is enriched with DuraFusion Technology for enhanced color, texture and wear-resistance.











#### QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Upscale texture of flamed or hammered stone
- Contemporary large-format sizing
- · Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- Simplified quoting and design of projects
- Uniform sizing in true 3-inch increments
- Uniform dimensions compatible with other modular paver lines like Origins™ and Dimensions™



## SHAPES & SIZES

BASALT 18 | 60MM



9 x 18 x 2%



18 x 18 x 2%



18 x 27 x 23/8

## PALLET INFORMATION

DURAFUSION'

TECHNOLOGY

ADA COMPLIANT

BAS	ALT™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
18	9 x 18 x 2 <sup>3</sup> / <sub>8</sub>		2	2.25		
BASALT 1 60MM	18 x 18 x 2 <sup>3</sup> / <sub>8</sub>	112.5	1	2.25	10	3152
ВА	18 x 27 x 2³∕ <sub>8</sub>		2	6.75		

Downloadable professional resources available at **Belgard.com/Resources** 



#### HERITAGE COLLECTION

## **BROOKLYN**™

PAVER | 60MM



Its warm, weathered stone appearance delivers a timeless look enriched with DuraFusion Technology for enhanced color, texture and wear-resistance.













### MODULAR SIZING







DA

DRIVEWA APPROVE

## PALLET INFORMATION

BROOKLYN™		SQFT/	UNITS/	SQFT/	LAYER/	WEIGHT/
		PALLET	LAYER	LAYER	PALLET	Pallet
MM09	3 x 9 x 2³/s	99.5	55	9.95	10	2806

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- · Warm, weathered appearance and texture
- Ideal for patios, walkways and accents
- · Uniform thickness and width
- Modular sizing pairs well with other modular paver styles like Dimensions™ and Origins™
- Superior color technology provides rich color tones with lasting durability



## SHAPES & SIZES

60MM



3 x 9 x 23/8



# CAMBRIDGE COBBLE®

PAVER | 60MM

Gently rounded corners and a domed pillow-top surface provide clean lines and a classic architectural appearance.







TOSCANA





VICTORIAN

GRAPHITE
Only available in 6 x 9



## DRIVEWAY



## PALLET INFORMATION

CAM	BRIDGE COBBLE°	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
9X9	6 x 6 x 23/8	120	48	12	10	3145
WW09	6 x 9 x 2³/s	112	30	11.2	10	2995

Downloadable professional resources available at Belgard.com/Resources

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- · Clean lines and an architectural appearance
- Classic style perfectly suited for almost any aesthetic and application
- · Gently rounded corners with smooth pillowtop surface
- Two sizes available to create a multipiece look

## SHAPES & SIZES

6 X 6 | 60MM



6 x 6 x 23/8



6 x 9 x 23/8



# 

3-PIECE PAVER | 60MM

Designed to evoke the charm of early American streets, this system mimics the historical elegance of weathered, hand-cobbled stone.











GRAPHITE RIO VICTORIAN



## MODULAR





MECHANICAL

## PALLET INFORMATION

CHA	RLESTONE™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
	6 x 6 x 2 <sup>3</sup> / <sub>8</sub>		6			
WW09	6 x 9 x 2 <sup>3</sup> / <sub>8</sub>	104.4	12	10.44	10	3009
	6 x 12 x 2%		9			

Downloadable professional resources available at **Belgard.com/Resources** 

#### QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- · Timeless look of hand-cobbled stone
- Sized in true 3-inch increments for simplified estimating and ordering
- · Reduced cuts and waste
- Compatible in sizing with other modular paver lines like Origins™ and Dimensions™
- Pallet optimized for both mechanical and manual installation
- Particularly ideal for driveways and walkways

## SHAPES & SIZES

3-PIECE | 60MM



 $6 \times 6 \times 2\%$ 



6 x 9 x 23/8




6 x 12 x 23/8




# DIMENSIONS™ 6

3-PIECE SYSTEM | 60MM















ASPEN RIO SCANDINA GRAY VICTORIAN





**APPROVED** 



ADA COMPLIANT

## PALLET INFORMATION

DIM	ENSIONS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
9 8	3 x 6 x 2 <sup>3</sup> / <sub>8</sub>		16	2		
DIMENSIONS (	6 x 6 x 2 <sup>3</sup> / <sub>8</sub>	120	16	4	10	3312
DIMI	6 x 9 x 2 <sup>3</sup> / <sub>8</sub>		16	6		

Downloadable professional resources available at Belgard.com/Resources

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Smooth face with clean, crisp lines
- · Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- · Increased options for creative patterns
- · Simplified quoting and design of projects
- · Uniform dimensions compatible with other Dimensions paver sizes
- Sizing compatible with other Belgard modular paver lines, like Origins™ and Papyrus™
- · Ideal for patios, walkways and residential vehicular applications

## SHAPES & SIZES

DIMENSIONS 6 | 60MM



3 x 6 x 23/8



6 x 6 x 23/8




6 x 9 x 23/8



## DIMENSIONS<sup>™</sup> 12

3-PIECE SYSTEM | 60MM
















ASPEN HICKORY RIO SCANDINA GRAY



VICTORIAN



#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Smooth face with clean, crisp lines
- Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- · Increased options for creative patterns
- · Simplified quoting and design of projects
- Uniform dimensions compatible with other Dimensions paver sizes
- Sizing compatible with other Belgard modular paver lines, like Origins™ and Papyrus™

## SHAPES & SIZES

DIMENSIONS 12 | 60MM

6 x 12 x 23/8



12 x 12 x 2%



12 x 18 x 23/8





## PALLET INFORMATION

DIMI	ENSIONS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
S 12	6 x 12 x 2 <sup>3</sup> / <sub>8</sub>		4	2		
DIMENSIONS 60MM	12 x 12 x 2 <sup>3</sup> / <sub>8</sub>	120	4	4	10	3348
DIME	12 x 18 x 2 <sup>3</sup> ⁄e		4	6		

Downloadable professional resources available at **Belgard.com/Resources** 



## DIMENSIONS<sup>™</sup> 12

3-PIECE SYSTEM | 80MM

Contemporary design meets traditional appeal with a smooth face and crisp, clean lines that pair well with any architectural style.











ASPEN RIO VICTORIAN



#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Smooth face with clean, crisp lines
- Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- Increased options for creative patterns
- · Simplified quoting and design of projects
- Uniform dimensions compatible with other Dimensions paver sizes
- Sizing compatible with other Belgard modular paver lines, like Origins™ and Papyrus™
- Ideal for patios, walkways and residential vehicular applications

## SHAPES & SIZES

DIMENSIONS 12 | 80MM







#### MODULAR SIZING





DRIVEWAY APPROVED

## PALLET INFORMATION

DIM	ENSIONS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
S 12	6 x 12 x 31/8		4	2		
DIMENSIONS '8	12 x 12 x 31/8	96	4	4	8	3570
DIME	12 x 18 x 31/8		4	6		

Downloadable professional resources available at **Belgard.com/Resources** 



# DIMENSIONS<sup>™</sup> 12

3-PIECE SYSTEM | 60MM



The contemporary lines and linear surface of Dimensions, enriched with DuraFusion Technology for enhanced color, texture and wear-resistance.







SEPIA 🤝





#### QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Smooth face with clean, crisp lines
- Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- Increased options for creative patterns
- · Simplified quoting and design of projects
- Uniform dimensions compatible with other Dimensions paver sizes
- Sizing compatible with other Belgard modular paver lines, like Origins™ and Papyrus™



## SHAPES & SIZES

DIMENSIONS 12 | 60MM



6 x 12 x 23/8



 $12 \times 12 \times 2\%$ 



12 x 18 x 23/8

## PALLET INFORMATION

DIM	ENSIONS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
S 12	6 x 12 x 23/8		4	2		
DIMENSIONS '	12 x 12 x 2 <sup>3</sup> / <sub>8</sub>	120	4	4	10	3348
DIME	12 x 18 x 2 <sup>3</sup> / <sub>8</sub>		4	6		

Downloadable professional resources available at **Belgard.com/Resources** 




# DIMENSIONS<sup>™</sup> 18

3-PIECE SYSTEM | 60MM

Contemporary design meets traditional appeal with a smooth face and crisp, clean lines that pair well with any architectural style.













ASPEN RIO SCANDINA GRAY VICTORIAN







## PALLET INFORMATION

DIM	ENSIONS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
S 18	9 x 18 x 2³/8		2	2.25		
DIMENSIONS 60MM	18 x 18 x 23/8	112.5	1	2.25	10	3152
DIME	18 x 27 x 2³/ <sub>8</sub>		2	6.75		

Downloadable professional resources available at **Belgard.com/Resources** 

#### QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Smooth face with clean, crisp lines
- · Contemporary larger-format sizing
- Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- Increased options for creative patterns
- · Simplified quoting and design of projects
- Uniform dimensions compatible with other Dimensions paver sizes
- Sizing compatible with other Belgard modular paver lines, like Origins™ and Papyrus™

### SHAPES & SIZES

DIMENSIONS 18 | 60MM



9 x 18 x 23/8



18 x 18 x 23/8




18 x 27 x 23/8



# DIMENSIONS<sup>™</sup> 18

3-PIECE SYSTEM | 60MM











SEPIA 🤝











ADA COMPLIANT

## PALLET INFORMATION

DIM	ENSIONS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
S 18	9 x 18 x 2 <sup>3</sup> / <sub>8</sub>		2	2.25		
DIMENSIONS 18 60MM	18 x 18 x 2 <sup>3</sup> / <sub>8</sub>	112.5	1	2.25	10	3152
DIME	18 x 27 x 2³⁄₅		2	6.75		

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Smooth face with clean, crisp lines
- · Contemporary larger-format sizing
- Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- Increased options for creative patterns
- · Simplified quoting and design of projects
- Uniform dimensions compatible with other Dimensions paver sizes
- Sizing compatible with other Belgard modular paver lines, like Origins™ and Papyrus™



DURAFUSION" TECHNOLOGY
Refined texture with enhanced wear-resistance

### SHAPES & SIZES

DIMENSIONS 18 | 60MM



 $9 \times 18 \times 2\%$ 



18 x 18 x 23/8



18 x 27 x 23/8




## **DIMENSIONS**

PAVER | 60MM

Accentuate contemporary style with a smooth, linear surface to create borders and inlaid designs that are captivating and timeless.









GRAPHITE

VICTORIAN



## MODULAR





ADA

## PALLET INFORMATION

DIMENSIONS™ PAVER		SQFT/	UNITS/	SQFT/	LAYER/	WEIGHT/
		PALLET	LAYER	LAYER	PALLET	Pallet
6 X 9	6 x 9 x 2 <sup>3</sup> / <sub>8</sub>	112.5	30	11.25	10	2982

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Clean lines and a modern architectural appearance
- Sized in true 3" increments for design and installation efficiencies
- Ideal for patios, walkways, accents, borders and residential vehicular applications
- Can be utilized to construct an ADAcompliant pavement
- 3 mm micro-chamfer width to minimize vibration and enhance wheelchair comfort
- Reduced cuts, installation time and waste
- · Increased options for creative patterns

## SHAPES & SIZES

6 X 9 | 60MM



6 x 9 x 23/8



# $\mathsf{DIMENSIONS}^{^{\mathsf{m}}}$

PAVER | 60MM




Accentuate contemporary style with a smooth linear surface enriched with DuraFusion Technology for enhanced color, texture and wear-resistance.









## MODULAR







ADA COMPLIANT

## PALLET INFORMATION

DIMENSIONS™ PAVER		SQFT/	UNITS/	SQFT/	LAYER/	WEIGHT/
		PALLET	LAYER	LAYER	PALLET	PALLET
6 X 9	6 x 9 x 2 <sup>3</sup> / <sub>8</sub>	112.5	30	11.25	10	2982

Downloadable professional resources available at Belgard.com/Resources

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- · Clean lines and a modern architectural appearance
- Sized in true 3" increments for design and installation efficiencies
- · Ideal for patios, walkways, accents, borders and residential vehicular applications
- · Can be utilized to construct an ADAcompliant pavement
- 3 mm micro-chamfer width to minimize vibration and enhance wheelchair comfort
- · Reduced cuts, installation time and waste
- · Increased options for creative patterns



DURAFUSION" TECHNOLOGY Refined texture with enhanced wear-resistance

## SHAPES & SIZES

6 X 9 | 60MM



6 x 9 x 23/8



## **DIMENSIONS**

PLANK | 80MM



An elongated plank shape combined with the extra thickness of these pavers offers a smooth expansive surface full of clean lines for a modern architectural appearance.









GRAPHITE RIO SCANDINA GRAY



## MODULAR





ANA

## PALLET INFORMATION

DIMENSIONS™ PLANK		SQFT/	UNITS/	SQFT/	LAYER/	WEIGHT/
		PALLET	LAYER	LAYER	PALLET	Pallet
3 X 12 80MM	3 x 12 x 31/8	110	44	11	10	3014

Downloadable professional resources available at Belgard.com/Resources

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- True 3-inch sizing for pallet optimization
- · Clean lines and a modern architectural appearance
- Can be utilized to construct an ADA-compliant pavement
- 3 mm micro-chamfer width to minimize vibration and enhance wheelchair comfort
- · Reduced cuts, installation time and waste
- · Increased options for creative patterns
- · Sizing compatible with other Dimensions sizes
- · Sizing compatible with all Belgard modular paver lines - look for the Modular Sizing icon

## SHAPES & SIZES



3 x 12 x 31/8

View the product page on Belgard.com for more information



**NORTH SALT LAKE** 

333 S. Redwood Road

Ph: 800-800-4004


North Salt Lake, UT 84054

## **DIMENSIONS**

SLAB | 60MM



The expansive size is distinguished by clean, crisp lines and a smooth, linear surface enriched with DuraFusion Technology for enhanced color, texture and wear-resistance.









SEPIA 🤝

SCANDINA GRAY 🤝

SHADED GRAY 🤝









### PALLET INFORMATION

DIMENSIONS™ SLAB		SQFT/ PALLET	UNITS/ LAYER	SQFT/ Layer	LAYER/ PALLET	WEIGHT/ PALLET
12 X 24 60MM	12 x 24 x 2 <sup>3</sup> /8	120	6	12	10	3230
24 X 24 60 MM	24 x 24 x 2 <sup>3</sup> /8	80	2	8	10	2454
24 X 36 60MM	24 x 36 x 2 <sup>3</sup> / <sub>8</sub>	120	2	12	10	3320
15 X 30 60MM	15 x 30 x 23/8	93.75	3	9.4	10	2619
9 X 18 60MM	9 x 18 x 2³/s	112.5	10	11.3	10	3139

Downloadable professional resources available at **Belgard.com/Resources** 

#### QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Smooth face with clean, crisp lines
- · Contemporary larger-format sizing
- Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- Increased options for creative patterns
- Simplified quoting and design of projects
- Uniform dimensions compatible with other Dimensions paver sizes
- Sizing compatible with other Belgard modular paver lines, like Origins™ and Papyrus™



DURAFUSION" TECHNOLOGY
Refined texture with enhanced wear-resistance

## SHAPES & SIZES

12 X 24 | 60MM



12 x 24 x 23/8

24 X 24 | 60MM



24 x 24 x 23/8

24 X 36 | 60MM



24 x 36 x 23/8

15 X 30 | 60MM



15 x 30 x 23/8

9 X 18 | 60MM




9 x 18 x 23/8




## DUBLIN COBBLE®

3-PIECE PAVER | 60MM









### DRIVEWAY APPROVED

#### PALLET INFORMATION

DUB	LIN COBBLE° 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
	5 <sup>15</sup> /16 x 2 <sup>15</sup> /16 x 2 <sup>3</sup> /8		16	1.9		
WW0 9	5 <sup>15</sup> / <sub>16</sub> x 5 <sup>15</sup> / <sub>16</sub> x 2 <sup>3</sup> / <sub>8</sub>	114	16	3.8	10	3150
	5 <sup>15</sup> / <sub>16</sub> x 8 <sup>7</sup> / <sub>8</sub> x 2 <sup>3</sup> / <sub>8</sub>		16	5.7		

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- Gently distressed surfaces and antiqued edges
- · Exceptional stability and durability
- Wide range of natural color blends
- Available in a variety of shapes and sizes
- Ideal for walkways, small patios and residential vehicular applications

#### SHAPES & SIZES

3-PIECE | 60MM



515/16 x 215/16 x 23/8



 $5^{15}/_{16} \times 5^{15}/_{16} \times 2^{3}/_{8}$ 




 $5^{15}/_{16} \times 8^{7}/_{8} \times 2^{3}/_{8}$ 



## **EMPIRE** PAVER | 60MM



The plank shape and hand-tooled face are enriched by DuraFusion Technology for enhanced texture and wear-resistance with seven distinct face styles for unique pattern creation.











SCANDINA GRAY 🤝



#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- · Hand-tooled appearance
- 7 unique textures per pallet
- Ideal for patios, walkways and accents
- Contemporary twist for classic herringbone and basketweave designs
- Sizing compatible with all Belgard modular paver lines - look for the Modular Sizing icon



DURAFUSION" TECHNOLOGY

Refined texture with enhanced wear-resistance

#### SHAPES & SIZES

60MM



3 x 12 x 23/8

NOTE: All 7 face styles are sold on a single pallet.

## MODULAR





COMPLIANT

#### PALLET INFORMATION

EMP	PIRE™	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
WW09	3 x 12 x 2 <sup>3</sup> / <sub>8</sub>	110	44	11	10	3085

Downloadable professional resources available at Belgard.com/Resources



## GEOMETRIC SHAPES

PAVER | 60MM



A contemporary smooth face and shape to create ultra-modern design and art deco aesthetics. In 3-inch increments, these pavers add visual appeal to borders, accents or inlays.









GRAPHITE RIO SCANDINA GRAY



## MODULAR



#### PALLET INFORMATION

GEO	METRIC SHAPES	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
HEXAGON 60MM	12 x 12 x 2¾	100.02	14	9.09	11	2845

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- · Smooth face
- · Contemporary aesthetic
- Sizing compatible with all Belgard modular paver lines look for the Modular Sizing icon
- Reduced cuts, installation time and waste
- · Increased options for creative patterns

#### SHAPES & SIZES

HEXAGON | 60MM



12 x 12 x 23/8




# HOLLAND STONE

PAVER | 60MM

The classic architectural appearance is derived from a smooth face and clean lines to offer traditional appeal.









ADA COMPLIANT

HOL	LAND STONE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
MM09	4 x 8 x 2³/s	120	54	12	10	3144

Downloadable professional resources available at Belgard.com/Resources

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- One size ideal for inlays, borders and as a stand alone
- · Ideal for both residential and commercial applications
- · Comprehensive library of installation patterns
- · Ideal for patios, walkways and residential vehicular applications

#### SHAPES & SIZES

60MM



4 x 8 x 23/8




## MEGA-ARBEL®

PAVER | 60MM



The look of flagstone is expressed by this paver's irregular shape, slightly uneven texture and large dramatic scale. False joints create a random look that adds to its natural appeal.









ASPEN ASHWOOD VICTORIAN



#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- Large, dramatic scale that mimics natural stone
- Features a range of natural colors and blends
- Irregular interlocking system that utilizes a no-repeat pattern

#### SHAPES & SIZES

60MM



153/8 x 21 x 23/8

#### PALLET INFORMATION

MEG	A-ARBEL <sup>®</sup>	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
MM09	153/8 x 21 x 23/8	104.4	6	8.7	12	2756

Downloadable professional resources available at **Belgard.com/Resources** 



#### NATURAL COLLECTION

## ORIGINS<sup>™</sup> 6

#### 3-PIECE SYSTEM | 60MM



Emulating the look and texture of natural stone, this paver system offers earthy tones and a slightly chiseled, yet refined surface that blends with the natural environment.





VICTORIAN



MODULAR





ADA COMPLIANT

**QUALITY FOR LIFE** 

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- · Look and feel of natural stone
- · Maximized pallet layout for jobsite efficiencies
- Reduced cuts, installation time and waste
- · Increased options for creative patterns
- · Simplified quoting and design of projects
- · Uniform dimensions compatible with other Origins paver sizes
- Sizing compatible with all Belgard modular paver lines, like Dimensions™ and Papyrus™
- · Ideal for patios, walkways and residential vehicular applications

#### SHAPES & SIZES

ORIGINS 6 | 60MM



3 x 6 x 23/8



6 x 6 x 23/8



6 x 9 x 23/8

#### PALLET INFORMATION

ORIO	GINS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
9	3 x 6 x 2 <sup>3</sup> / <sub>8</sub>		16	2		
ORIGINS 6 60MM	6 x 6 x 2 <sup>3</sup> / <sub>8</sub>	120	16	4	10	3312
90	6 x 9 x 2³/e		16	6		

Downloadable professional resources available at Belgard.com/Resources




## ORIGINS<sup>™</sup> 12

3-PIECE SYSTEM | 60MM



Emulating the look and texture of natural stone, this paver system offers earthy tones and a slightly chiseled, yet refined surface that blends with the natural environment.











RIO ASHWOOD ASPEN VICTORIAN







ORIO	GINS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
12	6 x 12 x 23/8		4	2		
ORIGINS 12 60MM	12 x 12 x 2 <sup>3</sup> / <sub>8</sub>	120	4	4	10	3348
OR	12 x 18 x 2 <sup>3</sup> ⁄e		4	6		

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- · Look and feel of natural stone
- Maximized pallet layout for jobsite efficiencies
- Reduced cuts, installation time and waste
- · Increased options for creative patterns
- · Simplified quoting and design of projects
- Uniform dimensions compatible with other Origins paver sizes
- Sizing compatible with all Belgard modular paver lines, like Dimensions™ and Papyrus™

#### SHAPES & SIZES

ORIGINS 12 | 60MM



6 x 12 x 23/8



12 x 12 x 23/8



12 x 18 x 23/8



## ORIGINS<sup>™</sup> 12

3-PIECE SYSTEM | 80MM




Emulating the look and texture of natural stone, this paver system offers earthy tones and a slightly chiseled, yet refined surface that blends with the natural environment.







ASHWOOD VICTORIAN



## MODULAR





ADA COMPLIANT

#### PALLET INFORMATION

ORIO	GINS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
12	6 x 12 x 23/8		4	2		
ORIGINS 12 80MM	12 x 12 x 2 <sup>3</sup> / <sub>8</sub>	96	4	4	8	3570
OR	12 x 18 x 31/e		4	6		

Downloadable professional resources available at Belgard.com/Resources

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- · Look and feel of natural stone
- · Maximized pallet layout for jobsite efficiencies
- Reduced cuts, installation time and waste
- · Increased options for creative patterns
- · Simplified quoting and design of projects
- · Uniform dimensions compatible with other Origins paver sizes
- Sizing compatible with all Belgard modular paver lines, like Dimensions™ and Papyrus™
- · Ideal for patios, walkways and residential vehicular applications

#### SHAPES & SIZES

ORIGINS 12 | 80MM



6 x 12 x 23/8



12 x 12 x 23/8



12 x 18 x 31/8




## ORIGINS<sup>™</sup> 12

3-PIECE SYSTEM | 60MM

The refined, chiseled face of Origins is paired with DuraFusion Technology for a tighter texture and enhanced durability.









TEAK 🤝





## MODULAR





TECHNOLOGY COMPLIANT

## PALLET INFORMATION

ORIO	GINS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
12	6 x 12 x 23/8		4	2		
ORIGINS 12 60MM	12 x 12 x 2 <sup>3</sup> / <sub>8</sub>	120	4	4	10	3348
OR	12 x 18 x 2 <sup>3</sup> / <sub>8</sub>		4	6		

Downloadable professional resources available at Belgard.com/Resources

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- · Look and feel of natural stone
- · Maximized pallet layout for jobsite efficiencies
- Reduced cuts, installation time and waste
- · Increased options for creative patterns
- · Simplified quoting and design of projects
- · Uniform dimensions compatible with other Origins paver sizes
- Sizing compatible with all Belgard modular paver lines, like Dimensions™ and Papyrus™



Refined texture with enhanced wear-resistance

#### SHAPES & SIZES

ORIGINS 12 | 60MM



6 x 12 x 23/8



12 x 12 x 23/8



12 x 18 x 23/8




## ORIGINS<sup>™</sup> 18

3-PIECE SYSTEM | 60MM



Emulating the look and texture of natural stone, this paver system offers earthy tones and a slightly chiseled, yet refined surface that blends with the natural environment.











ASHWOOD ASPEN RIO VICTORIAN







ORIO	GINS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
8	9 x 18 x 2 <sup>3</sup> / <sub>8</sub>		2	2.25		
ORIGINS 18 60MM	18 x 18 x 2 <sup>3</sup> / <sub>8</sub>	112.5	1	2.25	10	3152
OR	18 x 27 x 2³⁄₅		2	6.75		

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- Look and feel of natural stone
- · Contemporary larger-format sizing
- Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- Increased options for creative patterns
- Simplified quoting and design of projects
- Uniform dimensions compatible with other Origins paver sizes
- Sizing compatible with all Belgard modular paver lines, like Dimensions™ and Papyrus™

#### SHAPES & SIZES

ORIGINS 18 | 60MM



9 x 18 x 23/8



18 x 18 x 23/8



18 x 27 x 23/8




## ORIGINS<sup>™</sup> 18

3-PIECE SYSTEM | 60MM

The refined, chiseled face of Origins is paired with DuraFusion Technology for a tighter texture and enhanced durability.









TEAK 🤝





## MODILLAR





ADA COMPLIANT

### PALLET INFORMATION

ORIO	GINS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
8	9 x 18 x 2³/8		2	2.25		
ORIGINS 18 60MM	18 x 18 x 23/8	112.5	1	2.25	10	3152
OR	18 x 27 x 2³∕ <sub>8</sub>		2	6.75		

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- · Look and feel of natural stone
- · Contemporary larger-format sizing
- Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- Increased options for creative patterns
- · Simplified quoting and design of projects
- Uniform dimensions compatible with other Origins paver sizes
- Sizing compatible with all Belgard modular paver lines, like Dimensions™ and Papyrus™



DURAFUSION" TECHNOLOGY
Refined texture with enhanced wear-resistance

#### SHAPES & SIZES

ORIGINS 18 | 60MM



9 x 18 x 23/8



18 x 18 x 23/8



18 x 27 x 2<sup>3</sup>/<sub>8</sub>



#### NATURAL COLLECTION

# ORIGINS PAVER | 60MM



With a subtle chiseled stone face, this paver is an ideal choice for driveways, small patios, or for adding a touch of texture as a distinctive border, accent banding and inlaid design.







GRAPHITE VICTORIAN



## MODULAR SIZING





ADA COMPLIANT

#### PALLET INFORMATION

ORIO	GINS™ PAVER	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
6 X 9	6 x 9 x 2 <sup>3</sup> / <sub>8</sub>	112.5	30	11.25	10	2982

Downloadable professional resources available at Belgard.com/Resources

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- · Look and feel of natural stone
- · Ideal for small patios, walkways, accents, borders and residential vehicular applications
- Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- · Increased options for creative patterns
- · Simplified quoting and design of projects
- · Uniform dimensions compatible with other Origins paver sizes
- Sizing compatible with other Belgard  $modular\ paver\ lines, like\ Dimensions^{\text{\tiny{TM}}}$ and Papyrus™

#### SHAPES & SIZES

6 X 9 | 60MM



6 x 9 x 23/8



## PAPYRUS<sup>™</sup>

### 3-PIECE PAVER | 60MM



An organic textural experience with modern elegance, this paver's unique face offers an upscale hand-tooled look enriched with DuraFusion Technology for enhanced color, texture and wear-resistance.











SEPIA 🤝







ADA COMPLIANT

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- Upscale organic texture that emulates hand-tooled stone
- True 3" increments for optimized pallet layouts and jobsite efficiencies
- Reduced cuts, installation time and waste
- · Simplified quoting and design of projects
- Expansion of the Artisan Collection of modular pavers
- Sizing compatible with all Belgard modular paver lines like Origins<sup>™</sup> and Dimensions<sup>™</sup>



DURAFUSION\* TECHNOLOGY
Refined texture with enhanced wear-resistance

#### SHAPES & SIZES

PAPYRUS 18 | 60MM



9 x 18 x 23/8



18 x 18 x 23/8



18 x 27 x 23/8

#### PALLET INFORMATION

PAP	YRUS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
9	9 x 18 x 2 <sup>3</sup> / <sub>8</sub>		2	2.25		
PAPYRUS 18 60MM	18 x 18 x 2 <sup>3</sup> / <sub>8</sub>	112.5	1	2.25	10	3152
PAF	18 x 27 x 2³∕ <sub>8</sub>		2	6.75		

Downloadable professional resources available at **Belgard.com/Resources** 





#### METROPOLITAN COLLECTION

# PLAZA SLAB | 50MM



The large-scale size, smooth surface and tight-fitting joints are ideal for adding a modern and elegant look to high-traffic areas.







PLAZA™		SQFT/	UNITS/	SQFT/	LAYER/	WEIGHT/
		PALLET	LAYER	LAYER	PALLET	PALLET
50MM	233/8 x 233/8 x 2	88	2	8	11	1958

Downloadable professional resources available at **Belgard.com/Resources** 

#### QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- Large scale, contemporary format with tight-fitting joints
- · ADA Compliant
- Solid and blended colors available
- Easy to install
- Thickness 2" (50mm)
- Qty: 22 Pieces per pallet (88 sq ft)
- Product does not have spacer bars

#### SHAPES & SIZES

PLAZA | 50MM



233/8 x 233/8 x 2




## $TURFSTONE^{^{\mathsf{T}}}$

GRID PAVER | 80MM

An open lattice grid design offers turf or gravel infill, creating a unique hardscape design that works in harmony with nature.







GRAY





TURFSTONE™		SQFT/	UNITS/	SQFT/	LAYER/	WEIGHT/
		PALLET	LAYER	LAYER	PALLET	Pallet
80MM	15¾ x 235⁄a x 31⁄a	101	5	12.63	8	2576

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- Manufactured in accordance with ASTM C1319
- · Open lattice grid design for turf infill
- 40% surface opening with void space for creating a grass pavement
- Applications include driveways, parking stalls, ramps, service and emergency access lanes

#### SHAPES & SIZES

80MM



153/4 x 235/8 x 31/8



## GLOCAL

### CONCRETE FINISH | 20MM



The smooth concrete-like finish offers a clean, contemporary aesthetic. Its structured and tight surface texture in neutral shades makes this porcelain paver a versatile design element.









V2 LIDEAL GC 03



ABSOLUTE GC 06



	GLOCAL	SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ Pallet
24 X 24	23.54 x 23.54 x <sup>3</sup> / <sub>4</sub>	232.5	7.75	30	2	72	2160
24 X 48	23.54 x 47.17 x <sup>3</sup> / <sub>4</sub>	271.25	7.75	35	1	74	2621
48 X 48	47.17 x 47.17 x <sup>3</sup> / <sub>4</sub>	310	15.5	20	1	148.5	3009
UNICO 2.0	11.62 x 23.54 x <sup>3</sup> / <sub>4</sub>	205.2	5.7	36	3	54	1944

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**


Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- · Smooth, concrete-like finish
- Incredibly high breakage loads, up to 3,000 pounds
- · Modular for faster installation,
- Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials
- Structured top textures create non-slip surfaces
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F)

\* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

#### SHAPES & SIZES



\*48 x 48 is special order



# JURUPA



WOOD FINISH | 20MM

The robust intrinsic characteristics of smooth planed wood offer warmth and sophistication. Resembling wood, each paver has subtle variations clearly framed by grouted details.









MASTER JP 03



**V2**CAMP
JP 04





	JURUPA	SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ Pallet
12 X 48	11.73 x 47.17 x <sup>3</sup> / <sub>4</sub>	279	7.75	36	2	74	2664

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- Robust intrinsic characteristics of smooth planed wood.
- Incredibly high breakage loads, up to 3,000 pounds
- · Modular for faster installation,
- Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials.
- Structured top textures create non-slip surfaces.
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F).
  - \* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

#### SHAPES & SIZES

12 X 4

11.73 x 47.17 x <sup>3</sup>/<sub>4</sub>



## NOON

#### WOOD FINISH | 20MM



Warm and stylish, this contemporary expression of simplicity combines the look and feel of natural wood with the durability of porcelain.









EMBER NN 02 ST



MODERATE HONEY
NN 03 ST







MODERATE

NOON		SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ PALLET
12 X 48	11.73 x 47.17 x <sup>3</sup> / <sub>4</sub>	279	7.75	36	2	74	2664
UNICO 2.0	11.62 x 23.54 x <sup>3</sup> / <sub>4</sub>	205.2	5.7	36	3	54	1944

Downloadable professional resources available at Belgard.com/Resources

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- · Rustic look and texture of reclaimed wood
- · Incredibly high breakage loads, up to 3,000 pounds
- Modular for faster installation.
- · Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.\*
- · High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials.
- Structured top textures create non-slip surfaces.
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F).

\* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

#### SHAPES & SIZES

12 X 48

11.73 x 47.17 x 3/4

UNICO 2.0



11.62 x 23.54 x 3/4



## NOVEMBER

BELGARD PAVES THE WAY

STONE FINISH | 20MM

Minimalist styling inspired by nature is found with this versatile porcelain paver. Characteristics of stone and cement embody its texture to offer a simple, yet elegant look.









RAIN NM 01 V2 WIND NM 02







LOW SOLAR HEAT

NOVEMBER		SQFT/	SQFT/	BOXES/	PCS/	WEIGHT/	WEIGHT/
		PALLET	BOX	PALLET	BOX	BOX	Pallet
24 X 24	24 x 24 x <sup>3</sup> / <sub>4</sub>	232.5	7.75	30	2	72 lbs	2160

Downloadable professional resources available at Belgard.com/Resources

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- · Characteristics of stone and cement combine for a simple, minimalist look with elegance
- · Available in 4 versatile colors with choice of controlled shade variation (< 15 graphics, V2 variation)
- Efficient 24" x 24" size for cost savings
- Color-body, rectified porcelain is made in Italy
- · Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device\*
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- · Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials.
- · Structured top textures create non-slip surfaces.
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F).

\* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

#### SHAPES & SIZES

24 X 24




24 x 24 x <sup>3</sup>/<sub>4</sub>



## QUARZITI 2.0

STONE FINISH | 20MM




**v3** 

 ${\tt MOUNTAINS}$ 

QR 02 NAT





v3

WATERFALL

QR 03 NAT



GLACIER

QR 01 NAT

MANTLE QR 05 NAT

v3

Only available in Unico 2.0 & 24 x 24

**V3**RIVER

QR 04 NAT







LOW SOLAR HEAT

	QUARZITI 2.0	SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ PALLET
12 X 24	11.73 x 23.54 x <sup>3</sup> / <sub>4</sub>	235.5	5.81	40	3	54.19	2201
24 X 24	23.54 x 23.54 x <sup>3</sup> / <sub>4</sub>	232.5	7.75	30	2	72	2160
18 X 36	17.64 x 35.35 x <sup>3</sup> / <sub>4</sub>	234.9	8.7	27	2	81.4	2235
24 X 48	23.54 x 47.17 x <sup>3</sup> / <sub>4</sub>	271.25	7.75	35	1	74	2621
MODULAR	23.54 x 35.35 x <sup>3</sup> / <sub>4</sub> 11.73 x 23.54 x <sup>3</sup> / <sub>4</sub>	279	7.75	36	2 (1 of each size)	72	2640
UNICO 2.0	11.62 x 23.54 x <sup>3</sup> / <sub>4</sub>	205.2	5.7	36	3	54	1944

Downloadable professional resources available at **Belgard.com/Resources** 

#### QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- Reallistic look of natural quartz
- A variety of modular shapes offer ultimate design flexibility
- Incredibly high breakage loads, up to 3,000 pounds
- · Modular for faster installation
- Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.\*
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials.
- Structured top textures create non-slip surfaces.
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to +60° C (-60°F to +140°F).

\* It is important that all pressure washing of porcelain pavers be done with a maximum setting of 1600 psi. Care should be taken to prevent damage to grout (adhesive and grout installations), and some re-sanding will be necessary when power washing sand or polymeric sand installations.

#### SHAPES & SIZES

12 X 24°	
	11.73 x 23.54 x <sup>3</sup> / <sub>4</sub>
24 X 24	
	23.54 x 23.54 x <sup>3</sup> / <sub>4</sub>
18 X 36	
	17.64 x 35.35 x <sup>3</sup> / <sub>4</sub>
24 X 48	
	23.54 x 47.17 x <sup>3</sup> / <sub>4</sub>
MODULAR	
	23.54 x 35.35 x <sup>3</sup> / <sub>4</sub> 11.73 x 23.54 x <sup>3</sup> / <sub>4</sub>
UNICO 2.0	
	11.62 x 23.54 x <sup>3</sup> / <sub>4</sub>

\* 12 x 24 is special order



## SILVERLAKE

STONE FINISH | 20MM



Soft veining effects intertwine with neutral shades to offer natural patterns like those found in marble and stones. These traits provide a luxurious look with maximum versatility.









RESIA SK 02 ST



ORSI SK 06 ST









HIGH Variation

LOW SOLAR HEAT ABSORPTION

	SILVERLAKE	SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ PALLET
24 X 24	23.55 x 23.54 x <sup>3</sup> / <sub>4</sub>	232.5	7.75	30	2	72	2160
24 X 48	23.54 x 47.17 x <sup>3</sup> / <sub>4</sub>	271.25	7.75	35	1	74	2621

Downloadable professional resources available at **Belgard.com/Resources** 

#### QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

### FEATURES & BENEFITS

- A range of balanced, neutral colours with soft veining effects
- Incredibly high breakage loads, up to 3,000 pounds
- · Modular for faster installation,
- Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.\*
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials.
- Structured top textures create non-slip surfaces.
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to +60° C (-60°F to +140°F).

\* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

#### SHAPES & SIZES

24 X 24



23.55 x 23.54 x 3/4

24 X 48



23.54 x 47.17 x 3/4

View the product page on **Belgard.com** for more information



NORTH SALT LAKE

333 S. Redwood Road

Ph: 800-800-4004


North Salt Lake, UT 84054

## UNICO 2.0

COPING | 20MM



Enhance your outdoor spaces with our premium porcelain coping available in a variety of styles to complement multiple porcelain paver lines.





## v2 SLIGHT





HIGH



LOW SOLAR HEAT

### PALLET INFORMATION

UNICO 2.0		SQFT/	SQFT/	BOXES/	PCS/	WEIGHT/	WEIGHT/
		PALLET	BOX	PALLET	BOX	BOX	PALLET
COPING	11.62 x 23.54 x <sup>3</sup> / <sub>4</sub>	205.2	5.7	36	3	54	1944

Downloadable professional resources available at Belgard.com/Resources

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- · Sleek, polished round edge
- · Featuring authentic looks in natural stone, cement, and wood to coordinate with various porcelain paver lines
- Use for steps or as coping for swimming pools
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- · Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials
- Structured top textures create non-slip surfaces
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from  $-51.1^{\circ}$  to  $+60^{\circ}$  C ( $-60^{\circ}$ F to  $+140^{\circ}$ F)

#### SHAPES & SIZES





11.62 x 23.54 x 3/4




## ASHLAR TANDEM™

## FREESTANDING | RETAINING

BELGARD PAVES THE WAY

Virtual joints and a chiseled face create the look of a random stone facade for the versatile Tandem system that can build pillars, garden walls and stylish outdoor kitchens and features.







TOSCANA

VICTORIAN















#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

### FEATURES & BENEFITS

- · Distinctive chiseled stone texture manufactured to consistent height tolerances
- · Build curved or straight walls
- Offered in 3 sizes to allow for design versatility and customization
- · Minimum outside radius of 6'
- Freestanding walls up to 28"
- Engineered 90° corners
- Gravity walls up to 3 feet\* using a ½ inch setback per unit (4 degree system batter)
- · Reinforced walls up to 8 feet

\*Gravity wall heights are based on project specific conditions and may be lower than this value.

#### SHAPES & SIZES

3-PIECE



7 x 133/16 x 25/8



7 x 15<sup>13</sup>/<sub>16</sub> x 2<sup>5</sup>/<sub>8</sub>



7 x 181/16 x 25/8

### PALLET INFORMATION

	ASHLAR TANDEM™	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ Pallet
3-PIECE	7 x 13¾16 x 25⁄6	70.1	3.2	6	30	1954
	7 x 15 <sup>13</sup> /16 x 25/8		3.92		30	
	7 x 187/16 x 25/8		4.56		30	

Downloadable professional resources available at Belgard.com/Resources




## DIAMOND PRO® AIR STRAIGHT



### RETAINING

With a rugged split-stone face and crisp edges, this lightweight retaining wall delivers an organic feel for retaining and terraced walls.







G R A Y S A N D S T O N E









	DIAMOND PRO° AIR STRAIGHT	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
WALL BLOCK	8 x 18 x 12	40	8	5	40	2060
CORNER	8 x 18 x 8 <sup>13</sup> /16	40	15	4	40	3600
CAP	18 x 4 x 12	96 LNFT	12 LNFT	8	64	3840

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- Rugges split-stone appearance
- Can be installed as a gravity wall or geogridreinforced wall.
- Weighing only 54 lbs., this 1 square foot block maximizes installation and shipping efficiencies
- Front lug design produces a 9/16" per unit setback for a 4° system batter
- · Cores align for easy filling
- Top course is placed upside down in order to increase capping efficiency
- Ideally situated for retaining walls up to 12 feet tall
- Can be used to build gravity walls up to 3' 4" high, including the buried course
- Minimum outside radius, measured on the top course to the front of the units: 4 feet
- Minimum inside radius, measured on the base course to the front of the units: 6 feet

\*Gravity wall heights are based on project specific conditions and may be lower than this value.

### SHAPES & SIZES

WALL BLOCK



8 x 18 x 12

CORNER



8 x 18 x 8<sup>13</sup>/<sub>16</sub>

CAP



18 x 4 x 12




## DIAMOND PRO PS QUARRIED



### RETAINING

Inspired by the look of natural unearthed stone, these blocks pair the time-tested strength of a Diamond Pro Retaining Wall System with the installation ease of a pin locator system.







ASHWOOD

VICTORIAN









	DIAMOND PRO°PS QUARRIED	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ Pallet
WALL	8 x 18 x 12	32	8	4	32	2368
CORNER	8 x 17¼ x 7½	36	18	2	24	1800
CAP	31⁄4 x 15 x 24	17.33	2.17	8	32	3072
PINS	5 x ½ diameter 2 pins / block (sold separately)	-	-	-	100 / box	-

Downloadable professional resources available at **Belgard.com/Resources** 

#### QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

### FEATURES & BENEFITS

- · Elegant chiseled-stone look
- · Pin system installation method
- · Large cores for ease in handling
- Ease of installation with oversized pin aligning cores
- · Pin cores allow for multiple batter options
- Builds walls in excess of 50 feet when combined with geosynthetic reinforcement
- One square foot of wall face per block
- Gravity walls can be built up to 4 feet high, including the buried course, with
   7.1 degree batter
- Minimum outside radius, measured on the top course to the front of the units: 4 feet
- Minimum inside radius, measured on the base course to the front of the units: 6 feet
- Setback/System Batter: Near Vertical and 1"/7.1°; additional system batter can be created by alternating pin placement on each course of wall

\*Gravity wall heights are based on project specific conditions and may be lower than this value.

### SHAPES & SIZES

WALL BLOCK



8 x 18 x 12

CORNER



8 x 171/4 x 71/2

CAP



31/4 x 15 x 24

PINS



5 x ½ diameter 2 pins / block (sold separately)




## DIAMOND PRO® PS SMOOTH



## RETAINING

A refined appearance with clean lines and the strength of Diamond Pro Retaining Wall Systems, this wall provides a modern touch and is efficiently installed with a pin system.







 $\mathsf{GRAPHITE}$ 

RIO









	DIAMOND PRO° PS SMOOTH	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ Pallet	WEIGHT/ Pallet
WALL	8 x 18 x 12	32	8	4	32	2439
CORNER	8 x 17¼ x 7½	36	18	2	24	1800
CAP	15¾ x 23½ x 3%6	55.125	7.88	7	28	2842
PINS	5 x ½ diameter 2 pins / block (sold separately)	-	-	-	100 / box	-

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

### FEATURES & BENEFITS

- · Contemprary smooth face and linear appeal
- · Pin system installation method
- · Large cores for ease in handling
- Ease of installation with oversized pin aligning cores
- · Pin cores allow for multiple batter options
- Builds walls in excess of 50 feet when combined with geosynthetic reinforcement
- One square foot of wall face per block
- Gravity walls can be built up to 4 feet high, including the buried course, with
   7.1 degree batter
- Minimum outside radius, measured on the top course to the front of the units: 4 feet
- Minimum inside radius, measured on the base course to the front of the units: 6 feet
- Setback/System Batter: Near Vertical and 1"/7.1°; additional system batter can be created by alternating pin placement on each course of wall

\*Gravity wall heights are based on project specific conditions and may be lower than this value.

#### SHAPES & SIZES

WALL BLOCK



8 x 18 x 12

CORNER



8 x 171/4 x 71/2

CAP



15¾ x 235/8 x 35/16

PINS



5 x ½ diameter 2 pins / block (sold separately)




## MELVILLE TANDEM™

## FREESTANDING | RETAINING

BELGARD PAVES THE WAY

A distinctive smooth face and large format size provides a modern aesthetic for a wide variety of outdoor living projects including retaining walls, kitchens, built-in seating and more.





 $R \, I \, O$ 















	MELVILLE TANDEM™	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
3-PIECE	7 x 13¾6 x 2½	19.2	3.2	6	30	1911
	7 x 15 <sup>13</sup> /16 x 2 <sup>5</sup> /8	23.55	3.92		30	
	7 x 18½6 x 25⁄8	27.35	4.56		30	

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

### FEATURES & BENEFITS

- Contemporary smooth face in a multipiece look
- · Build curved or straight walls
- Offered in 3 sizes to allow for design versatility and customization
- Minimum outside radius of 6'
- Freestanding walls up to 28"
- Engineered 90° corners
- Gravity walls up to 3 feet\* using a ½ inch setback per unit (4 degree system batter)
- · Reinforced walls up to 8 feet
- Versatile system can build a variety of outdoor living features including seat walls, kitchens, planters, columns, and fire and water features

\*Gravity wall heights are based on project specific conditions and may be lower than this value.

#### SHAPES & SIZES

3-PIFCF



7 x 13<sup>3</sup>/<sub>16</sub> x 2<sup>5</sup>/<sub>8</sub>



7 x 15<sup>13</sup>/<sub>16</sub> x 2<sup>5</sup>/<sub>8</sub>



 $7 \times 18\% \times 2\%$ 



## MELVILLE™ WALL

## GARDEN | FREESTANDING



Distinctive smooth faces, subtle edges and clean design make this wall stand out for the modern aesthetics it provides. System is comprised of a double-sided wall unit, along with a matching cap.











ANTHRACITE

RIO

SCANDINA GRAY

VICTORIAN



HICKORY















	MELVILLE™ WALL	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ Pallet
WALL BLOCK	4 x 20 x 10	26.67	4.44	6	48	3074
CAP	2 x 20 x 13	120 LNFT	10 LNFT	12	72	3045

Downloadable professional resources available at **Belgard.com/Resources** 

#### QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

### FEATURES & BENEFITS

- Matching cap provides a seamless aesthetic
- Integrate cap into wall design to create depth and custom appearance (as pictured on opposite page)
- Multiple installation patterns.
- Smooth face and aesthetics pair well with our pre-built Melville Series of fire and kitchen features
- On-trend color offering complements any project
- Simplistic design allows for easy installation of walls and other outdoor features
- 2 foot maximum height is perfect for garden and planter walls

### SHAPES & SIZES

WALL BLOCK



4 x 20 x 10

CAP



2 x 20 x 13



## SHELTON WALL™

## FREESTANDING | RETAINING



Exuding old world charm with its rustic finish and earth tone blends, this multi-piece wall system offers multi-dimensional character and installation flexibility.












ASHWOOD

ASPEN RIO

SCANDINA GRAY



VICTORIAN















	SHELTON WALL™	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
	6 x 6 / 4 x 10		1.25	6	30	4069
3-PIECE	6 x 12 / 10 x 10	38.75	2.75		30	
	6 x 16 / 14 x 10		3.75		30	
CAP	3 x 12 / 8 x 12	60	10	6	72	2304
PINS	6 x ¾ diameter 2 pins / block (sold separately)	-	-	-	80 / box	-

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- · Rustic look of tumbled stone
- Multi-piece wall system for increased installation flexibility
- Ideal for small freestanding walls, parapet walls, seat benches, pilasters, columns and outdoor living environments
- Build curved or straight, freestanding or retaining walls
- Each unit can be used as an exposed end unit or a 90° corner unit for less cuts
- No patterns required for random look
- Used for gravity walls up to 2.5 feet at a near vertical batter or 3 feet using the 9.5 degree batter/1 inch setback per unit option.
- Taller walls can be built using geosynthetic reinforcement when designed by a qualified engineer.
- Minimum outside radius of 5 feet
- · Minimum inside radius of 3 feet

\*Gravity wall heights are based on project specific conditions and may be lower than this value.

### SHAPES & SIZES

3-PIECE



6 x 6 / 4 x 10



6 x 12 / 10 x 10



6 x 16 / 14 x 10

CAP



3 x 12 / 8 x 12

PINS




6 x 3% diameter 2 pins / block (sold separately)



## STEEPLE CREST<sup>™</sup>

## FREESTANDING | RETAINING
















ASHWOOD ASPEN RIO SCANDINA GRAY



VICTORIAN















	STEEPLE CREST™	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
	6 x 6 / 4 x 10	25.83	.52	5	10	2712
3-PIECE	6 x 12 / 10 x 10		1.1		10	
	6 x 16 / 14 x 10		1.37		10	
CAP	3 x 12 / 8 x 12	60 LNFT	10 LNFT	6	72	2039
PINS	6 x ¾ diameter 2 pins / block (sold separately)	-	-	-	80 / box	-

Downloadable professional resources available at **Belgard.com/Resources** 

#### QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- · Elegant look of cut stone
- Multi-piece wall system for increased installation flexibility
- Ideal for small freestanding walls, parapet walls, seat benches, pilasters, columns and outdoor living environments
- Build curved or straight, freestanding or retaining walls
- Each unit can be used as an exposed end unit or a 90° corner unit for less cuts
- · No patterns required for random look
- Used for gravity walls up to 2.5 feet at a near vertical batter or 3 feet using the 9.5 degree batter/1 inch setback per unit option.
- Taller walls can be built using geosynthetic reinforcement when designed by a qualified engineer.
- Minimum outside radius of 5 feet
- · Minimum inside radius of 3 feet

\*Gravity wall heights are based on project specific conditions and may be lower than this value.

### SHAPES & SIZES

3-PIECE



6 x 6 / 4 x 10



6 x 12 / 10 x 10



6 x 16 / 14 x 10

CAP



3 x 12 / 8 x 12

PINS



6 x 3/8 diameter 2 pins / block (sold separately)




## WESTON STONE

GARDEN | FREESTANDING



Offering the look of tumbled cut stone, this wall block is double-sided for the design flexibility to create a wide variety of garden walls and outdoor living features.







RIO VICTORIAN













	WESTON STONE™	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ Pallet
UNIVERSAL	4 x 12 x 8	42	6	7	126	3696

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

### FEATURES & BENEFITS

- · Weathered stone appearance
- Plantable wall designs & columns can be easily created
- Create a wide variety of custom outdoor living features including kitchens, built-in seating and fire features
- Build curved or straight walls
- · Build freeform walls with minimal cuts
- Can be used to build gravity walls up to 2 feet high\*, including the buried course
- Minimum outside radius, measured on the top course to the front of the units: 5 feet
- Minimum inside radius, measured on the base course to the front of the units: 3 feet

\*Gravity wall heights are based on project specific conditions and may be lower than this value.

### SHAPES & SIZES

UNIVERSAL



4 x 12 x 8



## ANGLIA EDGER®

EDGER



Large edger units feature a chiseled finish and tapered edges to provide an elegant complement to driveways, patios, walkways and flower beds.







TOSCANA VICTORIAN



#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

### FEATURES & BENEFITS

- · Natural look of cobbled stone
- Tapered ends create either curves or straight installation
- 8" height simulates natural stone curbing
- Three different lengths offer a random look and flexible installation
- Large scale pieces create efficient installation
- · Look and feel of natural chiseled stone

### SHAPES & SIZES

4-PIECE



51/4 x 8 x 81/8



51/4 x 8 x 101/2



51/4 x 8 x 155/8



5¼ x 8 x 18

### PALLET INFORMATION

ANGLIA EDGER°		LNFT/ PALLET	LNFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
4-PIECE	5¼ x 8 x 8½	69.75	2.75	3	12	- 2482
	5¼ x 8 x 10½		3.42		12	
	5¼ x 8 x 15%		5.08		12	
	5¼ x 8 x 18		12		24	

Downloadable professional resources available at **Belgard.com/Resources** 




## **LANDINGS**

STEP



The look of quarried limestone on one face adds grand style to landscape level changes, while the smooth face of the remaining sides allows for greater design flexibility.












FOUNDRY GRAPHITE TOSCANA VICTORIAN



#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

### FEATURES & BENEFITS

- Double-sided texture and two unique faces on the rise allow steps to be rotated for optimal aesthetics
- Smooth sides allow steps to be placed side by side for longer treads
- Granite-like texture on tread surface
- Even bottom and consistent size offer installation ease
- Palletized for easy removal by skid-steer loader
- Dry-cast production provides consistent color throughout unit
- Riser faces are uniquely designed to nest together, creating an optional landing with a narrow joint

#### SHAPES & SIZES

STEP UNIT



6 x 48 x 18

### PALLET INFORMATION

LANDINGS™ STEP		LNFT/	LNFT/	LAYER/	UNITS/	WEIGHT/
		PALLET	LAYER	PALLET	PALLET	Pallet
STEP	6 x 48 x 18	24	8	3	6	2526

Downloadable professional resources available at **Belgard.com/Resources** 




#### HERITAGE COLLECTION

# MARINA COPING | 60MM



The smooth surface texture and refined, rounded edges make this bullnose coping a classic finishing touch to enhance pools and a variety of outdoor features.







G R A P H I T E VICTORIA N



#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

### FEATURES & BENEFITS

- · Smooth face with classic appeal
- Rounded edges protect feet and hands when getting out of a pool or going up and down steps.
- Helps pool or spa hold its shape by keeping walls straight and rigid, and protects surrounding area from water damage.
- Can be used to provide a finishing touch to steps, planters, walkways, and terraced patios

### SHAPES & SIZES

60MM



6 x 12 x 23/8

## PALLET INFORMATION

MARINA™ COPING		LNFT/	LNFT/	LAYER/	UNITS/	WEIGHT/
		PALLET	LAYER	PALLET	PALLET	Pallet
WW09	6 x 12 x 2¾	63	21	3	126	1711

Downloadable professional resources available at **Belgard.com/Resources** 




#### METROPOLITAN COLLECTION

# MELVILLE COPING | 60MM



The smooth face and contemporary lines of this bold coping provide an elegant finishing touch for pools, steps and outdoor features.







GRAPHITE RIO



#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

### FEATURES & BENEFITS

- · Offers a smooth face and clean lines
- · Rectangular with a subtle chamfer
- Ideal for pools, planters, steps, and wall capping
- Pairs well with other Melville products, including walls and outdoor living features

### SHAPES & SIZES

60MM



15¾ x 235% x 23%

## PALLET INFORMATION

MEL	VILLE™ COPING	LNFT/ PALLET	LNFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ Pallet
MM09	15¾ x 23% x 2¾	78.75	7.875	10	40	2954

Downloadable professional resources available at **Belgard.com/Resources** 



## **ARTFORMS**

## MODULAR PANEL SYSTEM



Innovative large-format modular panels offer contemporary lines and the versatility to create unlimited architectural features for outdoor living spaces.









SCANDINA GRAY





	ARTFORMS™	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ Pallet	WEIGHT/ Pallet
OPEN	18 x 36 x 3	81	9 9	0	9	- 2745
CLOSE	18 x 36 x 3			9	9	
OPEN	6 x 36 x 3	31.5	10.5	2	3	- 1095
CLOSE	6 x 36 x 3		10.5	3	18	

Downloadable professional resources available at Belgard.com/Resources

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

### FEATURES & BENEFITS

- · Large format high-strength concrete panels
- · Clean lines for a contemporary aesthetic
- Mechanically fastened with stainless steel
- · Ideal for outdoor living projects of all sizes
- Suitable for rooftop applications
- · Efficient installation with minimal waste
- · Minimal disruption for property owner
- · Easily added to existing projects
- Endless design possibilities for outdoor living features including seat walls, fire and water features, planters, and outdoor kitchens

#### SHAPES & SIZES

18 X 36



18 x 36 x 3

Pallets contain both open and close ended units

6 X 36



6 x 36 x 3

Pallets contain both open and close ended units

#### INSTALLATION HARDWARE\*



Anchor Slide & Nut 50 units per box



Joining Plate 10 units per box



Outer Corner



10 units per box



Inner Corner 10 units per box



Stretcher 10 units per box

\*Installation hardware is sold separately



## BORDEAUX SERIES

**GRILL ISLAND & FIRE FEATURES** 



Timeless stackstone design with accents that emulate polished limestone, the components of this series transform outdoor living spaces with a coordinated, cohesive look.











PEWTER / MIDNIGHT

PEWTER / BUFF

SIENNA / BUFF

SIENNA / MIDNIGHT



Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

### FEATURES & BENEFITS

- Features a timeless stacked stone design with smooth cast stone accents
- Pre-assembled modular features are each packaged as one unit that can be installed in hours versus days
- Units include fork slot configurations for easy transport and installation
- Fireplaces can be retro-fitted for gas burning log sets and burners
- Grill islands include stainless steel grill and door set – specify propane or natural gas when ordering

PLEASE NOTE: Be sure to check with your local municipality for any codes that may affect your installation.

#### SHAPES & SIZES

FIREPLACE



2'7"D x 4'3"W x 7'8"H Pallet Weight: 4,170

GRILL ISLAND



2'6"D x 5'11"W x 3'5"H Grill & Doors included Pallet Weight: 3,260

WOOD BOXES



2'11/4"D x 3'3"W x 3'1"H Each Sold as a pair Pallet Weight: 3,070

LINEAR FIRE TABLE



2'11"D x 6'2"W x 2'5"H Pallet Weight: 2,500

LINEAR FIREPLACE



 $3'61\!/\!\!2"D\times7'8"W\times4'51\!/\!\!4"H$  Pallet Weight: 4,000



## MELVILLE<sup>™</sup> SERIES

GRILL ISLAND & FIRE FEATURES




Stunning linear design features a smooth face and subtle edges to deliver a sleek, contemporary style. Components work together to provide a cohesive finished look.





SCANDINA GRAY / MIDNIGHT





Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

### FEATURES & BENEFITS

- Contemporary smooth linear design that coordinates with Melville™ Wall and Melville™ Tandem Wall
- Pre-assembled modular features are each packaged as one unit that can be installed in hours versus days
- Units include fork slot configurations for easy transport and installation
- Fireplaces can be retro-fitted for gas burning log sets and burners
- Grill islands include stainless steel grill and door set — specify propane or natural gas when ordering

PLEASE NOTE: Be sure to check with your local municipality for any codes that may affect your installation.

### SHAPES & SIZES

#### FIREPLACE



2'7"D x 4'3"W x 7'8"H Pallet Weight: 4,170

#### GRILL ISLAND



2'6"D x 5'11"W x 3'5"H Grill & Doors included Pallet Weight: 3,260

#### WOOD BOXES



2'11/4"D x 3'3"W x 3'1"H Each Sold as a pair Pallet Weight: 3,070

#### LINEAR FIRE TABLE



 $2'11"D \times 6'2"W \times 2'5"H$ Pallet Weight: 2,500

#### LINEAR FIREPLACE



 $3'61\!/\!\!2"D\times7'8"W\times4'51\!/\!\!4"H$  Pallet Weight: 4,000



#### METROPOLITAN COLLECTION

## $\mathsf{MELVILLE}^{\scriptscriptstyle{\mathsf{I}}}$

FIRE PIT



Special wedge-shaped blocks of our smooth-faced Melville Wall create this circular fire pit to perfectly complement our Melville Series of walls and outdoor features.









ANTHRACITE SCANDINA GRAY

HICKORY



#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

### FEATURES & BENEFITS

- Special wedge-shaped blocks of Melville Wall
- Smooth linear face for contemporary appeal
- Coordinates with Melville pavers and the Melville Series of kitchen and fire features
- Pallet includes all blocks needed to complete circular fire pit

### SHAPES & SIZES

WEDGE



4 x 9½ x 10

FIRE INSERT



Item #70580597 Elements 34" Smoke-less Wood Fire Pit Insert

**GAS INSERT** 



Item #70585063 Elements 34" Round Gas Fire Pit Burner Kit

#### ROUND FIRE PIT


543/8" outside diameter 343/8" inside diameter Stacks 4 rows high Cap sold separately. Elements inserts sold separately. Pallet Weight: 1872

Downloadable professional resources available at **Belgard.com/Resources** 



## WESTON STONE™

FIRE PIT












RIO VICTORIAN



#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

### FEATURES & BENEFITS

- · Rustic look of tumbled stone
- Cleaner, more sculpted look than stone
- Quick and easy to assemble with everything you need on a single pallet
- A beautiful complement to projects with Weston Stone<sup>™</sup> walls

#### SHAPES & SIZES

SQUARE




58 x 42 x 16

#### SQUARE FIRE PIT

58" outside diameter 43" inside diameter Stacks up to 4 rows high Fire insert is sold separately. ElementsHome.com Pallet Weight: 3696

Downloadable professional resources available at **Belgard.com/Resources** 





# QUALITY TO THE CORE

With Belgard, you get the nation's leading pavers and landscape walls backed by the foremost experts in the industry.

BELGARD.COM

© Copyright 2025 Oldcastle APG, Inc. All Rights Reserved. BEL24-D-322376

PICTURED ON THE COVER: DIMENSIONS™ 18. ARTFORMS™ FIRE PIT & MELVILLE™ WALL CONTRACTOR: NEW LIFE LANDSCAPE