

TABLE OF

CONTENTS











PAVERS

	•
3	Basalt™
5	Belgian Cobble®
7	Brooklyn™
9	Charlestone™
11-20	Dimensions [™] 3-Piece
21-24	$Dimensions^{\scriptscriptstyleTM}Paver$
25	Dimensions™ Slab
27	Dublin Cobble®
29	Geometric Shapes
31	Holland Stone
33	Mega-Arbel®
35-42	Origins™ 3-Piece
43	Origins™ Paver
45	Papyrus™

Turfstone™

Aqualine™

49

PORCELAIN

49	Foundation [*]
51	Genoa™
53	Glocal
55	Noon
57	November
59	Quarziti 2.0
61	Unico 2.0

COPING, CAPS, EDGERS & STEPS

85	Anchor™ Caps
87	Marina [™] Coping
89	Anglia Edger®
91	Granika Step®
93	Landings™Step





63

WALLS

63	Ashlar Tandem™
65	Brisa® Wall
67	Diamond Pro® Air Smooth
69	Diamond Pro® Air Straigh
71	Diamond Pro® Straight
73	Highland Stone®
75	Lamina Tandem™
77	Melville Tandem™
79	Melville™ Wall
81	Sterling® Wall
83	Weston Stone™

KITCHENS & FIRE FEATURES

95	Artforms™
97	Bordeaux [™] Series
99	Melville™ Series
101	Melville™ Fire Pit
103	Weston Stone [™] Fire P



WE COVER A LOT OF GROUND

LIFETIME TRANSFERABLE LIMITED WARRANTY

TRANSFERRABLE WARRANTY TIMELY INVESTIGATIONS REPLACEMENT OF DEFECTIVE PRODUCT AT NO CHARGE

Oldcastle APG ("Belgard") is proud to inform you that all of our interlocking concrete paver and retaining walls ("Products") meet and/or exceed the requirements of ASTM C-936 and ASTM C-1372. Belgard guarantees its Products against these standards for the lifetime of the Product defined by CMHA. This guarantee does not apply to splitting, chipping or other breakage that could be caused by impact, abrasion or overloading. This warranty is transferable. The original proof of purchase is required.

This warranty is only valid if the material is installed under the guidelines of the CMHA or the Belgard Installation Guideline Manual. Improper installation voids this warranty. This warranty is for residential applications only and does not apply to commercial applications. It is recommended that the job is installed by a Belgard Contractor Program participant who guarantees their workmanship for a minimum of 3 years from the date of install. For warranty service, contact Belgard at 1-877-BELGARD. A service representative will investigate your claim within 10 business days. If the Belgard product fails to meet the specifications, Belgard will replace the defective product at no charge. Color matching cannot be guaranteed. Belgard will not be responsible for any replacement labor, consequential damages or incidental damages. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state. Some states do not allow for the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

The warranties in this limited warranty are the only warranties applicable to the veneer products. There are no other warranties, representations, or conditions of any kind, express or implied, statutory or otherwise, with respect to the interlocking concrete paver or retaining wall products supplied by manufacturer, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. All such warranties are hereby specifically disclaimed and manufacturer shall have no liability therefor, not withstanding (1) manufacturer's actual knowledge of any intended use of the interlocking concrete paver or retaining wall products or (2) any advice or representations that may have been rendered by manufacturer concerning the design, manufacture, fabrication, sale, use, installation or provision of the interlocking concrete paver or retaining wall products. No statement, product, or description by manufacturer or its employees or other representatives, in addition to or beyond this limited warranty shall constitute a warranty. Buyer agrees that its sole and exclusive remedies for breach of this limited warranty, and the sole and exclusive obligations of manufacturer with respect to any claims for breach of this limited warranty, shall be those remedies expressly set forth herein.

AQUALINE

PERMEABLE PAVER | 80MM



An environmentally friendly choice with a smooth surface and crisp clean lines for stunning contemporary designs. Versatile pattern range provides ultimate design flexibility.








BURNT AMBER

CHARCOAL











MECHANICAL

PALLET INFORMATION

AQU	ALINE™	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
ULAR	4½ x 4½ x 3⅓	20.30	-	-	-	-
3-PIECE MODULAR 80MM	4½ x 9 x 3½	47.21	-	-	-	-
3-PIE	9 x 9 x 31/8	22.48	-	-	-	-
80MM	4½ x 9 x 3⅓	90	-	-	-	3015

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Multiple shapes for design flexibility
- · Interlocking spacer bars for increased structural performance
- · Smooth surface with a microchamfer to minimize vibration and enhance wheelchair comfort
- · Can be utilized to construct an ADA-compliant pavement
- · True installed dimensions for design optimization
- · Optimal joint openings for infiltration and maintenance
- Can eliminate stormwater runoff and improve water quality
- Meets the requirements of ASTM C936
- · Chamfer Width: 3 mm
- · Spacer Bar Width: 10 mm
- Surface Infiltration Rate: > 500 inches per hour (varies based on joint infill gradation)
- Surface Open Area: 12%
- · Can be installed mechanically with herringbone pallet layout

SHAPES & SIZES

3-PIECE MODULAR | 80MM



41/2 x 41/2 x 31/8



41/2 x 9 x 31/8



9 x 9 x 31/8

80MM



4½ x 9 x 31/8




BASALT

3-PIECE PAVER | 60MM




Now in a large-format size, the organic hammered stone look is enriched with DuraFusion Technology and factory-applied ColorTech sealant for enhanced color and texture with ultimate durability.















BAS	ALT™	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
E 60MM	9 x 18 x 2³/8					
3-PIECE Modular 6	18 x 18 x 2 ³ / ₈	112.5	-	11.3	10	3152
Modu	27 x 18 x 2 ³ / ₈					

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Upscale texture of flamed or hammered stone
- · Contemporary large-format sizing
- Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- Simplified quoting and design of projects
- Uniform sizing in true 3-inch increments
- Uniform dimensions compatible with other modular paver lines like Origins™ and Dimensions™



DURAFUSION" + COLORTECH

Enhanced texture and wear-resistance with the added protection of factory-applied sealant

SHAPES & SIZES

3-PIECE MODULAR | 60MM



9 x 18 x 23/8



18 x 18 x 23/8




27 x 18 x 23/8



BELGIAN COBBLE®

PAVER | 60MM











MIDNIGHT MOONLIGHT







BEL	GIAN COBBLE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
MULTI- PIECE	Variable x 23/8	68	-	-	-	1685.16

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Seven unique shapes create a random pattern
- · Can be installed as a standard or permeable pavement system
- Larger joints between pavers allow Belgian Cobble to be installed as a permeable paver option with sitespecific engineering and proper base, bedding and joint aggregate
- · The use of Techniseal's polymeric jointing sand is recommended for non-permeable applications
- · Can also be used for accents or borders

SHAPES & SIZES

MULTIPIECE



Variable x 23/8



$\mathsf{BROOKLYN}^{\scriptscriptstyle{\mathsf{T}}}$

PAVER | 60MM



Its warm, weathered stone appearance and texture delivers a timeless look enriched with DuraFusion Technology and factory-applied ColorTech sealant for an enhanced texture and ultimate durability.





















BRO	OKLYN™	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
MM09	3 x 9 x 2 ³ / ₈	103.13	_	10.3	10	2850.13

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Warm, weathered appearance and texture
- · Ideal for patios, walkways and accents
- Uniform thickness and width
- Modular sizing pairs well with Dimensions™ and Origins™
- Superior color technology provides rich color tones with lasting durability
- Ideal for walkways, patios, borders, accents and residential vehicular applications



DURAFUSION" + COLORTECH Enhanced texture and wear-resistance with the added protection of factory-applied sealant

SHAPES & SIZES

60MM



 $3 \times 9 \times 2^{3/8}$



CHARLESTONE

3-PIECE PAVER | 60MM



Reminiscent of early American streets, the timeless look of weathered hand-cobbled stone is enriched with factory-applied sealant for enhanced resistance to stains or fading.









BLACK DIAMOND 💍



BRITTANY BEIGE 💍



FOUNDRY 💍



GALWAY 💍













MECHANICAL INSTALL

СНА	RLESTONE™	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
50MM	6 x 6 x 2 ³ / ₈	15	-	1.5	10	
3-PIECE MODULAR 60MM	6 x 9 x 2 ³ / ₈	45	-	4.5	10	2953.64
Modu	6 x 12 x 2 ³ / ₈	45	-	4.5	10	

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Timeless look of hand-cobbled stone
- · Sized in true 3-inch increments for simplified estimating and ordering
- · Reduced cuts and waste
- Compatible in sizing with $\operatorname{Origins}^{\scriptscriptstyle\mathsf{TM}}$ and Dimensions[™] paver lines
- · Pallet optimized for both mechanical and manual installation
- · Particularly ideal for walkways, accents, and residential vehicular applications



COLORTECH" SEALED Factory-applied sealant

SHAPES & SIZES

3-PIECE MODULAR | 60MM



6 x 6 x 23/8



6 x 9 x 23/8



6 x 12 x 23/8



DIMENSIONS[™] 6

3-PIECE SYSTEM I 60MM



Contemporary design meets traditional appeal with a smooth face and crisp, clean lines that pair well with any architectural style, enriched with factory-applied sealant for enhanced durability.








ANTHRACITE 💍



SCANDINA GRAY 💍



MODULAR SIZING









QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Smooth face with clean, crisp lines
- · Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- · Increased options for creative patterns
- Simplified quoting and design of projects
- · Uniform dimensions compatible with other Dimensions paver sizes
- Sizing compatible with other Belgard modular paver lines, like Origins $^{\text{\tiny{IM}}}$ and Papyrus $^{\text{\tiny{IM}}}$
- · Ideal for patios, walkways and residential vehicular applications



COLORTECH" SEALED Factory-applied sealant

SHAPES & SIZES

DIMENSIONS 6 | 60MM



 $3 \times 6 \times 2^{3/8}$



6 x 6 x 23/8



6 x 9 x 23/8

PALLET INFORMATION

DIM	ENSIONS™	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
9 SI	3 x 6 x 2 ³ / ₈					
DIMENSIONS 60MM	6 x 6 x 2 ³ / ₈	120	-	12	10	3561
DIM	6 x 9 x 2 ³ / ₈					

Downloadable professional resources available at Belgard.com/Resources




DIMENSIONS[™] 12

3-PIECE SYSTEM I 60MM



Contemporary design meets traditional appeal with a smooth face and crisp, clean lines that pair well with any architectural style, enriched with factory-applied sealant for enhanced durability.











HICKORY 💍

SCANDINA GRAY 💍



MODULAR





PALLET INFORMATION

DIM	ENSIONS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
S 12	6 x 12 x 2 ³ / ₈					
DIMENSIONS 60MM	12 x 12 x 23/8	120	-	12	10	3561
DIME	18 x 12 x 23/8					

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Smooth face with clean, crisp lines
- · Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- Increased options for creative patterns
- Simplified quoting and design of projects
- Uniform dimensions compatible with other Dimensions paver sizes
- Sizing compatible with other Belgard modular paver lines, like Origins™ and Papyrus™



COLORTECH' SEALED
Factory-applied sealant

SHAPES & SIZES

DIMENSIONS 12 | 60MM

6 x 12 x 2³/₈

12 x 12 x 23/8

18 x 12 x 2³/₈




DIMENSIONS[™] 12

3-PIECE SYSTEM I 60MM



Contemporary design meets traditional appeal with a smooth face and crisp, clean lines that pair well with any architectural style, enriched with DuraFusion Technology for enhanced color, texture and wear-resistance..





CHESWICK 🤝











DIMI	ENSIONS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
S 12	6 x 12 x 23/8					
DIMENSIONS 60MM	12 x 12 x 2 ³ / ₈	120	-	12	10	3561
DIME	18 x 12 x 2³⁄₅					

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Smooth face with clean, crisp lines
- · Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- · Increased options for creative patterns
- Simplified quoting and design of projects
- · Uniform dimensions compatible with other Dimensions paver sizes
- Sizing compatible with other Belgard modular paver lines, like Origins™ and Papyrus™



DURAFUSION" TECHNOLOGY Refined texture with enhanced wear-resistance

SHAPES & SIZES

DIMENSIONS 12 | 60MM

6 x 12 x 23/8

12 x 12 x 23/8

18 x 12 x 23/8




DIMENSIONS[™] 18

3-PIECE SYSTEM I 60MM



Contemporary design meets traditional appeal with a smooth face and crisp, clean lines that pair well with any architectural style, enriched with factory-applied sealant for enhanced durability.













MODULAR





PALLET INFORMATION

DIM	ENSIONS™	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
DIMENSIONS 18 60MM	9 x 18 x 2 ³ / ₈	112.5		11.3	10	3561
	18 x 18 x 2 ³ / ₈		-			
	27 x 18 x 2 ³ / ₈					

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Smooth face with clean, crisp lines
- · Contemporary larger-format sizing
- Maximized pallet layout for jobsite efficiencies
- Reduced cuts, installation time and waste
- · Increased options for creative patterns
- Simplified quoting and design of projects
- Uniform dimensions compatible with other Dimensions paver sizes
- Sizing compatible with other Belgard modular paver lines, like Origins™ and Papyrus™



COLORTECH SEALED
Factory-applied sealant

SHAPES & SIZES

DIMENSIONS 18 | 60MM



9 x 18 x 23/8



18 x 18 x 23/8



27 x 18 x 23/8



DIMENSIONS[™] 18

3-PIECE SYSTEM I 60MM



Contemporary design meets traditional appeal with a smooth face and crisp, clean lines that pair well with any architectural style, enriched with DuraFusion Technology for enhanced color, texture and wear-resistance.









SHADED GRAY 🤝











DIMI	ENSIONS™	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
S 18	9 x 18 x 2 ³ / ₈					
DIMENSIONS 60MM	18 x 18 x 2 ³ / ₈	112.5	-	11.3	10	3561
	27 x 18 x 2 ³ / ₈					

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Smooth face with clean, crisp lines
- · Contemporary larger-format sizing
- · Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- · Increased options for creative patterns
- · Simplified quoting and design of projects
- · Uniform dimensions compatible with other Dimensions paver sizes
- · Sizing compatible with other Belgard modular paver lines, like Origins™ and Papyrus™



DURAFUSION" TECHNOLOGY

Refined texture with enhanced wear-resistance

SHAPES & SIZES

DIMENSIONS 18 | 60MM



9 x 18 x 23/8



18 x 18 x 23/8



27 x 18 x 23/8




METROPOLITAN COLLECTION

DIMENSIONS

PAVER | 60MM



Emulating the look and texture of natural stone, this paver system offers earthy tones and a slightly chiseled, yet refined surface that blends with the natural environment, enriched with factory-applied sealant for enhanced durability.













SEALED



PALLET INFORMATION

DIM	ENSIONS™ PAVER	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
	3 x 9 x 2³/8	113	-	11.3	10	2805
WW09	6 x 9 x 2³/s Midnight	120	-	11.3	10	3341.25
	6 x 9 x 2 ³ / ₈ Black Diamond	112.5	-	11.25	10	3296

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Clean lines and a modern architectural appearance
- Sized in true 3" increments for design and installation efficiencies
- Ideal for patios, walkways, accents, borders and residential vehicular applications
- Can be utilized to construct an ADA-compliant pavement
- 3 mm micro-chamfer width to minimize vibration and enhance wheelchair comfort
- · Reduced cuts, installation time and waste
- · Increased options for creative patterns
- Size compatible with all Belgard modular pavers look for the Modular Sizing icon



SHAPES & SIZES

60MM



3 x 9 x 23/8



6 x 9 x 23/8



METROPOLITAN COLLECTION

DIMENSIONS

PAVER | 60MM



Emulating the look and texture of natural stone, this paver system offers earthy tones and a slightly chiseled, yet refined surface that blends with the natural environment, enriched with DuraFusion Technology for enhanced color, texture and wear-resistance.















ADA

DIM	ENSIONS™ PAVER	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
MM09	6 x 9 x 2¾ Midnight	120	-	11.3	10	3341.25
	6 x 9 x 23/8 Black Diamond	112.5	-	11.25	10	3296

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Clean lines and a modern architectural appearance
- Sized in true 3" increments for design and installation efficiencies
- Ideal for patios, walkways, accents, borders and residential vehicular applications
- Can be utilized to construct an ADA-compliant pavement
- 3 mm micro-chamfer width to minimize vibration and enhance wheelchair comfort
- · Reduced cuts, installation time and waste
- · Increased options for creative patterns
- Size compatible with all Belgard modular pavers look for the Modular Sizing icon



DURAFUSION" TECHNOLOGY
Refined texture with enhanced wear-resistance

SHAPES & SIZES

60MM



6 x 9 x 23/8



DIMENSIONS

SLAB | 60MM



The expansive size is distinguished by clean, crisp lines and a smooth, linear surface enriched with DuraFusion Technology for enhanced color, texture and wear-resistance.









HICKORY \$\infty\$
9 x 18 & 15 x 30 are only available in Hickory & Scandina Gray



SCANDINA GRAY \$\infty\$9 x 18 & 15 x 30 are only available in Hickory & Scandina Gray



SEPIA 🤝



SHADED GRAY 🤝











DIM	ENSIONS™ SLAB	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
9 X 18 60MM	9 x 18 x 2¾	112.5	-	11.3	10	3139
15 X 30 60MM	15 x 30 x 23/8	93.75	-	9.4	10	2619
24 X 36 60MM	24 x 36 x 23/8	120	-	12	10	3516

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Smooth face with clean, crisp lines
- · Contemporary larger-format sizing
- Maximized pallet layout for jobsite efficiencies
- Reduced cuts, installation time and waste
- · Increased options for creative patterns
- · Simplified quoting and design of projects
- Uniform dimensions compatible with other Dimensions paver sizes
- Sizing compatible with other Belgard modular paver lines, like Origins™ and Papyrus™



DURAFUSION" TECHNOLOGY

Refined texture with enhanced wear-resistance

SHAPES & SIZES

9 X 18 | 60MM



9 x 18 x 23/8

15 X 30 | 60MM



15 x 30 x 23/8

24 X 36 | 60MM



 $24 \times 36 \times 2^{3/8}$




DUBLIN COBBLE®

3-PIECE PAVER | 60MM



The gently distressed surfaces and antiqued edges create a casually elegant time-worn look. This cobble's exceptional stability and durability makes it suitable for driveways.










ASPEN BLEND BLACK DIAMOND

FOSSIL BEIGE



DRIVEWAY

PALLET INFORMATION

DUB	LIN COBBLE°	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
≃	6 x 3 x 2 ³ / ₈	20.84	-	1.89		
3-PIECE Modular	6 x 6 x 2 ³ / ₈	44.98	-	3.91	11	3200
M3	6 x 9 x 2 ³ / ₈	64.20	-	5.84	1	

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Gently distressed surfaces and antiqued edges
- · Exceptional stability and durability
- Wide range of natural color blends
- Available in a variety of shapes and sizes
- Ideal for patios, walkways and residential vehicular applications

SHAPES & SIZES

3-PIECE MODULAR



6 x 3 x 23/8



6 x 6 x 23/8



6 x 9 x 23/8




GEOMETRIC SHAPES

PAVER | 60MM

BELGARD PAVES THE WAY

The smooth face in various shapes offers ultra-modern design and art deco aesthetics enriched with our factory applied sealant for enhanced color and stain-resistance.











GEOMETRIC SHAPES		SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
HEXAGON	10²/s x 12 x 2³/s	100.02	-	9.09	11	2845
SMALL PARALLELO- GRAM	2³/s x 13¹/₂ x 2³/s	85.73	-	7.79	11	2390
DIAMOND	12 x 12 x 2¾s	95.53	-	7.96	12	2664
LARGE PARALLELO- GRAM	6 x 18 x 2%	114.31	-	10.39	11	3165

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Smooth face
- · Contemporary aesthetic
- All shapes sized to work together.
- Also compatible with other modular paver lines like Origins[™] and Dimensions[™]
- · Reduced cuts, installation time and waste
- · Increased options for creative patterns



COLORTECH' SEALED Factory-applied sealant

SHAPES & SIZES

HEXAGON



10²/₅ x 12 x 2³/₈

SMALL PARALLELOGRAM



23/5 x 131/2 x 23/8

DIAMOND



12 X 12 X 23/8

LARGE PARALLELOGRAM



6 x 18 x 23/8



HOLLAND STONE

PAVER | 60MM



Sealed with the color retention and durability of ColorTech, the classic architectural appearance derived from a smooth face and clean lines is ensured to resist fading.











COLORTECH" SEALED





PALLET INFORMATION

HOL	LAND STONE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet	
мм09	4 x 8 x 2³/s	120	-	12	10	3165	

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- One size ideal for inlays, borders and as a stand alone
- Ideal for both residential and commercial applications
- Comprehensive library of installation patterns
- · Approved for residential vehicular applications



COLORTECH SEALED
Factory-applied sealant

SHAPES & SIZES

60MM



4 x 8 x 23/8





MEGA-ARBEL®

PAVER | 60MM



An irregular shape and false joints create a random flagstone look harmonious with the surrounding landscape, enriched with factory-applied sealant for enhanced durability.











COLORTECH*

PALLET INFORMATION

MEGA-ARBEL®		SQFT/	UNITS/	SQFT/	LAYER/	WEIGHT/
		PALLET	LAYER	LAYER	PALLET	Pallet
мм09	153/8 x 21 x 23/8	103.4	-	8.62	12	2940.48

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Large, dramatic scale that mimics natural stone
- Blends with the natural landscape
- Irregular interlocking system that utilizes a no-repeat pattern
- · Ideal for walkways, patios and poolscapes



COLORTECH® SEALED
Factory-applied sealant

SHAPES & SIZES

60MM



153/8 x 21 x 23/8




ORIGINS[™] 12

3-PIECE SYSTEM | 60MM



Emulating the look and texture of natural stone, this paver system offers earthy tones and a chiseled face enriched with factory-applied sealant for enhanced durability.







ASHWOOD 👌



BRITTANY BEIGE 💍



MODULAR





ECH" ADA D COMPLIANT

PALLET INFORMATION

ORIO	GINS™	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
12	6 x 12 x 23/8		-			
ORIGINS	12 x 12 x 2 ³ / ₈	120	_	12	10	3561
OR	18 x 12 x 2 ³ / ₈		_			

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Look and feel of natural stone
- · Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- Increased options for creative patterns
- Simplified quoting and design of projects
- Uniform dimensions compatible with other Origins paver sizes
- Sizing compatible with all Belgard modular paver lines, like Dimensions™ and Papyrus™



COLORTECH' SEALED
Factory-applied sealant

SHAPES & SIZES

ORIGINS 12



6 x 12 x 23/8



12 x 12 x 23/8

18 x 12 x 23/8



ORIGINS[™] 12

3-PIECE SYSTEM | 60MM



Emulating the look and texture of natural stone, this paver system offers earthy tones and a chiseled face enriched with DuraFusion Technology for enhanced color, texture and wear-resistance.









CHESWICK 😽 IRO

NEWPORT GRAY 🤝



MODULAR S171MG





PALLET INFORMATION

ORIO	GINS™	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
ORIGINS 12	6 x 12 x 23/8		-			
	12 x 12 x 23/8	120	_	12	10	3561
0.8	18 x 12 x 23/8		_			

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Look and feel of natural stone
- · Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- Increased options for creative patterns
- Simplified quoting and design of projects
- Uniform dimensions compatible with other Origins paver sizes
- Sizing compatible with all Belgard modular paver lines, like Dimensions[™] and Papyrus[™]



DURAFUSION" TECHNOLOGY
Refined texture with enhanced wear-resistance

SHAPES & SIZES

ORIGINS 12



6 x 12 x 23/8



12 x 12 x 23/8



18 x 12 x 23/8



ORIGINS[™] 18

3-PIECE SYSTEM | 60MM



Emulating the look and texture of natural stone, this paver system offers earthy tones and a chiseled face enriched with factory-applied sealant for enhanced durability.








ASHWOOD 💍



BRITTANY BEIGE 💍









QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Look and feel of natural stone
- · Contemporary larger-format sizing
- Maximized pallet layout for jobsite efficiencies
- Reduced cuts, installation time and waste
- · Increased options for creative patterns
- Simplified quoting and design of projects
- Uniform dimensions compatible with other Origins paver sizes
- Sizing compatible with all Belgard modular paver lines, like Dimensions™ and Papyrus™



COLORTECH' SEALED
Factory-applied sealant

SHAPES & SIZES

ORIGINS 18



9 x 18 x 23/8



18 x 18 x 23/8



27 x 18 x 23/8

PALLET INFORMATION

ORIO	GINS™	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
18	9 x 18 x 2 ³ / ₈		-			
ORIGINS	18 x 18 x 2 ³ / ₈	112.5	_	11.3	10	3341.25
OR	27 x 18 x 2 ³ / ₈		-			

Downloadable professional resources available at **Belgard.com/Resources**




ORIGINS[™] 18

3-PIECE SYSTEM | 60MM



Emulating the look and texture of natural stone, this paver system offers earthy tones and a chiseled face enriched with DuraFusion Technology for enhanced color, texture and wear-resistance.









IRON BAY 🤝









ADA COMPLIANT

ORIO	GINS™	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
18	9 x 18 x 2 ³ / ₈		-			
ORIGINS	18 x 18 x 2 ³ / ₈	112.5	-	11.3	10	3341.25
0.8	27 x 18 x 2 ³ / ₈		-			

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Look and feel of natural stone
- · Contemporary larger-format sizing
- · Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- · Increased options for creative patterns
- · Simplified quoting and design of projects
- · Uniform dimensions compatible with other Origins paver sizes
- Sizing compatible with all Belgard modular paver lines, like Dimensions[™] and Papyrus[™]



DURAFUSION" TECHNOLOGY

Refined texture with enhanced wear-resistance

SHAPES & SIZES

ORIGINS 18



9 x 18 x 23/8



18 x 18 x 23/8



27 x 18 x 23/8



NATURAL COLLECTION

ORIGINS PAVER | 60MM



With the ideal shape and size for driveways, small patios and borders, the subtle chiseled stone face is enriched with DuraFusion Technology for enhanced color, texture and wear-resistance.

















ORIO	GINS™ PAVER	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
MM09	6 x 9 x 2³/s	120	-	12	10	3561

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Look and feel of natural stone
- · Ideal for small patios, walkways, accents, borders and residential vehicular applications
- · Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- · Increased options for creative patterns
- · Simplified quoting and design of projects
- Uniform dimensions compatible with other Origins paver sizes
- Sizing compatible with other Belgard modular paver lines, like Dimensions[™] and Papyrus[™]



DURAFUSION" TECHNOLOGY Refined texture with enhanced wear-resistance

SHAPES & SIZES

60MM



6 x 9 x 23/8



PAPYRUS[™]

3-PIECE PAVER | 60MM



An organic textural experience with modern elegance, this paver's unique face offers an upscale hand-tooled look enriched with DuraFusion Technology for enhanced color, texture and wear-resistance.















PAP	YRUS™	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
	9 x 18 x 2 ³ / ₈					
3-PIECE	18 x 18 x 2 ³ / ₈	112.5	-	11.3	10	3152
c.	27 x 18 x 2 ³ / ₈					

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Upscale organic texture that emulates hand-tooled stone
- Contemporary larger-format sizing
- True 3" increments for optimized pallet layouts and jobsite efficiencies
- · Reduced cuts, installation time and waste
- Increased options for creative patterns
- · Simplified quoting and design of projects
- Expansion of the Artisan Collection of modular pavers
- Sizing compatible with all Belgard modular paver lines like Origins[™] and Dimensions[™]



SHAPES & SIZES

3-PIECE



9 x 18 x 23/8



18 x 18 x 23/8



27 x 18 x 2³/₈




TURFSTONE

GRID PAVER | 60MM

An open lattice grid design offers turf or gravel infill, creating a unique hardscape design that works in harmony with nature.









DRIVEWAY

PALLET INFORMATION

TURFSTONE™		SQFT/	UNITS/	SQFT/	LAYER/	WEIGHT/
		PALLET	LAYER	LAYER	PALLET	Pallet
80 MM	15¾ x 235⁄a x 31⁄a	106.67	-	13.33	8	2377

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Manufactured in accordance with ASTM C1319
- · Open lattice grid design for turf infill
- 40% surface opening with void space for creating a grass pavement
- Applications include driveways, parking stalls, ramps, service and emergency access lanes

SHAPES & SIZES

80MM



15¾ x 23¾ x 3⅓



FOUNDATION **



CONCRETE FINISH | 20MM

These pavers exude timeless sophistication and a uniform look achieved by a smooth, refined surface texture, polished concrete appearance, and neutral color tones.







V2AMBER BEIGE





F0	UNDATION™	SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ PALLET
24 X 24	23.46 x 23.46 x ³ / ₄	303.5	7.64	36	2	67.84	2517

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Elegant look of polished concrete
- Incredibly high breakage loads, up to 3,000 pounds
- · Modular for faster installation,
- Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials
- Structured top textures create non-slip surfaces
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F)

* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

SHAPES & SIZES

24 X 24



23.46 x 23.46 x ³/₄




GENOA™

STONE FINISH | 20MM



Subtle nuances of natural stone and a smooth, non-slip texture make this porcelain paver the choice for blending earthy tones with a weathered patina for timeless aesthetics.







V2 BLANCO

V2 CREMA





GENOA™		SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ PALLET
24 X 24	23.46 x 23.46 x ³ / ₄	303.6	7.64	36	2	72	2517
12 X 24	11.65 x 23.46 x ³ / ₄	275	7.59	40	4	68	2804

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Natural stone aesthetic
- Incredibly high breakage loads, up to 3,000 pounds
- · Modular for faster installation,
- Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials
- Structured top textures create non-slip surfaces
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F)

* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

SHAPES & SIZES

24 X 24 23.46 x 23.46 x ¾

12 X 24

11.65 x 23.46 x ³/₄




GLOCAL

CONCRETE FINISH | 20MM



The smooth concrete-like finish offers a clean, contemporary aesthetic. Its structured and tight surface texture in neutral shades makes this porcelain paver a versatile design element.











LOW SOLAR HEAT

GLOCAL		SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ Pallet
24 X 24	23.54 x 23.54 x ³ / ₄	232.5	7.75	30	2	72 lbs	2201
24 X 48	23.54 x 47.17 x ³ / ₄	271.25	7.75	35	1	74 lbs	2621

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Minimalist look of refined concrete
- · Incredibly high breakage loads, up to 3,000 pounds
- · Modular for faster installation,
- · Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types
- · Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials
- · Structured top textures create non-slip surfaces
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F)

* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

SHAPES & SIZES

24 X 24

23.54 x 23.54 x ³/₄

24 X 48

23.54 x 47.17 x 3/4



NOON

WOOD FINISH | 20MM



Warm and stylish, this contemporary expression of simplicity combines the look and feel of natural wood with the durability of porcelain.









EMBER NN 02 ST



HONEY
NN 03 ST







VARIATION

NO	ON	SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ Pallet
12 X 48	11.73 x 47.17 x ³ / ₄	232.5	7.75	30	2	72	2664

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Rustic appeal of reclaimed wood
- · Incredibly high breakage loads, up to 3,000 pounds
- · Modular for faster installation,
- · Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types
- · Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials
- · Structured top textures create non-slip surfaces
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F)
 - * It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

SHAPES & SIZES

12 X 48

11.73 x 47.17 x ³/₄




NOVEMBER

STONE FINISH | 20MM



Minimalist styling inspired by nature is found with this versatile porcelain paver. Characteristics of stone and cement embody its texture to offer a simple, yet elegant look.









NOVEMBER		SQFT/	SQFT/	BOXES/	PCS/	WEIGHT/	WEIGHT/
		PALLET	BOX	PALLET	BOX	BOX	Pallet
24 X 24	23.54 x 23.54 x ³ / ₄	232.5	7.75	30	2	72	2160

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Characteristics of stone and cement combine for a simple, minimalist look with elegance
- Available in 4 versatile colors with choice of controlled shade variation (< 15 graphics, V2 variation)
- Efficient 24" x 24" size for cost savings
- · Color-body, rectified porcelain is made in Italy
- Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials
- Structured top textures create non-slip surfaces
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F)

* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

SHAPES & SIZES

24 X 24




23.54 x 23.54 x ³/₄



QUARZITI 2.0

STONE FINISH | 20MM





















RIVER QR 04 NAT





VARIATION



LOW SOLAR HEAT ABSORPTION

PALLET INFORMATION

QUARZITI 2.0		SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ Pallet
24 X 24	23.54 x 23.54 x ³ / ₄	232.5	7.75	30	2	72	2160
24 X 48	23.54 x 47.17 x ³ / ₄	271.25	7.75	35	1	74	2621
2-PIECE	23.54 x 35.35 x ³ / ₄	279	7.75	36	2 (1 of each size)	72	2640
	11.73 x 23.54 x ³ / ₄						

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Realistic look of natural quartz
- A variety of modular shapes offer ultimate design flexibility
- Incredibly high breakage loads, up to 3,000 pounds
- · Modular for faster installation
- Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.*
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials
- Structured top textures create non-slip surfaces
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F)

* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

SHAPES & SIZES

24 X 24 23.54 x 23.54 x ³/₄

24 X 48

23.54 x 47.17 x ³/₄


2-PIECE

23.54 x 35.35 x ³/₄ 11.73 x 23.54 x ³/₄




UNICO 2.0

COPING | 20MM









v2









SLIGHT

MODERATE

VARIATION

LOW SOLAR HEAT

PALLET INFORMATION

UNICO 2.0		SQFT/	SQFT/	BOXES/	PCS/	WEIGHT/	WEIGHT/
		PALLET	BOX	PALLET	BOX	BOX	PALLET
COPING	12 x 24 x ³ / ₄	-	-	36	3	54	1944

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Sleek, polished round edge
- · Featuring authentic looks in natural stone, cement, and wood to coordinate with various porcelain paver lines
- Use for steps or as coping for swimming pools
- · High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- · Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials.
- · Structured top textures create non-slip surfaces.
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F).

SHAPES & SIZES

COPING



12 x 24 3/4




ASHLAR TANDEM™

RETAINING | FREESTANDING



Virtual joints and a chiseled face create the look of a random stone facade for the versatile Tandem system than can build pillars, garden walls and stylish outdoor kitchens and features.







PEWTER SHELBY BLEND

















ASHLAR TANDEM™		SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
3-PIECE	7 x 13¾6 x 2⅓	19.2	3.2		30	570
	7 x 15¹³⁄16 x 2⁵⁄8	23.1	3.85	6	30	696
	7 x 18¾16 x 25/8	27	4.5		30	816
CAP	15 x 24 x 31⁄4	20 SF 64 LF	2.5	8	32	2990

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Distinctive chiseled stone texture manufactured to consistent height tolerances
- · Build curved or straight walls
- Offered in 3 sizes to allow for design versatility and customization
- . Minimum outside radius of 6'
- Freestanding walls up to 28"
- Engineered 90° corners
- Gravity walls up to 3 feet* using a ½ inch setback per unit (4 degree system batter)
- · Reinforced walls up to 8 feet
- Versatile system can create multiple outdoor features including seat walls, kitchens, planters, columns, and fire or water features

*Gravity wall heights are based on project specific conditions and may be lower than this value.

SHAPES & SIZES

3-PIECE



7 x 13³/₁₆ x 2⁵/₈



7 x 15¹³/₁₆ x 2⁵/₈



7 x 18½16 x 25/8

CAP



15 x 24 x 31/4




BRISA WALL

RETAINING | FREESTANDING

Create striking retaining walls, garden walls and outdoor kitchens with the realistic look of chiseled cut stone.











NEWPORT GRAY

H E R I T A G E M O O N L I G H T













STEPS

BRISA° WALL		SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
DING	6 x 6 x 5	3.75	1.5		30	
FREESTANDING WALL	6 x 10 x 5	6.25	2.5	5	30	2632
FREE	6 x 16 x 5	20	8		60	
91	6 x 6 x 8	3.75	1.25		15	
RETAINING WALL	6 x 10 x 8	6.25	2.09	3	15	2377
꿆	6 x 16 x 8	20	6.67		30	
COR- NER	6 x 16 x 8	29	9.34	2	28	1648
CAP	3 x 8 x 13½	68	8	144	126	2824
CAP	3 x 8 x 13½	6 SF 24 LF	3	2	36	854
WALL	6 x 8 x 11	13.98	6.99	2	63	2395

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Elegant look of chiseled stone
- Freestanding & gravity walls' can be built up to 3 feet high, including buried course
- Taller walls can be built using geosynthetic reinforcement when designed by a qualified engineer
- Rear-lip on retaining wall block makes installation fast and accurate
- Freestanding Walls: 4-foot minimum radius using all 3 units
- Retaining Walls: 1"/9.5° Setback/System batter
- Minimum outside radius, measured on the top course to the front of the units: 4 feet
- Minimum inside radius, measured on the base course to the front of the units: 8 feet
 - *Gravity wall heights are based on project specific conditions and may be lower than this value.

SHAPES & SIZES

FREESTANDING WALL



6 x 6 x 5



6 x 10 x 5 6 x 16 x 5



RETAINING WALL



6 x 6 x 8



6 x 10 x 8



6 x 16 x 8

CORNER



6 x 16 x 8

CAP



3 x 8 x 13½

CAP END



3 x 8 x 13½

WALL END



6 x 8 x 11



DIAMOND PRO® AIR SMOOTH



RETAINING

A smooth face and crisp edges in a lightweight large shape offer a clean, eye-catching look for contemporary retaining walls and terraced landscapes.









ANTHRACITE MOONLIGHT

NEWPORT GRAY









DIAMOND PRO® AIR SMOOTH		SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ Pallet
TINN	8 x 18 x 11½	36	-	-	-	-
XL" CAP	7 x 18¾16 x 25⁄8	-	-	-	72	-
CORNER	8 x 17 x 8	-	-	-	24	-
CAP	4 x 18 x 10½	-	-	-	80	-

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Contemporary smooth face in a lightweight large-format block
- Can be installed as a gravity wall or geogrid-reinforced wall
- Optimized shipping and installation, due to square foot sizing and low 54 lb weight
- Front lug design produces a 9/16" per unit setback for a 4° system batter
- · Cores align for easy filling
- Top course is placed upside down in order to increase capping efficiency
- Ideally situated for retaining walls up to 12 feet tall
- Can be used to build gravity walls up to 3' 4" high*, including the buried course
- Minimum outside radius, measured on the top course to the front of the units: 4 feet
- Minimum inside radius, measured on the base course to the front of the units: 6 feet

*Gravity wall heights are based on project specific conditions and may be lower than this value.

SHAPES & SIZES

UNIT



8 x 18 x 11½

XL™ CAP



7 x 181/16 x 25/8

CORNER



8 x 17 x 8

CAP



4 x 18 x 10½



DIAMOND PRO® AIR STRAIGHT



RETAINING

With a rugged split-stone face and crisp edges, this lightweight block delivers an organic feel for retaining walls and terraced landscapes.









DESERT TAN GRAY CHARCOAL









DIAN	MOND PRO® AIR STRAIGHT	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ Pallet	WEIGHT/ Pallet
UNIT	8 x 18 x 11½	36	-	-	-	-
XL" CAP	3 x 18 / 12 x 13	-	-	8	72	2560
CORNER	8 x 18 x 9	32	10	3	30	2468
CAP	4 x 18 x 10½	-	-	-	80	-

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Contemporary smooth face in a lightweight large-format block
- Can be installed as a gravity wall or geogrid-reinforced wall
- Optimized shipping and installation, due to square foot sizing and low 54 lb weight
- Front lug design produces a 9/16" per unit setback for a 4° system batter
- · Cores align for easy filling
- Top course is placed upside down in order to increase capping efficiency
- Ideally situated for retaining walls up to 12 feet tall
- Can be used to build gravity walls up to 3' 4" high*, including the buried course
- Minimum outside radius, measured on the top course to the front of the units: 4 feet
- Minimum inside radius, measured on the base course to the front of the units: 6 feet

*Gravity wall heights are based on project specific conditions and may be lower than this value.

SHAPES & SIZES

UNIT



8 x 18 x 11½

XL™ CAP



3 x 18 / 12 x 13

CORNER



8 x 18 x 9

 CAP



4 x 18 x 10½



DIAMOND PRO STRAIGHT



RETAINING

With tailored beveled edges, the split-face texture of this wall offers a classic look featuring a rugged surface and a time-worn organic appearance and is ideal for large-scale projects.









CHARCOAL GRAY DESERT TAN









DIA	MOND° PRO	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ Pallet	WEIGHT/ PALLET
STRAIGHT	8 x 18 x 12	45	8	5	32	3553
CORNER	8 x 18 x 9	32	10	3	30	2468
CAP	4 x 18 x 10½	-	-	-	80	-

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Classic look of split stone
- · Rear-lip locator
- · Large cores for ease in handling
- Matching corner and cap for a seamless appearance
- Gravity walls can be built up to 4 ft high*, including buried course with a 7.1° batter
- Walls in excess of 50 ft high have been built with Diamond Pro when combined with geosynthetic reinforcement
- Minimum outside radius, measured from the top course to the front of the units: 4 ft
- Minimum inside radius, measured on the base course to the front of the units: 6 ft
 - *Gravity wall heights are based on project specific conditions and may be lower than this value.

SHAPES & SIZES

STRAIGHT



8 x 18 x 12

CORNER



8 x 18 x 9

CAP




4 x 18 x 10½




HIGHLAND STONE

RETAINING | FREESTANDING









BRITTANY BEIGE Swatch represents color only.



OXFORD

Swatch represents color only.













PALLET INFORMATION

HIG	HLAND STONE®	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
WALL	6 x 6 / 4 x 9	20	2.1	2	30	
FREESTANDING WALL	6 x 12 / 10 x 9	20	4.6	3		3280
FREES	6 x 18 / 16 x 9	29	7	4	40	3480
ALL	6 x 6 x 12	20	2.25	3	27	2912
RETAINING WALL	6 x 12 x 12	20	4.5			2912
RET	6 x 18 x 12	27	6.75	4	36	2598
STEP	6 x 16 x 12	16.08	4.02	4	24	2832
XL" CAP	3 x 18 / 12 x 13	-	-	8	72	2560
COL-	6 x 18 x 9	22.6	11.3	2	20	1560

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Creates a hand-stacked stone aesthetic
- Can be used to create straight or curved walls
- Rear-lip block makes installation fast and accurate
- Freestanding walls can be built up to 3 ft high, Including buried course, but excluding the cap
- Gravity walls can be built up to 4 ft, 6 in high, including buried course*
- Taller walls can be built using geosynthetic reinforcement when designed by a qualified engineer.
- Minimum outside radius, measured on the top course to the front of the units: 4 ft
- Minimum inside radius, measured on the base course to the front of the units: 8 ft
 - *Gravity wall heights are based on project specific conditions and may be lower than this value.

SHAPES & SIZES

FREESTANDING WALL



6 x 6 / 4 x 9



6 x 12 / 10 x 9



6 x 18 / 16 x 9

RETAINING WALL



6 x 6 x 12



6 x 12 x 12



6 x 18 x 12

STEF



6 x 16 x 12

XL™ CAP



3 x 18 / 12 x 13

COLUMN



6 x 18 x 9




LAMINA TANDEM"

RETAINING | FREESTANDING



The look and feel of multiple layers of natural stacked stone defined by a uniform chiseled texture and the unique z-shape that allows for a seamless connection between units.







PEWTER SIENNA BLEND















LAI	MINA TANDEM™	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
	7 x 13¾16 x 25⁄8	15.576	2.596	6	24	462.48
3-PIECE	7 x 15 ¹³ / ₁₆ x 2 ⁵ / ₈	18.696	3.116		24	555.12
	7 x 18½s x 25⁄8	21.816	3.636		24	648
COLUMN	7 x 18½s x 25⁄8	45.43	9	5	45	1313
CAP	15 x 24 x 31⁄4	20 SF 64 LF	2.5	8	32	2990

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Distinctive chiseled stone texture manufactured to consistent height tolerances
- · Build curved or straight walls
- Offered in 3 sizes to allow for design versatility and customization
- · Minimum outside radius of 6'
- Freestanding walls up to 28"
- Engineered 90° corners
- Gravity walls up to 3 feet* using a ½ inch setback per unit (4 degree system batter)
- · Reinforced walls up to 8 feet
- Versatile system can create multiple outdoor features including seat walls, kitchens, planters, columns, and fire or water features

SHAPES & SIZES

3-PIECE



7 x 13³/₁₆ x 2⁵/₈



7 x 15¹³/₁₆ x 2⁵/₈



7 x 187/16 x 25/8

COLUMN UNIT



7 x 181/16 x 25/8

CAP



15 x 24 x 31/4




MELVILLE TANDEM™

RETAINING | FREESTANDING



A distinctive smooth face and large format size provides a modern aesthetic for a wide variety of outdoor living projects including retaining walls, kitchens, built-in seating and more.







NEWPORT GRAY

SCANDINA GRAY















ME	LVILLE TANDEM™	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ Pallet	WEIGHT/ PALLET
	7 x 13¾6 x 2⅓8	19.2	3.2		30	570
3-PIECE	7 x 15 ¹³ /16 x 2 ⁵ /8	23.1	3.85	6	30	696
	7 x 18½6 x 2½	27	4.5		30	816
LIND	7 x 15 ¹³ /16 x 2 ⁵ /8	45.43	9	5	45	1313
CAP	15 x 24 x 31⁄4	20 SF 64 LF	2.5	8	32	2990

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE


Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Contemporary smooth face and linear appeal
- · Build curved or straight walls
- Offered in 3 sizes to allow for design versatility and customization
- · Minimum outside radius of 6'
- Freestanding walls up to 28"
- Engineered 90° corners
- Gravity walls up to 3 feet* using a ½ inch setback per unit (4 degree system batter)
- · Reinforced walls up to 8 feet
- Versatile system can create multiple outdoor features including seat walls, kitchens, planters, columns, and fire or water features

SHAPES & SIZES

3-PIECE



7 x 133/16 x 25/8



7 x 181/16 x 25/8

COLUMN UNIT



7 x 15¹³/₁₆ x 2⁵/₈

CAP



15 x 24 x 31/4




^{*}Gravity wall heights are based on project specific conditions and may be

MELVILLE™ WALL

GARDEN | FREESTANDING



Distinctive smooth faces, subtle edges and clean design make this wall stand out for the modern aesthetics it provides. System is comprised of a double-sided wall unit, along with a matching cap.








SCANDINA GRAY

ANTHRACITE















MEL	VILLE™ WALL	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
TINO	4 x 20 x 10	26.67	4.44	6	48	3060
WEDGE	4 x 9½ x 10	19	-	6	72	1921
CAP	2 x 20 x 13	100 LF	10 LF	10	60	2500

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Matching cap provides a seamless aesthetic
- Integrate cap into wall design to create depth and custom appearance (as pictured)
- Multiple installation patterns.
- Smooth face and aesthetics pair well with Melville pavers and our pre-built Melville Series of fire and kitchen features
- On-trend color offering complements any project
- Simplistic design allows for easy installation of walls and other outdoor features
- 2 foot maximum height is perfect for garden and planter walls

SHAPES & SIZES

UNIT



4 x 20 x 10

WEDGE



4 x 9½ x 10

CAP



2 x 20 x 13




STERLING WALL

RETAINING | FREESTANDING




The classic split-stone look of this retaining wall block is paired with an innovative design that allows the block to be split in half to create two-sided freestanding walls.



BRITTANY BEIGE

0 X F O R D

















STE	RLING° WALL	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
BLOCK	6 x 17¾ x 12	33.75	-	5	45	3455
XL" CAP	3 x 18 / 12 x 13	-	-	8	72	3525

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Build retaining walls with easy pin alignment and side view for placement visualization
- Block channels make easy pin alignment for battered or freestanding retaining walls
- · Score marks for splitting block to make a twosided freestanding wall unit
- · Center score mark provides guide for splitting to make corner or column units
- · Hand holds allow for easier handling during installation
- Maximum gravity retaining wall height is 4 ft*
- · Retaining wall minimum inside radius, measured on the base course to the front of the units: 6 ft
- · Retaining wall minimum outside radius, measured on the top course to the front of the units: 4 ft
- · Maximum freestanding wall (FSW) height is 3 ft*
- · Freestanding wall minimum radius 4 ft
- · Maximum column height is 4 ft*
- Segmental retaining wall setback/ system batter 10.6°

*Gravity wall heights are based on project specific conditions and may be lower than this value.

SHAPES & SIZES

BLOCK



6 x 17¾ x 12




3 x 18 / 12 x 13




WESTON STONE

GARDEN | FREESTANDING










ASPEN BLEND





BLACK DIAMOND

BRITTANY BEIGE















WE	STON STONE™	SQFT/ PALLET	SQFT/ Layer	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
	4 x 8 / 5 x 8					
WALL UNITS	4 x 12 / 9 x 8	42	6	7	126	3400
	4 x 16 / 13 x 8					
UNIVER- SAL	4 x 12 x 8	40	6.6	6	120	3614
CAP	2¾ x 10½ x 10½	-	-	8	96	2624

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Weathered stone appearance
- Plantable wall designs & columns can be easily created
- Create a wide variety of custom outdoor living features including kitchens, built-in seating and fire features
- Build curved or straight walls
- · Build freeform walls with minimal cuts
- Can be used to build gravity walls up to 2 feet high*, including the buried course
- Minimum outside radius, measured on the top course to the front of the units: 5 feet
- Minimum inside radius, measured on the base course to the front of the units: 3 feet
 - *Gravity wall heights are based on project specific conditions and may be lower than this value.

SHAPES & SIZES

WALL UNITS



4 x 8 / 5 x 8



4 x 12 / 9 x 8



4 x 16 / 13 x 8

UNIVERSA



4 x 12 x 8

CAP




23/8 x 101/2 x 101/2



ANCHOR™ CAPS

PILLAR | SEAT WALL | FIRE PIT









ANTHRACITE





LEATHER LIMESTONE

Swatch represents product color only, not surface texture



ANC	HOR™ FIRE PIT CAP	LNFT/ PALLET	LNFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
CAP	56 x 2½	-	-	-	8	626
30" CAP	30 x 30 x 2½	-	-	-	6	1512
24" CAP	24 x 24 x 2½	-	-	-	8	950
CAP	14 x 30 x 2½	-	-	-	18	1080

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Elegant look of hand-chiseled stone
- · Multiple shapes and sizes for design flexibility
- Add a finishing touch to walls, columns, outdoor kitchens and fire features
- Flat top provides platform for light fixtures or other decorative elements

SHAPES & SIZES

4-PIECE FIRE PIT CAP



56 x 21/2

30" PILLAR CAP



30 x 30 x 2½

24" PILLAR CAP



24 x 24 x 2½

SEAT WALL CAP



14 x 30 x 2½



HERITAGE COLLECTION

MARINA COPING | 60MM



The smooth surface texture and refined, rounded edges make this bullnose coping a classic finishing touch to enhance pools and a variety of outdoor features.







COTSWOLD MIST

MIDNIGHT



MAR	INA™ COPING	LNFT/ PALLET	LNFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ Pallet
WW09	515/16 x 1113/16 x 23/8	-	-	5	195	3608

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Classic shape with smooth surface and bullnose edge
- Rounded edges protect feet and hands when getting out of a pool or going up and down steps.
- Offers a stylish, textured edge to blend seamlessly with patios.
- Helps pool or spa hold its shape by keeping walls straight and rigid, and protects surrounding area from water damage.
- Provides a finishing touch for pools, steps, terraces, planters and more

SHAPES & SIZES

60MM



 $5^{15/16} \times 11^{13/16} \times 2^{3/8}$




ANGLIA EDGER°

EDGER



Large edger units feature a chiseled finish and tapered edges to provide an elegant complement to driveways, patios, walkways and flowerbeds.







COTSWOLD MIST

GASCONY TAN



ANG	LIA EDGER®	LNFT/ PALLET	LNFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ Pallet
	5¼ x 75% x 8	-	-		16	
UNITS	5¼ x 10 x 8	-	-		16	0550
EDGER	5¼ x 15% x 8	-	-	3	16	2550
	5¼ x 17¾ x 8	-	-		24	

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Tapered ends create either curves or straight installation
- 8" height simulates natural stone curbing
- Three different lengths offer a random look and flexible installation
- Large scale pieces create efficient installation
- · Look and feel of natural chiseled stone

SHAPES & SIZES

EDGER UNITS



51/4 x 75/8 x 8



51/4 x 10 x 8



5¼ x 15% x 8



5¼ x 17¾ x 8



GRANIKA STEP®

STEP UNIT



The natural granite look offers a quarried face on the step tread with smooth sides to create longer treads. The double-sided rise texture allows rotation for optimal aesthetics.





COTSWOLD MIST



GRA	NIKA STEP°	LNFT/ PALLET	LNFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ Pallet
STEP	6 x 48 x 18	-	-	-	8	1668

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Double-sided texture and two unique faces on the rise allow steps to be rotated for optimal aesthetics
- Smooth sides allow steps to be placed side by side for longer treads
- Granite-like texture on tread surface
- Even bottom and consistent size offer installation ease
- Palletized for easy removal by skid-steer loader
- Dry-cast production provides consistent color throughout unit
- Riser faces are uniquely designed to nest together, creating an optional landing with a narrow joint

SHAPES & SIZES

STEP UNIT



6 x 48 x 18




LANDINGS

STEP UNIT



The chiseled look of quarried limestone on the step tread and rise adds grand style to landscape level changes, while the smooth face of the remaining sides allows for greater design flexibility.







BLU STONE

MOONLIGHT



LANDINGS™ STEP UNIT		LNFT/	LNFT/	LAYER/	UNITS/	WEIGHT/
		PALLET	LAYER	PALLET	PALLET	Pallet
STEP	48 x 18 x 6	-	-	-	6	2760

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Double-sided texture and two unique faces on the rise allow steps to be rotated for optimal aesthetics
- Smooth sides allow steps to be placed side by side for longer treads
- · Granite-like texture on tread surface
- Even bottom and consistent size offer installation ease
- Palletized for easy removal by skid-steer loader
- Dry-cast production provides consistent color throughout unit
- Riser faces are uniquely designed to nest together, creating an optional landing with a narrow joint

SHAPES & SIZES

STEP UNIT



48 x 18 x 6




ARTFORMS

MODULAR PANEL SYSTEM



Innovative large-format modular panels offer contemporary lines and the versatility to create unlimited architectural features for outdoor living spaces.









SCANDINA GRAY



SEPIA





ARTFORMS™		SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ Pallet	WEIGHT/ Pallet
OPEN	18 x 36 x 3	81	9	9	9	- 2745
CLOSE	18 x 36 x 3				9	
OPEN	6 x 36 x 3	31.5	10.5	3	3	- 1095
CLOSE	6 x 36 x 3				18	

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Large format high-strength concrete panels
- Clean lines for a contemporary aesthetic
- Mechanically fastened with stainless steel hardware
- · Ideal for outdoor living projects of all sizes
- Suitable for rooftop applications
- · Efficient installation with minimal waste
- · Minimal disruption for property owner
- · Easily added to existing projects
- Endless design possibilities for outdoor living features including seat walls, fire and water features, planters, and outdoor kitchens

SHAPES & SIZES

18 X 36



18 x 36 x 3

Pallets contain both open and close ended units

6 X 36



6 x 36 x 3

Pallets contain both open and close ended units

INSTALLATION HARDWARE*



Anchor Slide & Nut 50 units per box



Joining Plate 10 units per box



Outer Corner 10 units per box



Inner Corner 10 units per box



Stretcher 10 units per box

*Installation hardware is sold separately




BORDEAUX SERIES

GRILL ISLAND & FIRE FEATURES



Timeless stackstone design with accents that emulate polished limestone, the components of this series transform outdoor living spaces with a coordinated, cohesive look.









PEWTER / MIDNIGHT

SIENNA / BUFF

SIENNA / MIDNIGHT



Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Features a timeless stacked stone design with smooth cast stone accents
- Pre-assembled modular features are each packaged as one unit that can be installed in hours versus days
- Units include fork slot configurations for easy transport and installation
- Fireplaces can be retro-fitted for gas burning log sets and burners
- Grill islands include stainless steel grill and door set – specify propane or natural gas when ordering

PLEASE NOTE: Be sure to check with your local municipality for any codes that may affect your installation.

SHAPES & SIZES

FIREPLACE



2'7"D x 4'3"W x 7'8"H Pallet Weight: 4,170

GRILL ISLAND



2'6"D x 5'11"W x 3'5"H Grill & Doors included Pallet Weight: 3,260

WOOD BOXES



2'1½"D x 3'3"W x 3'1"H Each Sold as a pair Pallet Weight: 3,070

LINEAR FIRE TABLE



2'11"D x 6'2"W x 2'5"H Pallet Weight: 2,500

LINEAR FIREPLACE



 $3'61\!/\!\!\!/2"D\times7'8"W\times4'51\!/\!\!\!/4"H$ Pallet Weight: 4,000



MELVILLE[™] SERIES

GRILL ISLAND & FIRE FEATURES



Stunning linear design features a smooth face and subtle edges to deliver a sleek, contemporary style. Components work together to provide a cohesive finished look.





SCANDINA GRAY / MIDNIGHT





Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Contemporary smooth linear design that coordinates with Melville™ Wall and Melville™ Tandem Wall
- Pre-assembled modular features are each packaged as one unit that can be installed in hours versus days
- Units include fork slot configurations for easy transport and installation
- Fireplaces can be retro-fitted for gas burning log sets and burners
- Grill islands include stainless steel grill and door set — specify propane or natural gas when ordering

PLEASE NOTE: Be sure to check with your local municipality for any codes that may affect your installation.

SHAPES & SIZES

FIREPLACE



2'7"D x 4'3"W x 7'8"H Pallet Weight: 4,170

GRILL ISLAND



2'6"D x 5'11"W x 3'5"H Grill & Doors included Pallet Weight: 3,260

WOOD BOXES



2'11/4"D x 3'3"W x 3'1"H Each Sold as a pair Pallet Weight: 3,070

LINEAR FIRE TABLE



 $2'11"D \times 6'2"W \times 2'5"H$ Pallet Weight: 2,500

LINEAR FIREPLACE



 $3'61\!/\!\!\!/2"D\times7'8"W\times4'51\!/\!\!\!/4"H$ Pallet Weight: 4,000



METROPOLITAN COLLECTION

$\mathsf{MELVILLE}^{\scriptscriptstyle{\mathsf{TM}}}$

FIRE PIT



The linear design and subtle edges of wall wedge blocks take this fire pit center stage. Compatible with the Elements™ round gas fire pit insert, it pairs with Melville Wall products







SCANDINA GRAY

ANTHRACITE



QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Special wedge-shaped blocks of Melville Wall
- Smooth linear face for contemporary appeal
- Coordinates with Melville pavers and the Melville Series of kitchen and fire features
- Pallet includes all blocks needed to complete circular fire pit

SHAPES & SIZES

WEDGE



4 x 9½ x 10

WEDGE



Item #70580597 Elements 34" Smoke-less Wood Fire Pit Insert

GAS INSERT



Item #70585063 Elements 34" Round Gas Fire Pit Burner Kit

ROUND FIRE PIT

54%" outside diameter 34%" inside diameter Stacks 4 rows high Anchor Cap sold separately Elements inserts sold separately. Pallet Weight: 1921

Downloadable professional resources available at **Belgard.com/Resources**



WESTON STONE

FIRE PIT KIT



With the look of tumbled cut stone, this fire pit makes a beautiful addition to any outdoor living space and is the ideal complement to projects with Weston Stone walls.







BRITTANY BEIGE

BLACK DIAMOND



QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Weathered stone aesthetic
- Cleaner, more sculpted look than stone
- Quick and easy to assemble with everything you need on a single pallet
- A beautiful complement to projects with Weston Stone™ walls

SHAPES & SIZES

4 X 8



4 x 8 x 8

SMOKE-LESS INSERT



Outer Rim: 34" Inner Rim: 26" Height: 12" Base Outer Diameter: 29" Fit 29½" to 32" Internal diameter

ROUND FIRE PIT I

53" outside diameter 35" inside diameter Stacks 3 rows high Anchor Cap sold separately Metal ring insert is included

ROUND FIRE PIT II

52" outside diameter 36" inside diameter Stacks 4 rows high Anchor Cap sold separately Elements Smokeless Insert is included

Downloadable professional resources available at **Belgard.com/Resources**





QUALITY TO THE CORE

With Belgard, you get the nation's leading pavers and landscape walls backed by the foremost experts in the industry.

BELGARD.COM

© Copyright 2025 Oldcastle APG, Inc. All Rights Reserved. BEL24-D-322357

PICTURED ON THE COVER: BROOKLYN" PAVER, DIMENSIONS" 18 WITH BELGIAN COBBLE BORDER & MELVILLE TANDEM" FIRE PIT WITH MARINA" COPING