

TABLE OF

CONTENTS











01

PAVERS

- 1 Appian-Stone®3 Belgian Cobble®
- **5** Catalina[™]
- 7 Catalina Grana®
- 9 Charlestone™
- **11-14** Dimensions[™] 3-Piece
- **15** Dimensions[™] Slap
- **17** Empire[™]
- 19 Holland Stone
- **21** Mega-Cambridge[™]
- 23 Oceanside
- **25-28** Origins[™] 3-Piece
- **29** Papyrus[™]

31

PORCELAIN

- 31 Foundation™
- 33 Genoa™
- 35 Glocal
- 37 Noon
- **39** Norr
- 41 November
- **43** Quarziti 2.0
- 45 Travertini
- 47 Unico 2.0

73

COPING, CAPS, EDGERS & STEPS

- 73 Bullnose Coping
- 75 Fountainhead Coping
- 77 Seville® Coping





49

WALLS

49	Belair	Wall®	2.0
----	--------	-------	-----

- 51 Castlemanor®
- 53 Castlemanor® Grana
- 55 Diamond® 9D
- 57 Diamond Pro® 9D
- 59 Diamond Pro®
- 61 Diamond Pro® PS
- 63 Diamond Pro® Air Smooth
- 65 Diamond Pro® Air Straight
- **67** Easton Stone™
- **69** Melville[™] Wall
- **71** Weston Stone[™]

79

KITCHENS & FIRE FEATURES

- **79** Artforms[™]
 - Modular Panel System
- 81 Bordeaux™ Series
- **83** Melville[™] Series
- **85** Melville[™] Fire Pit



WE COVER A LOT OF GROUND

LIFETIME TRANSFERABLE LIMITED WARRANTY

TRANSFERRABLE WARRANTY TIMELY INVESTIGATIONS REPLACEMENT OF DEFECTIVE PRODUCT AT NO CHARGE

Oldcastle APG ("Belgard") is proud to inform you that all of our interlocking concrete paver and retaining walls ("Products") meet and/or exceed the requirements of ASTM C-936 and ASTM C-1372. Belgard guarantees its Products against these standards for the lifetime of the Product defined by CMHA. This guarantee does not apply to splitting, chipping or other breakage that could be caused by impact, abrasion or overloading. This warranty is transferable. The original proof of purchase is required.

This warranty is only valid if the material is installed under the guidelines of the CMHA or the Belgard Installation Guideline Manual. Improper installation voids this warranty. This warranty is for residential applications only and does not apply to commercial applications. It is recommended that the job is installed by a Belgard Contractor Program participant who guarantees their workmanship for a minimum of 3 years from the date of install. For warranty service, contact Belgard at 1-877-BELGARD. A service representative will investigate your claim within 10 business days. If the Belgard product fails to meet the specifications, Belgard will replace the defective product at no charge. Color matching cannot be guaranteed. Belgard will not be responsible for any replacement labor, consequential damages or incidental damages. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state. Some states do not allow for the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

The warranties in this limited warranty are the only warranties applicable to the veneer products. There are no other warranties, representations, or conditions of any kind, express or implied, statutory or otherwise, with respect to the interlocking concrete paver or retaining wall products supplied by manufacturer, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. All such warranties are hereby specifically disclaimed and manufacturer shall have no liability therefor, not withstanding (1) manufacturer's actual knowledge of any intended use of the interlocking concrete paver or retaining wall products or (2) any advice or representations that may have been rendered by manufacturer concerning the design, manufacture, fabrication, sale, use, installation or provision of the interlocking concrete paver or retaining wall products. No statement, product, or description by manufacturer or its employees or other representatives, in addition to or beyond this limited warranty shall constitute a warranty. Buyer agrees that its sole and exclusive remedies for breach of this limited warranty, and the sole and exclusive obligations of manufacturer with respect to any claims for breach of this limited warranty, shall be those remedies expressly set forth herein.

APPIAN-STONE®

PAVER | 30MM | 60MM | 80MM

Inspired by the scenic landscapes and historic roadways of the Europe, these pavers provide the old-world look of weathered cobbled stone.

















C H A R C O A L

Only available in 6 x 9

HARVEST BLEND

KNIGHTSBRIDGE









NAPOLI RIO SLATE TITANIUM







APP	IAN-STONE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
FCE	6 x 6 x 1 ³ / ₁₆	124	-	-	12	1/50
2-PIECE 30MM	6 x 9 x 1 ³ / ₁₆		-	-	15	1652
-PIECE	6 x 6 x 2 ³ / ₈	103	-	-	10	2678
2-PI 60	6 x 9 x 2 ³ / ₈		_	-	12	2600
**		103	-	-		2678
RECTANGLE* 60MM	6 x 9 x 2 ³ / ₈	121	-	-	10	
RE		121	-	-		3200

*Only available in 60mm

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Gently rounded corners with domed "pillow-top" surface
- Classic architectural appearance
- Wide range of natural color blends
- · 60MM size approved for residential vehicular applications

SHAPES & SIZES

2-PIECE | 30MM



6 x 6 x 13/16



6 x 9 x 1³/₁₆



6 x 6 x 23/8



6 x 9 x 23/8

RECTANGLE* | 60MM



6 x 9 x 23/8

*Only available in Charcoal, Slate & Knightsbridge 60mm



BELGIAN COBBLE®

PAVER | 70MM



Emulating the look of stones found lining a mountain creek bed, this multi-piece system has seven unique shapes for creating random patterns and picturesque settings.





SLATE







BEL	GIAN COBBLE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
MULTI PIECE 70MM	Variable x 2¾	98	504 Per Bag	-	-	3000

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Seven unique shapes create a random pattern
- · Can also be used for accents or borders
- · Can be installed as either a standard or permeable system
- Larger joints allow for permeable pavement installation with site-specific engineering and proper base, bedding and joint aggregate material
- The use of Techniseal's polymeric jointing sand is recommended for non-permeable applications
- · Create unique freeform curvilinear or serpentine designs

SHAPES & SIZES





Variable x 23/4



CATALINA[™]

3-PIECE PAVER | 30MM | 60MM | 80MM

The dimensional texture of natural cut slate creates graceful outdoor spaces that blend seamlessly with the natural landscape.











NAPOLI SLATE TITANIUM







CATA	ALINA™	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
3-PIECE 30MM	4 x 8 x 1 ³ / ₁₆		-	-		
	8 x 8 x 1 ³ / ₁₆	103	-	-	10	1490
63	8 x 12 x 1 ³ / ₁₆		-	-		
	4 x 8 x 2 ³ / ₈		-	-		
3-PIECE 60MM	8 x 8 x 2 ³ / ₈	103	-	-	10	2778
	8 x 12 x 2 ³ / ₈		-	-		

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Natural slate texture, perfect to add curb appeal to any home
- 3-Piece modular system
- Paver color is blended through the entire paver for long lasting beauty
- Add a border or paver lights to complete
 the look

SHAPES & SIZES

3-PIECE | 30MM



4 x 8 x 1³/₁₆



8 x 8 x 13/16



8 x 12 x 13/16

3-PIECE | 60MM



4 x 8 x 23/8



8 x 8 x 23/8



8 x 12 x 23/8



CATALINA GRANA®

3-PIECE PAVER | 30MM | 60MM | 80MM

Clean lines, a smooth surface, and a subtle beveled edge work together to create a contemporary eye-pleasing look.













AMARETTO

NAPOLI

RIO

SCANDINA GRAY





SLATE TITANIUM









CATA	ALINA GRANA®	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
3-PIECE 30MM	4 x 8 x 1 ³ / ₁₆		-	-		
	8 x 8 x 1 ³ / ₁₆	103	-	-	10	1490
C.	8 x 12 x 1 ³ / ₁₆		-	-		
	4 x 8 x 2 ³ / ₈		-	-		
3-PIECE 60MM	8 x 8 x 2 ³ / ₈	103	-	-	10	2778
	8 x 12 x 2 ³ / ₈		-	-		

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Smooth linear surface
- 3-piece system for flexibility and ease of installation
- ADA Compliant
- Multiple laying patterns
- Ideal for patios, pool decks and walkways
- 60MM size can be used for residential vehicular applications

SHAPES & SIZES

3-PIECE | 30MM



4 x 8 x 1³/₁₆



8 x 8 x 1³/₁₆



8 x 12 x 1³/₁₆

3-PIECE | 60MI



4 x 8 x 23/8



8 x 8 x 23/8



8 x 12 x 2³/₈



CHARLESTONE

3-PIECE PAVER | 60MM

Designed to evoke the charm of early American streets, this system mimics the historical elegance of weathered, hand-cobbled stone.







NAPOLI





S L A T E TITA N I U M







CHA	RLESTONE™	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
MM09	6 x 6 x 2 ³ / ₈	15	16	1.5	10	
_	6 x 9 x 2 ³ / ₈	45	16	4.5	10	2997
3-PIECE	6 x 12 x 2 ³ / ₈	45	16	4.5	10	

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Timeless look of hand-cobbled stone
- Sized in true 3-inch increments for simplified estimating and ordering
- · Reduced cuts and waste
- · Compatible in sizing with other modular paver lines like Origins™ and Dimensions™
- · Pallet optimized for both mechanical and manual installation
- Particularly ideal for driveways and walkways

SHAPES & SIZES

3-PIECE | 60MM



6 x 6 x 23/8



6 x 9 x 23/8



6 x 12 x 23/8




DIMENSIONS[™] 12

3-PIECE SYSTEM I 60MM

Versatility meets contemporary design with a modular system that features a smooth face and crisp, clean lines.













ANTHRACITE NAPOLI

SCANDINA GRAY SEPIA



MODULAR



PALLET INFORMATION

DIM	ENSIONS™ 12	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
S 12	6 x 12 x 23/8		-			
DIMENSIONS 12 60MM	12 x 12 x 2 ³ / ₈	120	_	12	10	3435
DIME	12 x 18 x 2 ³ / ₈		-			

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Smooth face with clean, crisp lines
- · Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- Increased options for creative patterns
- Simplified quoting and design of projects
- Uniform dimensions compatible with other Dimensions paver sizes
- Sizing compatible with all Belgard modular paver lines -- look for the Modular Sizing icon

SHAPES & SIZES

DIMENSIONS 12 | 60MM



6 x 12 x 23/8



12 x 12 x 23/8



12 x 18 x 23/8




DIMENSIONS[™] 18

3-PIECE SYSTEM I 60MM

Versatility meets contemporary design with a modular system that features a smooth face and crisp, clean lines.














NAPOLI

SCANDINA GRAY SEPIA







DIMI	ENSIONS™ 18	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
S 18	9 x 18 x 2 ³ / ₈		-			
DIMENSIONS 60MM	18 x 18 x 2 ³ / ₈	112.5	_	11.25	10	3296
DIME	18 x 27 x 2 ³ / ₈		-			

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE


Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Smooth face with clean, crisp lines
- · Contemporary large-format sizing
- · Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- Increased options for creative patterns
- · Simplified quoting and design of projects
- · Uniform dimensions compatible with other Dimensions paver sizes
- Sizing compatible with all Belgard modular paver lines -- look for the Modular Sizing icon

SHAPES & SIZES


DIMENSIONS 18 | 60MM





DIMENSIONS™ 9X18

SLAB | 60MM















A N T H R A C I T E N A P O L I

SCANDINA GRAY SEPIA







DIM	ENSIONS™	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
SLAB	9 x 18 x 2³/s	112.5	-	11.3	10	3275

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Smooth face with clean, crisp lines
- · Contemporary large-format sizing
- Maximized pallet layout for jobsite efficiencies
- Reduced cuts, installation time and waste
- Increased options for creative patterns
- · Simplified quoting and design of projects
- Uniform dimensions compatible with other Dimensions paver sizes
- Sizing compatible with all Belgard modular paver lines -- look for the Modular Sizing icon

SHAPES & SIZES

SLAB



9 x 18 x 23/8




EMPIRE PAVER | 60MM



A hand-tooled appearance with variations of classic herringbone and basketweave designs delivers a striking appearance. Seven unique textures offer depth and tactile appeal.







CHARCOAL PEWTER



MODULAR



PALLET INFORMATION

EMP	IRE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
3 X 12	3 x 12 x 23/8	110	-	11	10	3056

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Hand-tooled appearance
- 7 unique textures per pallet
- · Ideal for patios, walkways and accents
- Contemporary twist for classic herringbone and basketweave designs
- Modular sizing pairs well with other modular paver lines like Dimensions $^{\mathsf{M}}$ and Origins $^{\mathsf{M}}$

SHAPES & SIZES

3 X 12



3 x 12 x 23/8



HOLLAND STONE

PAVER | 30MM | 60MM

The classic architectural appearance is derived from a smooth face and clean lines to offer traditional appeal.







ADOBE









AMARETTO

CHARCOAL

HARVEST BLEND

KNIGHTSBRIDGE









NAPOLI RIO SLATE TITANIUM







HOL	LAND STONE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
30MM	4 x 8 x 1 ³ / ₁₆	145	-	-	16	1925
MM09	4 x 8 x 2 ³ / ₈	120	54	12	10	3120

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- One size ideal for inlays, borders and as a stand alone
- · Ideal for both residential and commercial applications
- Comprehensive library of installation patterns
- · 60MM size approved for residential vehicular applications

SHAPES & SIZES

30MM



4 x 8 x 13/16

60MM



4 x 8 x 23/8




MEGA-CAMBRIDGE*

3-PIECE PAVER | 30MM | 60MM | 80MM



The gently rounded corners and domed pillow-top surface of this paver create a timeless, architectural look. Available in choice of two color blends for adding a natural aesthetic.







N A P O L I T I T A N I U M







MEG	A-CAMBRIDGE™	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
3-PIECE 30MM	6 x 9 x 1 ³ / ₁₆					
	9 x 9 x 1 ³ / ₁₆	136	20	11.4	12	1904
	9 x 12 x 1 ³ / ₁₆					
MM09	6 x 9 x 2 ³ / ₈					
_	9 x 9 x 2³/8	104	15	8.53	12	2808
3-PIECE	9 x 12 x 2 ³ / ₈					

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Gently rounded corners with domed "pillow-top" surface
- · Clean lines and an architectural appearance
- Wide range of natural color blends
- 80mm is suitable for vehicular applications

SHAPES & SIZES

3-PIECE | 30MM



6 x 9 x 1³/₁₆



9 x 9 x 1³/₁₆



9 x 12 x 1³/₁₆

3-PIECE | 60MM



 $6 \times 9 \times 2^{3/8}$



9 x 9 x 23/8



9 x 12 x 2³/₈



HERITAGE COLLECTION

OCEANSIDE

PAVER | 60MM



Exposed coquina and oyster shells bring a rare coastal charm, with multiple paver sizes allowing for endless pattern possibilities.







OCEANSIDE		SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
4 X 8 60MM	4 x 8 x 23/8	96	36	-	12	2596
8 X 8 60MM	8 x 8 x 23/8	96	18	-	12	2596
8 X 12 60MM	8 x 12 x 2 ³ / ₈	96	12	-	12	2596
12 X 12 60 MM	12 x 12 x 2 ³ / ₆	96	8	-	12	2596

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Unique organic look incorporating real coquina and oyster shells
- Available in multiple sizes to create multiple patterns
- Can be utilized to construct an ADA-compliant pavement

SHAPES & SIZES

4 X 8 | 60MM



4 x 8 x 23/8

8 X 8 | 60MM



8 x 8 x 23/8

8 X 12 | 60MM



8 x 12 x 23/8

12 X 12 | 60MM



12 x 12 x 23/8



ORIGINS[™] 12


3-PIECE | 60MM

AMARETTO

ASHWOOD



Emulating the look and texture of natural stone, this paver system offers earthy tones and a slightly chiseled, yet refined surface that blends with the natural environment.



CHESWICK

NAPOLI







ORIGINS™ 12		SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
60MM	6 x 12 x 2³⁄₃					
ORIGINS 12 6	12 x 12 x 23/8	120	-	12	10	3435
	18 x 12 x 23/8					

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Look and feel of natural stone
- · Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- Increased options for creative patterns
- Simplified quoting and design of projects
- Uniform dimensions compatible with other Origins paver sizes
- Sizing compatible with all Belgard modular paver lines -- look for the Modular Sizing icon

SHAPES & SIZES

ORIGINS 12 | 60MM



6 x 12 x 23/8



12 x 12 x 23/8



18 x 12 x 23/8




ORIGINS[™] 18

3-PIECE | 60MM



Emulating the look and texture of natural stone, this paver system offers earthy tones and a slightly chiseled, yet refined surface that blends with the natural environment.





MODULAR



PALLET INFORMATION

ORIGINS™ 18		SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
ORIGINS 18 60MM	9 x 18 x 2³⁄₃	112.5	-	11.25	10	3296
	18 x 18 x 2³⁄₅					
	27 x 18 x 23/8					

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Look and feel of natural stone
- · Contemporary, large-format sizes
- · Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- · Increased options for creative patterns
- · Simplified quoting and design of projects
- · Uniform dimensions compatible with other Origins paver sizes
- Sizing compatible with all Belgard modular paver lines -- look for the Modular Sizing icon

SHAPES & SIZES

ORIGINS 18 | 60MM



9 x 18 x 23/8



18 x 18 x 23/8



27 x 18 x 23/8



PAPYRUS[™]

3-PIECE | 60MM



An organic textural experience with modern elegance, this paver's unique face mimics the look of textiles with hand-tooled striations that create an upscale look.







SCANDINA GRAY

SEPIA







PAPYRUS™ 18		SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
3-PIECE	9 x 18 x 2 ³ / ₈	112.5		- 11.25	10	3038
	18 x 18 x 2 ³ / ₈		-			
	18 x 27 x 2 ³ / ₈					

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Upscale organic texture that emulates hand-tooled stone
- True 3" increments for optimized pallet layouts and jobsite efficiencies
- Reduced cuts, installation time and waste
- Increased options for creative patterns
- Simplified quoting and design of projects
- Sizing compatible with all Belgard modular paver lines -- look for the Modular Sizing icon

SHAPES & SIZES

3-PIECE

9 x 18 x 23/8

18 x 18 x 23/8




18 x 27 x 23/8



FOUNDATION CONCRETE FINISH | 20MM



These pavers exude timeless sophistication and a uniform look achieved by a smooth, refined surface texture, polished concrete appearance, and neutral color tones.







AMBER BEIGE

SCANDINA GRAY



FOUNDATION™		SQFT/	SQFT/	BOXES/	PCS/	WEIGHT/	WEIGHT/
		PALLET	BOX	PALLET	BOX	BOX	Pallet
24 X 24	23.54 x 23.54 x ³ / ₄	275.04	7.64	36	2	67.84	2533.8

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Elegant polished concrete texture
- · Incredibly high breakage loads, up to 3,000 pounds.
- Modular for faster installation.
- · Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.*
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types
- · Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials.
- · Structured top textures create non-slip surfaces.
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C $(-60^{\circ}F \text{ to } +140^{\circ}F).$

* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

SHAPES & SIZES

24 X 24




23.54 x 23.54 x 3/4



GENOA[™] STONE FINISH | 20MM



Subtle nuances of natural stone and a smooth, non-slip texture make this porcelain paver the choice for blending earthy tones with a weathered patina for timeless aesthetics.







B L A N C O C R E M A



	GENOA™	SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ PALLET
12 X 24	11.73 x 23.54 x ³ / ₄	303.6	7.59	40	4	68.23	2807
24 X 24	23.54 x 23.54 x ³ / ₄	275.04	7.64	36	2	67.84	2533.8

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Sophisticated weathered stone look
- · Incredibly high breakage loads, up to 3,000 pounds.
- Modular for faster installation.
- · Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.*
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types
- · Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials.
- · Structured top textures create non-slip surfaces.
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C $(-60^{\circ}F \text{ to } +140^{\circ}F).$

* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

SHAPES & SIZES

12 X 24 11.73 x 23.54 x 3/4 24 X 24 23.54 x 23.54 x 3/4



GLOCAL

CONCRETE FINISH | 20MM



The smooth concrete-like finish offers a clean, contemporary aesthetic. Its structured and tight surface texture in neutral shades makes this porcelain paver a versatile design element.









PERFECT**

GC 02



v2 IDEAL GC 03



V2 TYPE



V2 CLASSIC GC 05




ABSOLUTE GC 06



CHAMOIS GC 08

*Not available in 32 x 32 or 48 x 48 **Only available in 32 x 32 and 48 x 48



WEIGHT/ BOX SQFT/ PALLET SQFT/ BOX BOXES/ PALLET PCS/ BOX WEIGHT/ PALLET **GLOCAL** 24 X 24 23.54 x 23.54 x 3/4 232.5 7.75 30 2 72 2160 36 X 36 35.51 x 35.51 x 3/4 156.94 8.72 82.89 18 1 1525 24 X 48 7.75 23.54 x 47.17 x 3/4 271.25 35 1 74 2621 47.17 x 47.17 x ³/₄ 279 2774.2 15.5 18 148.5 1

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE


Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Contemporary polished concrete texture
- Incredibly high breakage loads, up to 3,000 pounds
- · Modular for faster installation
- Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.*
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials
- Structured top textures create non-slip surfaces
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F)

* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

SHAPES & SIZES





NOON

WOOD FINISH | 20MM



Warm and stylish, this contemporary expression of simplicity combines the look and feel of natural wood with the durability of porcelain.









EMBER NN 02 ST



HONEY
NN 03 ST









ر ا ...

LOW SOLAR HEAT

	NOON	SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ Box	WEIGHT/ PALLET
12 X 48	11.73 x 47.17	279	7.75	36	2	74	2664

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Authentic natural wood texture and appearance
- Incredibly high breakage loads, up to 3,000 pounds
- · Modular for faster installation
- Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.*
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials
- Structured top textures create non-slip surfaces
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F)
 - * It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

SHAPES & SIZES

12 X 48



11.73 x 47.17



NORR

STONE FINISH | 20MM



The stone-like look of pebbles in various colors and shapes creates a three-dimensional effect that adds a natural yet contemporary touch to any surface.










G R A RR 02 ST - STA



SVART RR 03 ST - STA




FARGE RR 05 STA



RR 06 STA



OKEN RR 08 STA



GRUS RR 09 STA









HIGH VARIATION

LOW

LOW SOLAR HEAT

PALLET INFORMATION

	NORR	SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ Pallet
24 X 24	23.54 x 23.54 x ³ / ₄	232.5	7.75	30	2	72	2160
32 X 32	31.42 x 31.42 x ³ / ₄	289.33	6.89	42	1	65.48	2751

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Features pebbles of varying colors and shapes to create a pleasant three-dimensional effect
- Incredibly high breakage loads, up to 3,000 pounds
- · Modular for faster installation
- Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.*
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials
- Structured top textures create non-slip surfaces
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F)
 - * It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

SHAPES & SIZES

24 X 24 23.54 × 23.54 × ¾ 32 X 32 31.42 × 31.42 × ¾



NOVEMBER

STONE FINISH | 20MM



Minimalist styling inspired by nature is found with this versatile porcelain paver. Characteristics of stone and cement embody its texture to offer a simple, yet elegant look.





NM 01



NM 02





NM 05







	NOVEMBER	SQFT/ PALLET	SQFT/ BOX	BOXES/ Pallet	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ Pallet
24 X 24	23.54 x 23.54 x ³ / ₄	232.5	7.75	30	2	72	2280

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Characteristics of stone and cement combine for a simple, minimalist look with elegance
- Available in 4 versatile colors with choice of controlled shade variation (< 15 graphics, V2 variation)
- · Efficient 24" x 24" size for cost savings
- · Color-body, rectified porcelain is made in Italy
- Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device*
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials
- Structured top textures create non-slip surfaces
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F)

* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

SHAPES & SIZES

24 X 24



23.54 x 23.54 x 3/4




QUARZITI 2.0

STONE FINISH

This interpretation of natural quartz incorporates a gentle shading effect with the authentic diversity and subtle iridescence of natural elements.











MOUNTAINS
QR 02 NAT

v3




WATERFALL QR 03 NAT



RIVER
QR 04 NAT



MANTLE QR 05 NAT







	QUARZITI 2.0	SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ PALLET
12 X 24	11.73 x 23.54 x ³ / ₄	232.4	5.81	40	3	54.45	2178
18 X 36	17.64 x 35.35 x ¾	234.9	8.7	27	2	81.4	2198
24 X 24	23.54 x 23.54 x ³ / ₄	232.5	7.75	30	2	72	2160
24 X 48	23.54 x 47.17 x ³ / ₄	271.25	7.75	35	1	74	2621
2-PIECE	11.73 x 23.54 x ³ / ₄ 23.54 x 35.35 x ³ / ₄	7.75	36	279	2	72	2592

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE


Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Authentic quartz-like texture and appearance
- A variety of modular shapes offer ultimate design flexibility
- Incredibly high breakage loads, up to 3,000 pounds
- · Modular for faster installation
- Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.*
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials
- Structured top textures create non-slip surfaces
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F)

* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

SHAPES & SIZES





TRAVERTINI

TRAVERTINE FINISH | 20MM



Resembling the natural texture of travertine, this smooth finish paver offers two aesthetics with either a look of linear veins or softer cross cuts.









LIGHT CROSS



MISTY CROSS



RUSTIC CROSS EY 15



LIGHT VEIN*



DARK VEIN*
EY 08



MISTY VEIN*

*Only available in 24x48











ABSORPTION

	TRAVERTINI	SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ Pallet
24 X 24	23.54 x 23.54 x ³ / ₄	232.5	7.75	30	2	72	2160
32 X 32	31.42 x 31.42 x ³ / ₄	289.33	6.89	42	1	65.48	2751
24 X 48	23.54 x 47.17 x ³ / ₄	271.25	7.75	35	1	74	2621

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE


Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Timeless beauty of travertine
- Aesthetic options include a linear Vein Cut appearance and a softer Cross Cut appearance
- · Large format slabs
- A variety of modular shapes offer ultimate design flexibility
- Incredibly high breakage loads, up to 3,000 pounds
- · Modular for faster installation
- Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device*
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials
- Structured top textures create non-slip surfaces
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F)

* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

SHAPES & SIZES





UNICO 2.0

COPING | 20MM



Enhance your outdoor spaces with our premium porcelain coping available in a variety of styles to complement multiple porcelain paver lines.





v2 SLIGHT VARIATION









LOW SOLAR HEAT

PALLET INFORMATION

	UNICO 2.0	LN FT/ Pallet	LN FT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ Pallet
COPING	11.62 x 23.54 x ³ / ₄	205.2	5.7	36	3	54	1944

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Porcelain coping, featuring a sleek polished round edge
- Featuring authentic looks in natural stone, cement, and wood
- Use for steps or as coping for swimming pools
- · High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- · Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials
- Structured top textures create non-slip surfaces
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F)

SHAPES & SIZES

COPING




11.62 x 23.54 x 3/4






BELAIR WALL 2.0

RETAINING | FREESTANDING













NAPOLI RIO SLATE















	BELAIR WALL® 2.0	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
	6 x 6 x 5		6	5	30	2939
6" FSW	6 x 10 x 5	30			30	
	6 x 16 x 5				60	
6" SRW	6 x 6 x 8	.375	1.25		15	
	6 x 10 x 8	6.25	2.08	3	15	2318
	6 x 16 x 8	20	6.67		30	
COLUMN/ CORNER	6 x 16 x 8	28	-	2	28	1650
CAP	3 x 7 / 8 x 13½	-	-	8	144	3200
CAP	3 x 8 x 13½	-	-	3	36	900
WALL	6 x 8 x 11	86.2	-	-	56	3050

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE


Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Elegant chiseled stone look
- Freestanding & gravity walls* can be built up to 3 feet high, including buried course
- Taller walls can be built using geosynthetic reinforcement when designed by a qualified engineer
- Rear-lip on retaining wall block makes installation fast and accurate
- Freestanding Walls: 4-foot minimum radius using all 3 units
- Retaining Walls: 1"/9.5° Setback/ System batter
- Minimum outside radius, measured on the top course to the front of the units: 4 feet
- Minimum inside radius, measured on the base course to the front of the units: 8 feet

*Gravity wall heights are based on project specific conditions and may be lower than this value.

SHAPES & SIZES






CASTLEMANOR®

RETAINING | FREESTANDING

Tumbled edges, a weathered face, and multiple shapes provide a rustic look for small walls and outdoor living projects.










NAPOLI SLATE















	CASTLEMANOR®	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
3-PIECE	6 x 16 x 10	15.625	3.125		25	3431
	6 x 12 x 10	11.45	2.29	5	25	
	6 x 6 x 10	5.25	1.05		25	
CAP	3 x 12 x 10	132	-	6	72	2160

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Weathered cut-stone appearance
- Multi-piece wall system for increased installation flexibility
- Ideal for small freestanding walls, parapet walls, seat benches, pilasters, columns and outdoor living environments
- Build curved or straight, freestanding or retaining walls
- Each unit can be used as an exposed end unit or a 90° corner unit for less cuts
- · No patterns required for random look
- Used for gravity walls up to 2.5 feet* at a near vertical batter or 3 feet* using the 9.5 degree batter/1 inch setback per unit option
- Taller walls can be built using geosynthetic reinforcement when designed by a qualified engineer
- Minimum outside radius of 5 feet
- Minimum inside radius of 3 feet

*Gravity wall heights are based on project specific conditions and may be lower than this value.

SHAPES & SIZES

3-PIECE



6 x 16 x 10



6 x 12 x 10



6 x 6 x 10

CAP



3 x 12 x 10


View the product page on **Belgard.com** for more information



TAMPA

CASTLEMANOR GRANA

RETAINING | FREESTANDING











NAPOLI SLATE















	CASTLEMANOR® GRANA	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
3-PIECE	6 x 16 x 10	15.625	3.125		25	3431
	6 x 12 x 10	11.45	2.29	5	25	
	6 x 6 x 10	5.25	1.05		25	
CAP	3 x 12 x 10	132	-	6	72	2160

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Contemporary smooth face and clean lines
- Multi-piece wall system for increased installation flexibility
- Ideal for small freestanding walls, parapet walls, seat benches, pilasters, columns and outdoor living environments
- Build curved or straight, freestanding or retaining walls
- Each unit can be used as an exposed end unit or a 90° corner unit for less cuts
- · No patterns required for random look
- Used for gravity walls up to 2.5 feet* at a near vertical batter or 3 feet* using the 9.5 degree batter/1 inch setback per unit option
- Taller walls can be built using geosynthetic reinforcement when designed by a qualified engineer
- · Minimum outside radius of 5 feet
- · Minimum inside radius of 3 feet

*Gravity wall heights are based on project specific conditions and may be lower than this value.

SHAPES & SIZES

3-PIECE



6 x 16 x 10



6 x 12 x 10



6 x 6 x 10

CAP




3 x 12 x 10




DIAMOND° 9D

RETAINING











NAPOLI SLATE









	DIAMOND® 9D	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ Pallet	WEIGHT/ Pallet
ВГОСК	6 x 17¾ x 9	35.5	8.9	4	48	2379
CAP	3 x 17 / 12 x 10	-	-	-	64	2829

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- All system components are standard-split in-line
- Rear lip locators easily establish a uniform wall batter
- Matching cap and corner completes the system
- Build gravity walls up to 3 feet high*, including the buried course
- Taller walls can be built using geosynthetic reinforcement when designed by a qualified engineer
- Minimum outside radius, measured on the top course to the front of the units: 3 feet
- Minimum inside radius, measured on the base course to the front of the units: 6 feet
- The rear lip establishes a 11%" setback for a 10.6 degreesystem batter

*Gravity wall heights are based on project specific conditions and may be lower than this value.

SHAPES & SIZES

BLOCK



6 x 17¾ x 9

CAP




 $3 \times 17 / 12 \times 10$

Corner unit available. Scan product QR code for details.



DIAMOND PRO 9D

RETAINING












NAPOLI SLATE









	DIAMOND PRO® 9D	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ Pallet	WEIGHT/ PALLET
UNIT	8 x 18 x 9	48	12	4	48	2880

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- All system components are standard-split in-line
- Rear lip locators easily establish a uniform wall batter
- A matching cap completes the system
- · Face styles available are Standard
- Gravity walls can be built up to 2.5 feet* high, including buried course
- Taller walls can be built by incorporating geosythetic reinforcement when designed by a qualified engineer
- Minimum outside radius, measured on the top course to the front of the wall units:
 4 feet
- Minimum inside radius, measured on the base course to the front of the wall units:
 6 feet
- All the benefits of Diamond Pro® in a lighter weight and easy-tohandle size

*Gravity wall heights are based on project specific conditions and may be lower than this value.

SHAPES & SIZES

UNIT



8 x 18 x 9

Corner unit available. Scan product QR code for details.




DIAMOND PRO°

RETAINING



The strongest in the Diamond series, the rough-hewn split stone face of Diamond Proprovides a classic look ideal for grade changes, terraced landscapes and tall walls.







NAPOLI SLATE









DIAMOND PRO®		SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ Pallet	WEIGHT/ Pallet
TINU	8 x 18 x 12	48	12	4	48	3874
CORNER	8 x 18 x 9	-	-	-	36	3520
PR0 CAP	4 x 12 x 18	96	12	8	64	4096

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Classic look of split stone
- · Rear-lip locator
- · Large cores for ease in handling
- Matching corner and cap for a seamless appearance
- Gravity walls can be built up to 4 ft high*, including buried course with a 7.1° batter
- Walls in excess of 50 ft high have been built with Diamond Pro when combined with geosynthetic reinforcement
- Minimum outside radius, measured from the top course to the front of the units: 4 ft
- Minimum inside radius, measured on the base course to the front of the units: 6 ft

*Gravity wall heights are based on project specific conditions and may be lower than this value.

SHAPES & SIZES

UNIT



8 x 18 x 12

CORNER



8 x 18 x 9

PRO CAP




4 x 12 x 18



DIAMOND PRO° PS

RETAINING














NAPOLI PEBBLE SLATE









	DIAMOND PRO® PS	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ Pallet
SPLIT	8 x 18 x 12	36	9	4	36	2664
CORNER	8 x 17¼ x 7½	-	-	-	-	-

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Classic split face aesthetic
- · Pin system installation method
- · Large cores for ease in handling
- Ease of installation with oversized pin aligning cores
- Pin cores allow for multiple batter options
- Builds walls in excess of 50 feet when combined with geosynthetic reinforcement
- One square foot of wall face per block
- Gravity walls can be built up to 4 feet high*, including the buried course, with 7.1 degree batter
- Minimum outside radius, measured on the top course to the front of the units: 4 feet
- Minimum inside radius, measured on the base course to the front of the units: 6 feet
- Setback/System Batter: Near Vertical and 1"/7.1°; additional system batter can be created by alternating pin placement on each course of wall

*Gravity wall heights are based on project specific conditions and may be lower than this value.

SHAPES & SIZES

SPLIT FACE



8 x 18 x 12

CORNER



8 x 17¼ x 7½




DIAMOND PRO AIR SMOOTH



RETAINING

A smooth face and crisp edges in a lightweight large shape offer a clean, eye-catching look for contemporary retaining walls and terraced landscapes.





ANTHRACITE

HICKORY







	DIAMOND PRO® AIR SMOOTH	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ Pallet	WEIGHT/ Pallet
SM00TH FACE	8 x 18 x 11½	36	-	-	200	2004
CAP	4 x 17¼ x 10¾	97.5	-	-	72	3260

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Contemporary smooth face and clean lines in a large lightweight block
- · Can be installed as a gravity wall or geogrid-reinforced wall.
- Weighing only 54 lbs., this 1 square foot block maximizes installation and shipping efficiencies
- Front lug design produces a 9/16" per unit setback for a 4° system batter
- · Cores align for easy filling
- Top course is placed upside down in order to increase capping efficiency
- Ideally situated for retaining walls up to 12 feet tall
- · Can be used to build gravity walls up to 3' 4" high*, including the buried course
- · Minimum outside radius, measured on the top course to the front of the units: 4 feet
- · Minimum inside radius, measured on the base course to the front of the units: 6 feet

*Gravity wall heights are based on project specific conditions and may be lower than this value.

SHAPES & SIZES

SMOOTH FACE



8 x 18 x 11½



4 x 171/4 x 103/8




DIAMOND PRO® AIR STRAIGHT



RETAINING


With a rugged split-stone face and crisp edges, this lightweight block delivers an organic feel for retaining walls and terraced landscapes.







NAPOLI SLATE









	DIAMOND PRO® AIR Straight	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ Pallet
STRAIGHT FACE	8 x 18 x 11½	36	-	-	36	2004
CAP	4 x 17¼ x 10¾	97.5	-	-	72	3260

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Classic split stone look
- Can be installed as a gravity wall or geogrid-reinforced wall
- Weighing only 54 lbs., this 1 square foot block maximizes installation and shipping efficiencies
- Front lug design produces a 9/16" per unit setback for a 4° system batter
- · Cores align for easy filling
- Top course is placed upside down in order to increase capping efficiency
- Ideally situated for retaining walls up to 12 feet tall
- Can be used to build gravity walls up to 3' 4" high*, including the buried course
- Minimum outside radius, measured on the top course to the front of the units: 4 feet
- Minimum inside radius, measured on the base course to the front of the units: 6 feet

*Gravity wall heights are based on project specific conditions and may be lower than this value.

SHAPES & SIZES

STRAIGHT FACE



8 x 18 x 11½

CAP



4 x 171/4 x 103/8




EASTON STONE

GARDEN | FREESTANDING



Smooth textured and defined by a refined look, this universal block offers tremendous versatility. Earthen tones and its clean texture facilitate warmth with timeless appeal.









AMARETTO NAPOLI SLATE

















	EASTON STONE™	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ Pallet	WEIGHT/ Pallet
3-PIECE	4 x 8 x 8	9.1	1.33		42	
	4 x 12 x 8	14	2.00	7	42	3360
	4 x 16 x 8	18.69	2.67		42	
UNIVERSAL	4 x 12 x 8	-	-	7	120	3360

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Contemporary smooth texture
- Universal block can be used for both walls and caps
- Plantable wall designs & columns can be easily created
- Build freeform walls with minimal cuts
- Can be used to build gravity walls up to 2 feet high*, including the buried course

*Gravity wall heights are based on project specific conditions and may be lower than this value.

SHAPES & SIZES

3-PIECE



4 x 8 x 8



4 x 12 x 8



4 x 16 x 8

UNIVERSAL



4 x 12 x 8



MELVILLE™ WALL

GARDEN | FREESTANDING



Distinctive smooth faces, subtle edges and clean design make this wall stand out for the modern aesthetics it provides. System is comprised of a double-sided wall unit, along with a matching cap.









ANTHRACITE NAPOLI SLATE















PALLET INFORMATION

	MELVILLE™ WALL	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ Pallet	WEIGHT/ Pallet
WALL	4 x 20 x 10	26.67	4.45	6	48	2934
CAP	2 x 20 x 13	-	-	10	60	2400

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Matching cap provides a seamless aesthetic
- Integrate cap into wall design to create depth and custom appearance (as pictured on opposite page)
- Multiple installation patterns
- Pairs well with Melville Plank, Paver, and Curb products
- On-trend color offering complem ents any project
- Simplistic design allows for easy installation of walls and other outdoor features
- 2 foot maximum height is perfect for garden and planter walls

SHAPES & SIZES

WALL



4 x 20 x 10

CVD*




2 x 20 x 13

*Can be used as cap and/or wall block



WESTON STONE

GARDEN | FREESTANDING









AMARETTO





N A P O L I S L A T E

















PALLET INFORMATION

	WESTON STONE™	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
	4 x 8 x 8	9.1	1.33		42	
3-PIECE	4 x 12 x 8	14	2.00	7	42	3360
	4 x 16 x 8	18.69	2.67		42	
UNIVERSAL	4 x 12 x 8	-	-	7	120	3360

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Distinctive look of weathered cut stone
- · Single size or multi-piece wall system for increased installation flexibility
- · Universal wall units can be used in conjunction with multi-piece modular units
- · Plantable wall designs & columns can be easily created
- · Build curved or straight walls
- Build freeform walls with minimal cuts
- · Can be used to build gravity walls up to 2 feet high*, including the buried course
- · Minimum outside radius, measured on the top course to the front of the units: 5 feet
- · Minimum inside radius, measured on the base course to the front of the units: 3 feet

*Gravity wall heights are based on project specific conditions and may be lower than this value.

SHAPES & SIZES

3-PIECE



4 x 8 x 8



4 x 12 x 8



4 x 16 x 8

UNIVERSAL



4 x 12 x 8




BULLNOSE

COPING

Rounded edges and a smooth surface provide a classic finishing accent to a variety of outdoor living projects.













AMARETTO

CHARCOAL

NAPOLI

RIO







SCANDINA GRAY SLATE

TITANIUM



Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Rounded edges protect feet and hands when getting out of a pool or going up and down steps
- Offers a stylish edge for a finished look to patios, pools, steps and planters
- · Helps pool or spa hold its shape by keeping walls straight and rigid, and protects surrounding area from water damage

SHAPES & SIZES

COPING



4 x 9 x 23/8

PALLET INFORMATION

BULLNOSE™ COPING		LNFT/	LNFT/	LAYER/	UNITS/	WEIGHT/
		PALLET	LAYER	PALLET	PALLET	Pallet
COPING	4 x 9 x 2¾	-	-	8	336	2028

Downloadable professional resources available at Belgard.com/Resources




FOUNTAINHEAD

COPING



The rounded lip and 4-inch drop of this bullnose coping provides an elegant alternative to the traditional look and allows for the easy creation of multilevel pool features.











AMARETTO

CHARCOAL

NAPOLI

RIO








SCANDINA GRAY

SLATE

TITANIUM



Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Rounded edges protect feet and hands when getting out of a pool or going up and down steps
- Offers a stylish, textured edge to blend seamlessly with patios
- · Helps pool or spa hold its shape by keeping walls straight and rigid, and protects surrounding area from water damage

SHAPES & SIZES

COPING



4 x 9 x 13/16 4 inch drop

PALLET INFORMATION

FOUNTAINHEAD COPING		LNFT/	LNFT/	LAYER/	UNITS/	WEIGHT/
		PALLET	LAYER	PALLET	PALLET	PALLET
COPING	4 x 9 x 1% 4 inch drop	-	-	5	180	1632

Downloadable professional resources available at Belgard.com/Resources



HERITAGE COLLECTION

SEVILLE COPING



With a scalloped bullnose edge and smooth top surface, this versatile coping adds Mediterranean flare to pools, steps, planters, seat walls and terraces.











AMARETTO

CHARCOAL

NAPOLI

RIO







SCANDINA GRAY

SLATE

TITANIUM



Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Rounded, smooth, polished finish
- Full bullnose
- Created specifically for rectangular pools
- Multidimensional appeal

SHAPES & SIZES

COPING



4 x 9 x 13/16 21/2 inch drop

PALLET INFORMATION

SEVILLE COPING		LNFT/	LNFT/	LAYER/	UNITS/	WEIGHT/
		PALLET	LAYER	PALLET	PALLET	PALLET
COPING	4 x 9 x 1¾6 2½ inch drop	-	-	8	336	2028

Downloadable professional resources available at Belgard.com/Resources



ARTFORMS

MODULAR PANEL SYSTEM



Innovative large-format modular panels offer contemporary lines and the versatility to create unlimited architectural features for outdoor living spaces.









SCANDINA GRAY





PALLET INFORMATION

	ARTFORMS™	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ Pallet
OPEN	18 x 36 x 3	01	9	0	9	27/5
CLOSE	18 x 36 x 3	81	9	9	9	2745
OPEN	6 x 36 x 3	31.5	10.5	2	3	- 1095
CLOSE	6 x 36 x 3			3	18	

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Large format high-strength concrete panels
- · Clean lines for a contemporary aesthetic
- Mechanically fastened with stainless steel
- Ideal for outdoor living projects of all sizes
- Suitable for rooftop applications
- · Efficient installation with minimal waste
- · Minimal disruption for property owner
- · Easily added to existing projects
- Endless design possibilities for outdoor living features including seat walls, fire and water features, planters, and outdoor kitchens

SHAPES & SIZES

18 X 36



18 x 36 x 3

Pallets contain both open and close ended units

6 X 36



6 x 36 x 3

Pallets contain both open and close ended units

INSTALLATION HARDWARE*



Anchor Slide & Nut 50 units per box



Joining Plate 10 units per box



Outer Corner



10 units per box Inner Corner



10 units per box



Stretcher 10 units per box

*Installation hardware is sold separately



BORDEAUX SERIES

GRILL ISLAND & FIRE FEATURES



Timeless stackstone design with accents that emulate polished limestone, the components of this series transform outdoor living spaces with a coordinated, cohesive look.











PEWTER / MIDNIGHT

PEWTER / BUFF

SIENNA / BUFF

SIENNA / MIDNIGHT



Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Features a timeless stacked stone design with smooth cast stone accents
- Pre-assembled modular features are each packaged as one unit that can be installed in hours versus days
- Units include fork slot configurations for easy transport and installation
- Fireplaces can be retro-fitted for gas burning log sets and burners
- Grill islands include stainless steel grill and door set – specify propane or natural gas when ordering

PLEASE NOTE: Be sure to check with your local municipality for any codes that may affect your installation.

SHAPES & SIZES

FIREPLACE



2'7"D x 4'3"W x 7'8"H Pallet Weight: 4,170

GRILL ISLAND



2'6"D x 5'11"W x 3'5"H Grill & Doors included Pallet Weight: 3,260

WOOD BOXES



2'11/4"D x 3'3"W x 3'1"H Each Sold as a pair Pallet Weight: 3,070

LINEAR FIRE TABLE



2'11"D x 6'2"W x 2'5"H Pallet Weight: 2,500

LINEAR FIREPLACE



 $3'61\!/\!\!2"D\times7'8"W\times4'51\!/\!\!4"H$ Pallet Weight: 4,000



MELVILLE[™] SERIES

GRILL ISLAND & FIRE FEATURES



Stunning linear design features a smooth face and subtle edges to deliver a sleek, contemporary style. Components work together to provide a cohesive finished look.





SCANDINA GRAY / MIDNIGHT





Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Contemporary smooth linear design that coordinates with Melville™ Wall and Melville™ Tandem Wall
- Pre-assembled modular features are each packaged as one unit that can be installed in hours versus days
- Units include fork slot configurations for easy transport and installation
- Fireplaces can be retro-fitted for gas burning log sets and burners
- Grill islands include stainless steel grill and door set — specify propane or natural gas when ordering

PLEASE NOTE: Be sure to check with your local municipality for any codes that may affect your installation.

SHAPES & SIZES

FIREPLACE



2'7"D x 4'3"W x 7'8"H Pallet Weight: 4,170

GRILL ISLAND



2'6"D x 5'11"W x 3'5"H Grill & Doors included Pallet Weight: 3,260

WOOD BOXES



2'11/4"D x 3'3"W x 3'1"H Each Sold as a pair Pallet Weight: 3,070

LINEAR FIRE TABLE



 $2'11"D \times 6'2"W \times 2'5"H$ Pallet Weight: 2,500

LINEAR FIREPLACE



 $3'61\!/\!\!2"D\times7'8"W\times4'51\!/\!\!4"H$ Pallet Weight: 4,000

View the product page on **Belgard.com** for more information



TAMPA

METROPOLITAN COLLECTION

$\mathsf{MELVILLE}^{\scriptscriptstyle{\mathsf{TM}}}$

FIRE PIT



Special wedge-shaped blocks of our smooth-faced Melville Wall create this circular fire pit to perfectly complement our Melville Series of walls and outdoor features.









ANTHRACITE NAPOLI SLATE



Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Special wedge-shaped blocks of Melville Wall
- Smooth linear face for contemporary appeal
- Coordinates with Melville pavers and the Melville Series of kitchen and fire features
- Pallet includes all blocks needed to complete circular fire pit

SHAPES & SIZES

WEDGE



4 x 9½ x 10

FIRE INSERT



Item #70580597 Elements 34" Smoke-less Wood Fire Pit Insert

GAS INSERT



Item #70585063 Elements 34" Round Gas Fire Pit Burner Kit

ROUND FIRE PIT

54%" outside diameter 34%" inside diameter Stacks 4 rows high Elements inserts sold separately. Pallet Weight: 1921

Downloadable professional resources available at **Belgard.com/Resources**

View the product page on **Belgard.com** for more information



TAMPA



QUALITY TO THE CORE

With Belgard, you get the nation's leading pavers and landscape walls backed by the foremost experts in the industry.

BELGARD.COM

© Copyright 2025 Oldcastle APG, Inc. All Rights Reserved. BEL24-D-322250

PICTURED ON THE COVER: CATALINA GRANA' & BULLNOSE COPING CONTRACTOR: MAS GENERAL SERVICES