

# BELGARD®

Pro Consultation Guide



# WHY PROS CHOOSE BELGARD

## QUALITY

Belgard pavers and walls are engineered for long-term performance and beauty to reduce call-backs. Every product is backed by a transferable limited lifetime warranty, giving your customers confidence in your work.

## SERVICE

Belgard and the Oldcastle APG family of brands deliver national scale with local manufacturing, distribution and field support. With more than 150 locations, we help keep product available, projects on schedule and jobsites supplied.

## EXPERTISE


For over 25 years, Belgard has led the hardscape category with proven installation standards and training. Our Belgard Authorized Contractors and certified installers are backed with technical support and resources from takeoff to final walkthrough.

## INNOVATION

Belgard invests over 20,000 R&D hours each year to develop new hardscape systems, textures and installation solutions that help you work faster and build better spaces. Our products set performance standards and keep your offering ahead of trends.

## DESIGN

Belgard design tools, pattern libraries and visualization resources help you show customers what's possible and sell more complete outdoor living projects. From simple patios to complex multi-level spaces, our portfolio supports your client's vision.



# TABLE OF CONTENTS

FIND YOUR  
BELGARD  
SALES REP  
[Belgard.com/FindMyRep](http://Belgard.com/FindMyRep)



PRODUCT  
INSTALLATION  
GUIDES  
[Belgard.com/InstallGuide](http://Belgard.com/InstallGuide)



4



20



76

## SHAPE YOUR PLAN

- 6 Space Planning
- 8 Style Trends
- 10 Color
- 12 Patterns & Scale
- 13 Texture
- 14 Define with Walls
- 16 Quality Assurance

## PAVERS

- 20 Aqualine™
- 22 Belgian Cobble®
- 24 Brooklyn™
- 26 Cambridge Cobble®
- 28 Charlestone™
- 30-41 Dimensions™ 3-Piece
- 42 Dimensions™ Paver
- 44 Dimensions™ Plank
- 46 Dimensions™ Slab
- 48 Dublin Cobble®
- 50 Hexagon 6
- 52 Holland Premier
- 54 Holland Stone
- 56 Mega-Libre®
- 58-69 Origins™ 3-Piece
- 70 Origins™ Paver
- 72 Papyrus™
- 74 Turfstone™

## PORCELAIN

- 76 Glocal
- 78 Lagoon
- 80 Noon
- 82 November
- 84 Quarziti 2.0
- 86 Travertini
- 88 Unico 2.0



90



116



134



146

## WALLS

- 90 Ashlar Tandem™
- 92 Diamond® 9D
- 94 Diamond Pro® Air Straight
- 96 Diamond Pro® Air Smooth
- 98 Diamond Pro® Smooth
- 100 Diamond Pro® Straight
- 102 Highland Stone®
- 104 Lamina Tandem™
- 106 Melville Tandem™
- 108 Melville™ Wall
- 110 Sterling®
- 112 Vanguard
- 114 Weston Stone™

## COPING, CAPS, EDGERS & STEPS

- 116 Esplanade Caps
- 118 Anglia Edger®
- 120 Delmaro
- 122 Granika Step® XL
- 124 Grava
- 126 Landings™
- 128 Marina™
- 130 Melville™
- 132 Modena

## KITCHENS & FIRE FEATURES

- 134 Artforms™ Modular Panel System
- 136 Bordeaux™ Series
- 138 Melville™ Series
- 140 Melville™ Fire Pit
- 142 Weston Stone™ Fire Pit Kit

## RESOURCES


- 148-149 Color Overview
- 150-151 Paver Technologies
- 152-153 Maintenance & Protection
- 154-155 Contractor Programs
- 156-157 Online Resources
- 158-167 Laying Patterns



Walkways

Poolscapes

Outdoor  
Kitchens



# YOUR EXPERTISE, THEIR DREAM SPACE

EXPLORE

SPACE FUNCTION AND USE

KEY SITE CHALLENGES AND  
PERFORMANCE NEEDS

TIMING AND BUDGET GOALS

Outdoor  
Dining Rooms

Outdoor  
Living Rooms

BUILD FOR LIFESTYLE

# DESIGNS FOR EVERY BUDGET

Help homeowners choose the right outdoor design by uncovering priorities before showing products. Use these prompts to guide the discussion and simplify their decision-making.



## Entertainment-Ready Retreat

### BEST FOR:


Big gatherings, outdoor cooking

### ASK:

- Which feature is most important—fireplace, kitchen, or seating?
- Phase upgrades or build all at once?

### Pro Tip

Position yourself as a long-term partner, not just a one-time installer. Offer seasonal maintenance and upgrade packages.



## Dinner-Party Perfect

### BEST FOR:

Flexible dining + lounge

### ASK:

- Expandable layout or fixed?
- Separate dining or blended space?



## The Simple Life

### BEST FOR:

Budget-friendly, low maintenance

### ASK:

- Speed or customization?
- Keep it simple or allow for growth?


### Pro Tip

Modular pavers save time on design and installation and make expansions simpler.

DESIGN FOR STYLE

# FIND THEIR PERFECT OUTDOOR STYLE

Help homeowners choose a look that fits their lifestyle and home. They've defined how they'll use the space and set a budget—now guide them toward a style that feels right.



Mega-Arbel, Origins 12, Landings Step & Artforms

## Rustic Retreat

Natural textures and earthy tones for a cozy, organic feel.

### ASK:

- Do you want the space to feel relaxed and connected to nature?
- Would rugged stone or wood accents complement your home?



Holland Stone



Dimensions 12 & Belgian Cobble



Charlestone

## Refined Tradition


Classic patterns and rich tones for timeless elegance.

### ASK:

- Do you prefer a formal, polished look?
- Are symmetry and pattern important to you?



Brooklyn, Weston Stone & Marina Coping



Dimensions 18 with Dimensions Border



Quarziti 2.0 &  
Artforms Fire Pit with Quarziti 2.0 Veneers

## Modern Minimalism

Clean lines and smooth textures for a sleek, contemporary vibe.

### ASK:

- Do you want an open, uncluttered space?
- Would large-format pavers or neutral tones fit your vision?

THE ART OF DESIGN


# MAKE YOUR STATEMENT WITH COLOR

You've defined the space and chosen a style—now let's pick colors that bring it all together. By guiding them through color choices, you can elevate curb appeal and create designs that complement their home's style.



## Solid Shades

Offer a clean, cohesive look that simplifies design decisions. Solid shades provide a timeless foundation, making landscaping and décor stand out effortlessly.



## Monochromatic

Suggest a sleek, unified palette for homeowners who prefer understated elegance. Monochromatic designs highlight textures and patterns without overwhelming the space.

## Contrasts

Encourage bold combinations for homeowners seeking visual interest. Contrasting colors define spaces, highlight features, and create a dynamic, eye-catching design.




## Cool Blends

Introduce refreshing, modern tones that bring a sense of calm to outdoor spaces. Cool blends work well for contemporary styles, adding subtle sophistication homeowners will love.

## Warm Tones

Warm tones create inviting, comfortable environments. They pair perfectly with natural elements and greenery, giving outdoor living areas a grounded, welcoming feel.




## Mix & Match

Show how mixing colors and textures can personalize a space. This approach allows homeowners to create unique transitions between areas and express their individual style.

UNLOCKING FLEXIBILITY & FLOW





# MODULAR SIZES. ENDLESS PATTERNS.

Show homeowners how size and layout choices transform the look and feel of their space—and how **modular** systems make it easy to customize now and expand later.



## Design Smarter: Scale + Pattern That Sell



- **Size Sets the Tone:** Big slabs create a modern, open feel, smaller units add detail and intimacy.
- **Pattern Adds Personality:** Straight lines feel calm, angled layouts bring energy.
- **Infinite Possibilities:** Mix sizes and patterns for custom designs now—and easy expansion later.



DESIGN YOU CAN FEEL

# THE POWER OF TEXTURE

Texture is one of the most powerful tools in hardscape design, adding both personality and traction underfoot. Mix textures to balance interest, play with light and shadow, and create spaces that are both safe and inviting.




## Layer in Vertical Texture

Consider pairing complementary textures across pavers and walls for a cohesive look, or contrast finishes to create visual depth and distinction between horizontal and vertical surfaces.

Smooth



Slate / Textured



Tumbled / Antiqued



Artisan



## STRUCTURE & STYLE

# WALLS THAT DEFINE SPACES

Walls do more than hold back soil—they shape how homeowners live outdoors. By creating boundaries, levels, and zones, walls turn ordinary yards into organized, functional, and inviting spaces.

## Freestanding Walls


### DEFINE ZONES. CREATE FLOW.

Carve out distinct areas for dining, lounging, or entertaining, turning open yards into organized, livable spaces.

## Garden Walls

### FRAME BEDS. POLISH LANDSCAPES.

Add structure to flower beds and planters for a clean, polished look that makes maintenance easier and landscaping more enjoyable.



Freestanding Wall Featuring Melville Wall



Freestanding / Retaining Wall Combo  
Featuring Ashlar Tandem

## Retaining Walls

### TURN SLOPES INTO SPACES.

Transform steep grades into usable terraces for patios, gardens, or driveways, unlocking functional square footage.


## Tiered Walls

### LAYERED DESIGN. MAXIMUM USE.

Add depth, dimension and versatility with multilevel spaces that include plantings, seating and transitions.

## Plan with Purpose

Before choosing a wall product, consider what it needs to do—hold back soil, create levels, or simply add style. Function determines the right design.



Tiered Retaining Wall Featuring Diamond Pro Air

## Smart Strength for Every Landscape

### DIAMOND PRO® AIR

Engineered for performance and designed for elegance, Diamond Pro Air walls offer multiple textures and colors to fit any style. Lightweight, easy-to-handle blocks speed up installation, saving time and labor, and maximize usable space without compromising durability.




Retaining walls over 4 feet in height should be designed by a qualified engineer.

## HOW IT'S MADE

# CRAFTSMANSHIP BACKED BY INNOVATION

### QUALITY FOR LIFE

Belgard has taken the artistry of handcrafted stone to a higher level. Through research and innovation, we've developed a deep understanding of how to make modern, best-in-class hardscape products that fit the lifestyle of today's homeowners and commercial developments, while still honoring the artisans of old.



RESEARCH & DEVELOPMENT

### INTENTIONAL AT EVERY STEP

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. Whether our teams are designing a new surface texture, validating a color formula, or inspecting finished product for defects, we demand the highest quality from each of our facilities across North America. We believe in creating world-class building products that stand the test of time.



QUALITY ASSURANCE

DESIGN WITH CONFIDENCE

# REQUEST COLOR SWATCHES ONLINE

Planning your project just got easier!  
Visit the **product page** on [Belgard.com](https://Belgard.com)  
to request high-resolution color swatches.  
It's quick, simple, and helps you make  
informed design decisions.



[Belgard.com/Products](https://Belgard.com/Products)



## Lifetime Coverage That Works as Hard as You Do.

- Transferable warranty
- Timely investigations
- Added peace of mind with lifetime coverage for homeowners



**REGISTER AN INSTALLATION**  
[Belgard.com/Warranty](https://Belgard.com/Warranty)



Melville Wall and Dimensions Slab



# SHOP THE PRODUCTS

STYLISH, PERFORMANCE-DRIVEN  
OPTIONS FOR SMART DESIGNS  
AND SMOOTH INSTALLS

# AQUALINE™

## Permeable Paver | 80mm

The environmentally-friendly choice for effective rainwater management, this paver is approved for vehicular use and offers a timeless look that can be mechanically installed for fast installation of herringbone patterns.

DRIVEWAY  
APPROVEDPERMEABLE  
APPLICATIONACCESSIBLE  
SURFACE

### PALLET INFORMATION

AQUALINE™ SERIES	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET	
80MM	4 1/2 x 9 x 3 1/8	90	40	11.25	8	3375

### SHAPES & SIZES

80MM



4 1/2 x 9 x 3 1/8



IRON BAY




MIDNIGHT

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



## PALLET LAYOUT



## TECHNICAL SPECS

- Interlocking spacer bars for increased structural performance
- Surface and micro-chamfer are ADA-compliant and minimize wheelchair vibration
- Ideal for pedestrian and vehicular use for both residential and commercial applications
- True installed dimensions for design optimization
- Optimal joint openings for infiltration and maintenance
- Can eliminate stormwater runoff and improve water quality
- Meets the requirements of ASTM C936
- Chamfer Width: 3 MM
- Spacer Bar Width: 10 MM
- Surface Infiltration Rate: > 500 inches per hour (varies based on joint infill gradation)
- Surface Open Area: 10%

## QUALITY FOR LIFE


Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

# BELGIAN COBBLE®

## Paver | 60mm

Emulating the look of stones found lining a mountain creek bed, this multi-piece system can be installed as a permeable system and has seven unique shapes for creating random patterns and picturesque settings.



DRIVEWAY  
APPROVED



PERMEABLE  
INSTALL

### PALLET INFORMATION


BELGIAN COBBLE®	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
MULTI- PIECE	Variable x 2 <sup>3/8</sup>	68	-	-	1640

### SHAPES & SIZES

#### MULTI-PIECE



Variable x 2<sup>3/8</sup>



BOURBON

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information




### TECHNICAL SPECS

- Seven unique shapes create a random pattern
- Ideal for walkways, patios, accents, borders and residential driveways
- Can be installed as either a standard or permeable paver system
- Permeable pavement installation requires site-specific engineering and proper base, bedding and joint aggregate material
- Techniseal polymeric jointing sand recommended for non-permeable applications



MIDNIGHT



PEARL

### QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

**BELGARD®**  
AN OLDCASTLE® APG OUTDOOR BRAND

INDIANAPOLIS  
901 E. Troy Ave.  
Indianapolis, IN 46203  
Ph: 800-424-0119

BRIDGEPORT  
6045 Dixie Highway,  
Bridgeport, MI 48722  
Ph: 800-424-0190

SHEFFIELD VILLAGE  
5190 Oster Rd.,  
Sheffield Village, OH 44054  
Ph: 440-949-1167

HERITAGE COLLECTION

BELGARD®

# BROOKLYN™

## Paver | 60mm

Its warm, weathered stone appearance and texture delivers a timeless look enriched with DuraFusion Technology and factory-applied ColorTech sealant for an enhanced texture and ultimate durability.



### PALLET INFORMATION

BROOKLYN™ PAVER		SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
60MM	3 x 9 x 2 3/8	103.13	55	10.3	10	2805

### SHAPES & SIZES

#### PAVER



3 x 9 x 2 3/8



BOURBON 



MIDNIGHT 



PEARL 



ROSEWOOD 

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



## TECHNICAL Specs

- True 3" increments for simplified design, quoting and ordering
- Compatible with all modular paver lines—look for Modular Sizing icon
- Modular dimensions reduce cuts, installation time, and waste
- Modular compatibility allows more creative pattern options
- Maximized pallet layout for jobsite efficiencies
- Ideal for walkways, patios, borders, accents and residential driveways
- Can be used to construct ADA-compliant pavement



### DuraFusion™ + ColorTech®

Enhanced texture and wear-resistance with the added protection of factory-applied sealant

## QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

# BELGARD®

AN OLDCASTLE® APG OUTDOOR BRAND

INDIANAPOLIS  
901 E. Troy Ave.  
Indianapolis, IN 46203  
Ph: 800-424-0119

© 2026 Oldcastle® APG, Inc. All Rights Reserved. BEL25-D-556100 | Great Lakes | Revised 01/2026


BRIDGEPORT  
6045 Dixie Highway,  
Bridgeport, MI 48722  
Ph: 800-424-0190

SHEFFIELD VILLAGE  
5190 Oster Rd.,  
Sheffield Village, OH 44054  
Ph: 440-949-1167

# CAMBRIDGE COBBLE®

## Paver | 60mm

Gently rounded corners and a domed pillow-top surface provide clean lines and a classic architectural appearance enriched with factory-applied ColorTech sealant for enhanced resistance to fading and stains.



### PALLET INFORMATION

CAMBRIDGE COBBLE®		SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
6	6 x 6 x 2 <sup>3</sup> / <sub>8</sub>	120	48	12	10	3140
6	6 x 9 x 2 <sup>3</sup> / <sub>8</sub>	113	30	11.3	10	3051

### SHAPES & SIZES

6 x 9	6 x 9 x 2 <sup>3</sup> / <sub>8</sub>
6 x 6	6 x 6 x 2 <sup>3</sup> / <sub>8</sub>



HARVEST 🔥

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



## TECHNICAL SPECS

- 2 sizes available on separate pallets can be combined for pattern versatility
- Ideal for patios, walkways and residential vehicular applications
- Can be used to construct ADA-compliant pavement

 **ColorTech® Sealed**  
Factory-applied sealant



LAPORTE 🔥



PEWTER 🔥

## QUALITY FOR LIFE


Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

# CHARLESTONE™

## 3-Piece Paver | 60mm

Reminiscent of early American streets, these pavers feature the timeless look of weathered hand-cobbled stone with the added protection of factory-applied sealant for enhanced resistance from stains or fading.



MODULAR  
SIZING



COLORTech  
SEALED



DRIVEWAY  
APPROVED



MECHANICAL  
INSTALL

### PALLET INFORMATION

CHARLESTONE™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
60MM	6 x 6 x 2 3/8	15	6	1.5	2909
	6 x 9 x 2 3/8	45	12	4.5	
	6 x 12 x 2 3/8	45	9	4.5	

### SHAPES & SIZES

#### 3-PIECE MODULAR | 60MM



6 x 6 x 2 3/8



6 x 9 x 2 3/8



6 x 12 x 2 3/8



ASHWOOD 🔥



BRITTANY BEIGE 🔥



FOG 🔥



IRON BAY 🔥



MIDNIGHT 🔥

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



## TECHNICAL Specs

- True 3" increments for simplified design, quoting and ordering
- Compatible with all modular paver lines—look for Modular Sizing icon
- Modular dimensions reduce cuts, installation time, and waste
- Modular compatibility allows more creative pattern options
- Maximized pallet layout for jobsite efficiencies
- Pallet optimized for both mechanical and manual installation
- Particularly ideal for driveways and walkways

 **ColorTech® Sealed**  
Factory-applied sealant

## QUALITY FOR LIFE


Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

# DIMENSIONS™ 6

## 3-Piece System | 60mm

In a size ideal for driveways and cozy outdoor spaces, the contemporary design features clean lines and a linear surface enriched with factory-applied ColorTech sealant for enhanced resistance to fading and stains.

MODULAR  
SIZINGACCESSIBLE  
SURFACEDRIVEWAY  
APPROVEDCOLORTech  
SEALED

### PALLET INFORMATION

DIMENSIONS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
DIMENSIONS 6   60MM	120	16	12	10	3516
		16			
		16			

### SHAPES & SIZES

#### DIMENSIONS 6 | 60MM

	3 x 6 x 2 $\frac{3}{8}$
	6 x 6 x 2 $\frac{3}{8}$
	6 x 9 x 2 $\frac{3}{8}$



ANTHRACITE 🔥



HICKORY 🔥




SCANDINA GRAY 🔥

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



## PALLET LAYOUT



## TECHNICAL Specs

- True 3" increments for simplified design, quoting and ordering
- Compatible with all modular paver lines—look for Modular Sizing icon
- Modular dimensions reduce cuts, installation time, and waste
- Modular compatibility allows more creative pattern options
- Maximized pallet layout for jobsite efficiencies
- Ideal for patios, walkways and residential vehicular applications
- Surface and micro-chamfer are ADA-compliant and minimize wheelchair vibration

 **ColorTech® Sealed**  
Factory-applied sealant

## QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.


METROPOLITAN COLLECTION

BELGARD®

# DIMENSIONS™ 12

## 3-Piece System | 60mm

The smooth and consistent finish of DuraFusion Technology complements the clean lines and linear surface for contemporary style with enhanced wear-resistance.



 MODULAR SIZING

 DURAFUSION  
TECHNOLOGY

 ACCESSIBLE  
SURFACE

### PALLET INFORMATION

DIMENSIONS™ 3-PIECE		SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
DIMENSIONS 12 60MM	6 x 12 x 2 3/8	120	4	12	10	3516
	12 x 12 x 2 3/8		4			
	12 x 18 x 2 3/8		4			

### SHAPES & SIZES

#### DIMENSIONS 12 | 60MM

-  6 x 12 x 2 3/8
-  12 x 12 x 2 3/8
-  12 x 18 x 2 3/8



CHESWICK



HICKORY



IRON BAY



SCANDINA GRAY



SEPIA




SHADED GRAY

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



## PALLET LAYOUT



## TECHNICAL Specs

- True 3" increments for simplified design, quoting and ordering
- Compatible with all modular paver lines—look for Modular Sizing icon
- Modular dimensions reduce cuts, installation time, and waste
- Modular compatibility allows more creative pattern options
- Maximized pallet layout for jobsite efficiencies
- Ideal for patios, walkways and pool decks
- Surface and micro-chamfer are ADA-compliant and minimize wheelchair vibration



### DuraFusion™ Technology

A bold, vibrant finish with a smoother, tighter texture

## QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

# BELGARD®

AN OLDCASTLE® APG OUTDOOR BRAND

INDIANAPOLIS  
901 E. Troy Ave.  
Indianapolis, IN 46203  
Ph: 800-424-0119

© 2026 Oldcastle® APG, Inc. All Rights Reserved. BEL25-D-556100 | Great Lakes | Revised 01/2026


BRIDGEPORT  
6045 Dixie Highway,  
Bridgeport, MI 48722  
Ph: 800-424-0190

SHEFFIELD VILLAGE  
5190 Oster Rd.,  
Sheffield Village, OH 44054  
Ph: 440-949-1167

# DIMENSIONS™ 12

## 3-Piece System | 60mm

The contemporary style and clean lines of Dimensions with the added protection of factory-applied sealant for enhanced resistance from stains or fading.


MODULAR  
SIZINGCOLORTECH  
SEALEDACCESSIBLE  
SURFACE

### PALLET INFORMATION

DIMENSIONS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
DIMENSIONS 12 60MM	120	4	12	10	3516
		4			
		4			

### SHAPES & SIZES

#### DIMENSIONS 12 | 60MM



6 x 12 x 2 3/8

12 x 12 x 2 3/8

12 x 18 x 2 3/8



ANTHRACITE 🔥



HICKORY 🔥



IRON BAY 🔥




SHADED GRAY 🔥

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



## PALLET LAYOUT



## TECHNICAL Specs

- True 3" increments for simplified design, quoting and ordering
- Compatible with all modular paver lines—look for Modular Sizing icon
- Modular dimensions reduce cuts, installation time, and waste
- Modular compatibility allows more creative pattern options
- Maximized pallet layout for jobsite efficiencies
- Ideal for patios, walkways and pool decks
- Surface and micro-chamfer are ADA-compliant and minimize wheelchair vibration



**ColorTech® Sealed**  
Factory-applied sealant

## QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

**BELGARD®**  
AN OLDCASTLE® APG OUTDOOR BRAND

**INDIANAPOLIS**  
901 E. Troy Ave.  
Indianapolis, IN 46203  
Ph: 800-424-0119

**BRIDGEPORT**  
6045 Dixie Highway,  
Bridgeport, MI 48722  
Ph: 800-424-0190

**SHEFFIELD VILLAGE**  
5190 Oster Rd.,  
Sheffield Village, OH 44054  
Ph: 440-949-1167

METROPOLITAN COLLECTION

BELGARD®

# DIMENSIONS™ 12

## 3-Piece System | 80mm

With strength to support vehicular loads, these durable pavers feature clean lines and a linear surface, enriched with DuraFusion Technology for enhanced color, texture and wear-resistance.



MODULAR  
SIZING



DURAFUSION  
TECHNOLOGY



ACCESSIBLE  
SURFACE




DRIVEWAY  
APPROVED

### PALLET INFORMATION

DIMENSIONS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
DIMENSIONS 12 80MM	96	4	12	8	3600
		4			
		4			

### SHAPES & SIZES

#### DIMENSIONS 12 | 80MM



6 x 12 x 3 1/8

12 x 12 x 3 1/8

12 x 18 x 2 3/8



ANTHRAZITE



HICKORY



SCANDINA GRAY



SEPIA




SHADED GRAY

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



## PALLET LAYOUT



## TECHNICAL Specs

- True 3" increments for simplified design, quoting and ordering
- Compatible with all modular paver lines—look for Modular Sizing icon
- Modular dimensions reduce cuts, installation time, and waste
- Modular compatibility allows more creative pattern options
- Maximized pallet layout for jobsite efficiencies
- Ideal for patios, walkways and residential vehicular applications
- Surface and micro-chamfer are ADA-compliant and minimize wheelchair vibration



**DuraFusion™ Technology**  
A bold, vibrant finish with a smoother, tighter texture.

## QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

**BELGARD®**  
AN OLDCASTLE® APG OUTDOOR BRAND

**INDIANAPOLIS**  
901 E. Troy Ave.  
Indianapolis, IN 46203  
Ph: 800-424-0119

**BRIDGEPORT**  
6045 Dixie Highway,  
Bridgeport, MI 48722  
Ph: 800-424-0190

**SHEFFIELD VILLAGE**  
5190 Oster Rd.,  
Sheffield Village, OH 44054  
Ph: 440-949-1167

# DIMENSIONS™ 18

## 3-Piece System | 60mm

The smooth and consistent finish of DuraFusion Technology complements the clean lines and linear surface of Dimensions, for contemporary style with enhanced wear-resistance



MODULAR  
SIZING



DURAFUSION  
TECHNOLOGY



ACCESSIBLE  
SURFACE

### PALLET INFORMATION

DIMENSIONS™ 3-PIECE		SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
DIMENSIONS 18 60MM	9 x 18 x 2 3/8	112.5	2	11.25	10	3296
	18 x 18 x 2 3/8		1			
	18 x 27 x 2 3/8		2			

### SHAPES & SIZES

#### DIMENSIONS 18 | 60MM

	9 x 18 x 2 3/8
	18 x 18 x 2 3/8
	18 x 27 x 2 3/8



CHESWICK 



HICKORY 



IRON BAY 



SCANDINA GRAY 



SEPIA 




SHADED GRAY 

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



## PALLET LAYOUT



## TECHNICAL Specs

- True 3" increments for simplified design, quoting and ordering
- Compatible with all modular paver lines—look for Modular Sizing icon
- Modular dimensions reduce cuts, installation time, and waste
- Modular compatibility allows more creative pattern options
- Maximized pallet layout for jobsite efficiencies
- Ideal for patios, walkways and pool decks
- Surface and micro-chamfer are ADA-compliant and minimize wheelchair vibration



### DuraFusion™ Technology

A bold, vibrant finish with a smoother, tighter texture

## QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

# BELGARD®

AN OLDCASTLE® APG OUTDOOR BRAND

INDIANAPOLIS  
901 E. Troy Ave.  
Indianapolis, IN 46203  
Ph: 800-424-0119

© 2026 Oldcastle® APG, Inc. All Rights Reserved. BEL25-D-556100 | Great Lakes | Revised 01/2026

BRIDGEPORT  
6045 Dixie Highway,  
Bridgeport, MI 48722  
Ph: 800-424-0190

SHEFFIELD VILLAGE  
5190 Oster Rd.,  
Sheffield Village, OH 44054  
Ph: 440-949-1167

# DIMENSIONS™ 18

## 3-Piece System | 60mm

This system offers the contemporary style and clean lines of Dimensions with the added protection of factory-applied sealant for enhanced resistance from stains or fading.



MODULAR  
SIZING



COLORTECH  
SEALED



ACCESSIBLE  
SURFACE

### PALLET INFORMATION

DIMENSIONS™ 3-PIECE		SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
DIMENSIONS 18 60MM	9 x 18 x 2 3/8	112.5	2	11.25	10	3296
	18 x 18 x 2 3/8		1			
	18 x 27 x 2 3/8		2			

### SHAPES & SIZES

#### DIMENSIONS 18 | 60MM

	9 x 18 x 2 3/8
	18 x 18 x 2 3/8
	18 x 27 x 2 3/8



ANTHRAHITE 



IRON BAY 




SHADED GRAY 

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



## PALLET LAYOUT



## TECHNICAL SPECS

- True 3" increments for simplified design, quoting and ordering
- Compatible with all modular paver lines—look for Modular Sizing icon
- Modular dimensions reduce cuts, installation time, and waste
- Modular compatibility allows more creative pattern options
- Maximized pallet layout for jobsite efficiencies
- Ideal for patios, walkways and pool decks
- Surface and micro-chamfer are ADA-compliant and minimize wheelchair vibration

 **ColorTech® Sealed**  
Factory-applied sealant

## QUALITY FOR LIFE


Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

# DIMENSIONS™

## Paver | 60mm

With a shape ideal for driveways, small patios and borders, the smooth face of these contemporary pavers are enriched with DuraFusion for enhanced texture and wear-resistance.

MODULAR  
SIZINGDURAFUSION  
TECHNOLOGYACCESSIBLE  
SURFACEDRIVEWAY  
APPROVED

### PALLET INFORMATION

DIMENSIONS™ PAVER		SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
6X9 60MM	6 x 9 x 2 <sup>3</sup> / <sub>8</sub>	112.5	30	11.25	10	3296
6X12 60MM	6 x 12 x 2 <sup>3</sup> / <sub>8</sub>	120	24	12	10	3260

### SHAPES & SIZES

#### 6 X 9 | 60MM

6 x 9 x 2<sup>3</sup>/<sub>8</sub>

#### 6 X 12 | 60MM

6 x 12 x 2<sup>3</sup>/<sub>8</sub>



BOURBON 



MIDNIGHT 

6x9 is only available in midnight



FOG 




PEARL 

## LEARN MORE


View the product page on [Belgard.com](https://Belgard.com) for more information



### PALLET LAYOUT



6 X 9



6 X 12

### TECHNICAL SPECS

- True 3" increments for simplified design, quoting and ordering
- Compatible with all modular paver lines—look for Modular Sizing icon
- Modular dimensions reduce cuts, installation time, and waste
- Modular compatibility allows more creative pattern options
- Maximized pallet layout for jobsite efficiencies
- Ideal for walkways, patios, borders, accents and residential driveways
- Surface and micro-chamfer are ADA-compliant and minimize wheelchair vibration



**DuraFusion® Technology**  
A bold, vibrant finish with a smoother, tighter texture

### QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

# BELGARD®

AN OLDCASTLE® APG OUTDOOR BRAND

INDIANAPOLIS  
901 E. Troy Ave.  
Indianapolis, IN 46203  
Ph: 800-424-0119

© 2026 Oldcastle® APG, Inc. All Rights Reserved. BEL25-D-556100 | Great Lakes | Revised 01/2026

BRIDGEPORT  
6045 Dixie Highway,  
Bridgeport, MI 48722  
Ph: 800-424-0190

SHEFFIELD VILLAGE  
5190 Oster Rd.,  
Sheffield Village, OH 44054  
Ph: 440-949-1167

# DIMENSIONS™

## Plank | 60mm

Enriched with DuraFusion Technology for an enhanced texture and wear-resistance, this thick paver supports vehicular loads and features an elongated shape for a modern look.

MODULAR  
SIZINGDURAFUSION  
TECHNOLOGYDRIVEWAY  
APPROVEDACCESSIBLE  
SURFACE

### PALLET INFORMATION

DIMENSIONS™ PLANK	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET	
3 x 12 60MM	3 x 12 x 2 3/8	110	44	11	10	3250

### SHAPES & SIZES

3 x 12 | 60MM



3 x 12 x 2 3/8



BOURBON 



FOG 



MIDNIGHT 



PEARL 




ROSEWOOD 

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



## PALLET LAYOUT



## TECHNICAL Specs

- True 3" increments for simplified design, quoting and ordering
- Compatible with all modular paver lines—look for Modular Sizing icon
- Modular dimensions reduce cuts, installation time, and waste
- Modular compatibility allows more creative pattern options
- Maximized pallet layout for jobsite efficiencies
- Ideal for walkways, patios, borders, accents and residential driveways
- Surface and micro-chamfer are ADA-compliant and minimize wheelchair vibration



### DuraFusion™ Technology

A bold, vibrant finish with a smoother, tighter texture

## QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

# BELGARD®

AN OLDCASTLE® APG OUTDOOR BRAND

INDIANAPOLIS  
901 E. Troy Ave.  
Indianapolis, IN 46203  
Ph: 800-424-0119

© 2026 Oldcastle® APG, Inc. All Rights Reserved. BEL25-D-556100 | Great Lakes | Revised 01/2026


BRIDGEPORT  
6045 Dixie Highway,  
Bridgeport, MI 48722  
Ph: 800-424-0190

SHEFFIELD VILLAGE  
5190 Oster Rd.,  
Sheffield Village, OH 44054  
Ph: 440-949-1167

# DIMENSIONS™

## Slab | 60mm

The expansive size of this system is distinguished by clean, crisp lines and a smooth, linear surface enriched with DuraFusion Technology for enhanced color, texture and wear-resistance.

MODULAR  
SIZINGDURAFUSION  
TECHNOLOGYACCESSIBLE  
SURFACE

### PALLET INFORMATION

DIMENSIONS™ SLAB		SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
9 X 18 60MM	9 x 18 x 2 3/8	112.5	10	11.25	10	3139
12 X 24 60MM	12 x 24 x 2 3/8	120	6	12	10	3230
15 X 30 60MM	15 x 30 x 2 3/8	93.75	3	9.4	10	2619
24 X 24 60MM	24 x 24 x 2 3/8	80	2	8	10	2170
24 X 36 60MM	24 x 36 x 2 3/8	120	2	12	10	3516

### SHAPES & SIZES

#### 9 X 18 | 60MM



9 x 18 x 2 3/8

#### 12 X 24 | 60MM



12 x 24 x 2 3/8

#### 15 X 30 | 60MM



15 x 30 x 2 3/8

#### 24 X 24 | 60MM



24 x 24 x 2 3/8

#### 24 X 36 | 60MM



24 x 36 x 2 3/8



ANTHRAZITE



CHESWICK   
Only available in 24 x 36"



HICKORY



SCANDINA GRAY



SEPIA



SHADED GRAY

## LEARN MORE


View the product page on [Belgard.com](https://Belgard.com) for more information



### PALLET LAYOUT



12 X 24



24 X 36

### TECHNICAL Specs

- True 3" increments for simplified design, quoting and ordering
- Compatible with all modular paver lines—look for Modular Sizing icon
- Modular dimensions reduce cuts, installation time, and waste
- Modular compatibility allows more creative pattern options
- Maximized pallet layout for jobsite efficiencies
- Ideal for patios, walkways and pool decks
- Surface and micro-chamfer are ADA-compliant and minimize wheelchair vibration



#### DuraFusion™ Technology

A bold, vibrant finish with a smoother, tighter texture

### QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

# DUBLIN COBBLE®

## 3-Piece Paver | 60mm

This system's gently distressed surfaces and antiqued edges create a casually elegant time-worn look with exceptional stability and durability suitable for driveways.



DRIVEWAY  
APPROVED

### PALLET INFORMATION

DUBLIN COBBLE®		SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
3-PIECE 60MM	6 x 3 x 2 <sup>3/8</sup>	21.35	16	1.94	11	3455
	6 x 6 x 2 <sup>3/8</sup>	42.63	16	3.88		
	6 x 9 x 2 <sup>3/8</sup>	64.02	16	5.85		
6X9 60MM	6 x 9 x 2 <sup>3/8</sup>	11.25	-	4	10	2970

### SHAPES & SIZES

#### 3-PIECE | 60MM



6 x 3 x 2<sup>3/8</sup>

6 x 6 x 2<sup>3/8</sup>

6 x 9 x 2<sup>3/8</sup>

#### 6X9 | 60MM



6 x 9 x 2<sup>3/8</sup>



FOSSIL BEIGE



HARVEST BLEND



IRON BAY



MIDNIGHT


Midnight only available in 6 x 9

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



## PALLET LAYOUT



## TECHNICAL Specs

- 3-piece system with multiple installation patterns
- True 3" increments for simplified design, quoting and ordering
- Compatible with all modular paver lines—look for Modular Sizing icon
- Modular dimensions reduce cuts, installation time, and waste
- Modular compatibility allows more creative pattern options
- Maximized pallet layout for jobsite efficiencies
- Ideal for patios, walkways and residential vehicular applications
- Available in a variety of shapes and sizes including a circle kit

## QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

METROPOLITAN COLLECTION

BELGARD®

# HEXAGON 6

Paver | 60mm

With a smooth face and a shape to create ultra-modern and art deco designs, these pavers are enriched with factory-applied sealant to enhance color and durability.



 MODULAR SIZING

 ACCESSIBLE SURFACE

 COLORTECH  
SEALED

## PALLET INFORMATION

HEXAGON 6	SQFT/ Pallet	UNITS/ LAYER	SQFT/ LAYER	LAYER/ Pallet	WEIGHT/ Pallet
60MM 12 x 12 x 2 3/8	100.02	9	8.35	12	2664

## SHAPES & SIZES

12 X 12 | 60MM



12 x 12 x 2 3/8




ANTHRACITE 🔥

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



## PALLET LAYOUT



SCANDINA GRAY 🔥

## TECHNICAL SPECS

- Only showing 1 geo shape
- True 3" increments for simplified design, quoting and ordering
- Compatible with all modular paver lines—look for Modular Sizing icon
- Modular dimensions reduce cuts, installation time, and waste
- Modular compatibility allows more creative pattern options
- Maximized pallet layout for jobsite efficiencies
- Ideal for patios, walkways and inlaid designs
- Surface and micro-chamfer are ADA-compliant and minimize wheelchair vibration



## QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)



SHADED GRAY 🔥

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

**BELGARD®**  
AN OLDCASTLE® APG OUTDOOR BRAND

INDIANAPOLIS  
901 E. Troy Ave.  
Indianapolis, IN 46203  
Ph: 800-424-0119

BRIDGEPORT  
6045 Dixie Highway,  
Bridgeport, MI 48722  
Ph: 800-424-0190

SHEFFIELD VILLAGE  
5190 Oster Rd.,  
Sheffield Village, OH 44054  
Ph: 440-949-1167

# HOLLAND PREMIER

## Paver | 60mm

The traditional shape and timeless appeal of these pavers are enriched by DuraFusion Technology for enhanced texture and wear-resistance.



DURAFUSION  
TECHNOLOGY



DRIVeway  
APPROVED



ACCESSIBLE  
SURFACE

### PALLET INFORMATION

HOLLAND PREMIER		SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
60MM	4 x 8 x 2 3/8	120	54	12	10	3516

### SHAPES & SIZES

60MM



4 x 8 x 2 3/8



ASHBURY HAZE 



BOURBON 



IRON BAY 




MIDNIGHT 

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



## PALLET LAYOUT



## TECHNICAL SPECS

- Ideal for patios, walkways and residential vehicular applications
- Surface and micro-chamfer are ADA-compliant and minimize wheelchair vibration
- Meets the requirements of ASTM C936
- Versatile border and pattern options



### DuraFusion™ Technology

A bold, vibrant finish with a smoother, tighter texture

## QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

**BELGARD®**  
AN OLDCASTLE® APG OUTDOOR BRAND

INDIANAPOLIS  
901 E. Troy Ave.  
Indianapolis, IN 46203  
Ph: 800-424-0191

BRIDGEPORT  
6045 Dixie Highway,  
Bridgeport, MI 48722  
Ph: 800-424-0190

SHEFFIELD VILLAGE  
5190 Oster Rd.,  
Sheffield Village, OH 44054  
Ph: 440-949-1167

# HOLLAND STONE

## Paver | 60mm

The classic architectural aesthetic of Holland Stone is enriched with factory-applied ColorTech sealant for enhanced color, stain resistance and durability.

COLORTECH  
SEALEDDRIVEWAY  
APPROVEDACCESSIBLE  
SURFACE

### PALLET INFORMATION

HOLLAND STONE		SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
60MM	4 x 8 x 2 3/8	120	54	12	10	3112

### SHAPES & SIZES

60MM



4 x 8 x 2 3/8



HARVEST 🔥



LAPORTE 🔥




MIDNIGHT 🔥

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



## PALLET LAYOUT



## TECHNICAL Specs

- Ideal for patios, walkways and residential vehicular applications
- Surface and micro-chamfer are ADA-compliant and minimize wheelchair vibration
- Meets the requirements of ASTM C936
- Versatile border and pattern options

 **ColorTech® Sealed**  
Factory-applied sealant

## QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

**BELGARD®**  
AN OLDCASTLE® APG OUTDOOR BRAND

**INDIANAPOLIS**  
901 E. Troy Ave.  
Indianapolis, IN 46203  
Ph: 800-424-0119

**BRIDGEPORT**  
6045 Dixie Highway,  
Bridgeport, MI 48722  
Ph: 800-424-0190

**SHEFFIELD VILLAGE**  
5190 Oster Rd.,  
Sheffield Village, OH 44054  
Ph: 440-949-1167

# MEGA-LIBRE®

## Paver | 60mm

With natural stone look and no detectable pattern, this paver offers irregular shapes, a chiseled surface and unique color blends reminiscent of flagstone.



### PALLET INFORMATION

MEGA-LIBRE®		SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
2-PIECE	16 1/4 x 23 3/4 x 2 3/8	86	4	8.6	10	2427
	16 1/4 x 31 x 2 3/8					

### SHAPES & SIZES

#### 2-PIECE | 60MM



16 1/4 x 23 3/4 x 2 3/8



16 1/4 x 31 x 2 3/8



ASHWOOD

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



### TECHNICAL SPECS

- Two pieces with false joints\* create a random stone look
- Simple installation with an undetectable pattern
- Ideal for patios, walkways and pool decks
- Pair with other 60mm pavers to create inlaid designs or to find a complementary border option

\*For best results with false-joint pavers, finish joints with Techniseal NextGel polymeric jointing sand



IRON BAY



NEWPORT GRAY



TEAK

### QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

**BELGARD®**

AN OLDCASTLE® APG OUTDOOR BRAND

INDIANAPOLIS  
901 E. Troy Ave.  
Indianapolis, IN 46203  
Ph: 800-424-0191

BRIDGEPORT  
6045 Dixie Highway,  
Bridgeport, MI 48722  
Ph: 800-424-0190

SHEFFIELD VILLAGE  
5190 Oster Rd.,  
Sheffield Village, OH 44054  
Ph: 440-949-1167


METROPOLITAN COLLECTION

BELGARD®

# ORIGINS™ 6

## 3-Piece System | 60mm

Emulating the look and texture of natural stone, this paver system offers earthy tones and a chiseled face enriched with DuraFusion Technology for enhanced color, texture and wear-resistance.



MODULAR  
SIZING



DURAFUSION  
TECHNOLOGY



DRIVEWAY  
APPROVED



ACCESSIBLE  
SURFACE

### PALLET INFORMATION

ORIGINS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
ORIGINS 6 60MM	120	16			
		16	12	10	3516
		16			

### SHAPES & SIZES

#### ORIGINS 6 | 60MM



3 x 6 x 2 3/8



6 x 6 x 2 3/8



6 x 9 x 2 3/8



ASHWOOD 



IRON BAY 




NEWPORT GRAY 

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



## PALLET LAYOUT



## TECHNICAL Specs

- True 3" increments for simplified design, quoting and ordering
- Compatible with all modular paver lines—look for Modular Sizing icon
- Modular dimensions reduce cuts, installation time, and waste
- Modular compatibility allows more creative pattern options
- Maximized pallet layout for jobsite efficiencies
- Ideal for patios, walkways and residential vehicular applications
- Surface and micro-chamfer are ADA-compliant and minimize wheelchair vibration



**DuraFusion™ Technology**  
A bold, vibrant finish with a smoother, tighter texture

## QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

# BELGARD®

AN OLDCASTLE® APG OUTDOOR BRAND

INDIANAPOLIS  
901 E. Troy Ave.  
Indianapolis, IN 46203  
Ph: 800-424-0119

BRIDGEPORT  
6045 Dixie Highway,  
Bridgeport, MI 48722  
Ph: 800-424-0190

SHEFFIELD VILLAGE  
5190 Oster Rd.,  
Sheffield Village, OH 44054  
Ph: 440-949-1167


NATURAL COLLECTION

BELGARD®

# ORIGINS™ 12

## 3-Piece System | 60mm

Emulating the look and texture of natural stone, this paver system offers earthy tones and a chiseled face enriched with DuraFusion Technology for enhanced color, texture and wear-resistance.



MODULAR  
SIZING



DURAFUSION  
TECHNOLOGY



ACCESSIBLE  
SURFACE

### PALLET INFORMATION

ORIGINS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
ORIGINS 12 60MM	120	4	12	10	3516
		4			
		4			

### SHAPES & SIZES

#### ORIGINS 12 | 60MM



6 x 12 x 2 $\frac{3}{8}$



12 x 12 x 2 $\frac{3}{8}$



18 x 12 x 2 $\frac{3}{8}$



ASHWOOD



CHESWICK



IRON BAY



NEWPORT GRAY




TEAK

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



## PALLET LAYOUT



## TECHNICAL Specs

- True 3" increments for simplified design, quoting and ordering
- Compatible with all modular paver lines—look for Modular Sizing icon
- Modular dimensions reduce cuts, installation time, and waste
- Modular compatibility allows more creative pattern options
- Maximized pallet layout for jobsite efficiencies
- Ideal for patios, walkways and pool decks
- Can be used to construct ADA-compliant pavement



### DuraFusion™ Technology

A bold, vibrant finish with a smoother, tighter texture

## QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

# BELGARD®

AN OLDCASTLE® APG OUTDOOR BRAND

INDIANAPOLIS  
901 E. Troy Ave.  
Indianapolis, IN 46203  
Ph: 800-424-0119

© 2026 Oldcastle® APG, Inc. All Rights Reserved. BEL25-D-556100 | Great Lakes | Revised 01/2026

BRIDGEPORT  
6045 Dixie Highway,  
Bridgeport, MI 48722  
Ph: 800-424-0190

SHEFFIELD VILLAGE  
5190 Oster Rd.,  
Sheffield Village, OH 44054  
Ph: 440-949-1167


NATURAL COLLECTION

BELGARD®

# ORIGINS™ 12

## 3-Piece System | 60mm

Emulating the look and texture of natural stone, this paver system offers an earthy chiseled appearance enriched by factory-applied sealant for enhanced color and durability.



MODULAR  
SIZING



COLORTECH  
SEALED



ACCESSIBLE  
SURFACE

### PALLET INFORMATION

ORIGINS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
ORIGINS 12 60MM	120	4	12	10	3516
		4			
		4			

### SHAPES & SIZES

#### ORIGINS 12 | 60MM



6 x 12 x 2<sup>3</sup>/<sub>8</sub>



12 x 12 x 2<sup>3</sup>/<sub>8</sub>



12 x 18 x 2<sup>3</sup>/<sub>8</sub>




BRITTANY BEIGE

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



## PALLET LAYOUT



GALWAY

## TECHNICAL SPECS

- True 3" increments for simplified design, quoting and ordering
- Compatible with all modular paver lines—look for Modular Sizing icon
- Modular dimensions reduce cuts, installation time, and waste
- Modular compatibility allows more creative pattern options
- Maximized pallet layout for jobsite efficiencies
- Ideal for patios, walkways and pool decks
- Can be used to construct ADA-compliant pavement

 **ColorTech® Sealed**  
Factory-applied sealant

## QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)



NEWPORT GRAY

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

**BELGARD®**  
AN OLDCASTLE® APG OUTDOOR BRAND

INDIANAPOLIS  
901 E. Troy Ave.  
Indianapolis, IN 46203  
Ph: 800-424-0119

BRIDGEPORT  
6045 Dixie Highway,  
Bridgeport, MI 48722  
Ph: 800-424-0190

SHEFFIELD VILLAGE  
5190 Oster Rd.,  
Sheffield Village, OH 44054  
Ph: 440-949-1167


NATURAL COLLECTION

BELGARD®

# ORIGINS™ 12

## 3-Piece System | 80mm

With the strength to support vehicular loads and the look of natural stone, this system's earthy tones and chiseled surface are enriched with DuraFusion Technology for a refined texture with enhanced color and wear-resistance.



MODULAR  
SIZING



DURAFUSION  
TECHNOLOGY



ACCESSIBLE  
SURFACE



DRIVEWAY  
APPROVED

### PALLET INFORMATION

ORIGINS™ 3-PIECE		SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
ORIGINS 12 80MM	6 x 12 x 3 1/8	96	4	12	8	-
	12 x 12 x 3 1/8		4			
	18 x 12 x 3 1/8		4			

### SHAPES & SIZES

#### ORIGINS 12 | 80MM



6 x 12 x 3 1/8



12 x 12 x 3 1/8



18 x 12 x 3 1/8



ASHWOOD



CHESWICK



IRON BAY



NEWPORT GRAY




TEAK

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



## PALLET LAYOUT



## TECHNICAL Specs

- True 3" increments for simplified design, quoting and ordering
- Compatible with all modular paver lines—look for Modular Sizing icon
- Modular dimensions reduce cuts, installation time, and waste
- Modular compatibility allows more creative pattern options
- Maximized pallet layout for jobsite efficiencies
- Ideal for patios, walkways and pool decks
- Can be used to construct ADA-compliant pavement



### DuraFusion™ Technology

A bold, vibrant finish with a smoother, tighter texture

## QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

# BELGARD®

AN OLDCASTLE® APG OUTDOOR BRAND

INDIANAPOLIS  
901 E. Troy Ave.  
Indianapolis, IN 46203  
Ph: 800-424-0119

© 2026 Oldcastle® APG, Inc. All Rights Reserved. BEL25-D-556100 | Great Lakes | Revised 01/2026

BRIDGEPORT  
6045 Dixie Highway,  
Bridgeport, MI 48722  
Ph: 800-424-0190

SHEFFIELD VILLAGE  
5190 Oster Rd.,  
Sheffield Village, OH 44054  
Ph: 440-949-1167


NATURAL COLLECTION

BELGARD®

# ORIGINS™ 18

## 3-Piece System | 60mm

Emulating the look and texture of natural stone, this paver system offers earthy tones and a chiseled face enriched with DuraFusion Technology for enhanced color, texture and wear-resistance.



MODULAR  
SIZING



DURAFUSION  
TECHNOLOGY



ACCESSIBLE  
SURFACE

### PALLET INFORMATION

ORIGINS™ 3-PIECE		SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
ORIGINS 18 60MM	9 x 18 x 2 $\frac{3}{8}$	112.5	2	11.3	10	3296
	18 x 18 x 2 $\frac{3}{8}$		1			
	18 x 27 x 2 $\frac{3}{8}$		2			

### SHAPES & SIZES

#### ORIGINS 18 | 60MM



9 x 18 x 2 $\frac{3}{8}$



18 x 18 x 2 $\frac{3}{8}$



18 x 27 x 2 $\frac{3}{8}$



ASHWOOD 



CHESWICK 



IRON BAY 



NEWPORT GRAY 




TEAK 

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



## PALLET LAYOUT



## TECHNICAL SPECS

- True 3" increments for simplified design, quoting and ordering
- Compatible with all modular paver lines—look for Modular Sizing icon
- Modular dimensions reduce cuts, installation time, and waste
- Modular compatibility allows more creative pattern options
- Maximized pallet layout for jobsite efficiencies
- Ideal for patios, walkways and pool decks
- Can be used to construct ADA-compliant pavement



### DuraFusion™ Technology

A bold, vibrant finish with a smoother, tighter texture

## QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

**BELGARD®**  
AN OLDCASTLE® APG OUTDOOR BRAND

INDIANAPOLIS  
901 E. Troy Ave.  
Indianapolis, IN 46203  
Ph: 800-424-0119

© 2026 Oldcastle® APG, Inc. All Rights Reserved. BEL25-D-556100 | Great Lakes | Revised 01/2026

BRIDGEPORT  
6045 Dixie Highway,  
Bridgeport, MI 48722  
Ph: 800-424-0190

SHEFFIELD VILLAGE  
5190 Oster Rd.,  
Sheffield Village, OH 44054  
Ph: 440-949-1167

NATURAL COLLECTION

BELGARD®

# ORIGINS™ 18

## 3-Piece System | 60mm

Emulating the look and texture of natural stone, this paver system offers an earthy chiseled appearance enriched by factory-applied sealant for enhanced color and durability.



MODULAR  
SIZING



COLORTECH  
SEALED



ACCESSIBLE  
SURFACE

### PALLET INFORMATION

ORIGINS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
ORIGINS 18 60MM	112.5	2	11.3	10	3296
		1			
		2			

### SHAPES & SIZES

#### ORIGINS 18 | 60MM



9 x 18 x 2<sup>3</sup>/<sub>8</sub>



18 x 18 x 2<sup>3</sup>/<sub>8</sub>



18 x 27 x 2<sup>3</sup>/<sub>8</sub>



BRITTANY BEIGE 



GALWAY 




NEWPORT GRAY 

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



## PALLET LAYOUT



## TECHNICAL Specs

- True 3" increments for simplified design, quoting and ordering
- Compatible with all modular paver lines—look for Modular Sizing icon
- Modular dimensions reduce cuts, installation time, and waste
- Modular compatibility allows more creative pattern options
- Maximized pallet layout for jobsite efficiencies
- Ideal for patios, walkways and pool decks
- Can be used to construct ADA-compliant pavement

 **ColorTech® Sealed**  
Factory-applied sealant

## QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.


NATURAL COLLECTION

BELGARD®

# ORIGINS™

## Paver | 60mm

With the ideal shape and size for driveways, small patios and borders, the subtle chiseled stone face is enriched with DuraFusion Technology for enhanced color, texture and wear-resistance.



MODULAR  
SIZING



DURAFUSION  
TECHNOLOGY



DRIVEWAY  
APPROVED



ACCESSIBLE  
SURFACE

### PALLET INFORMATION

ORIGINS™ PAVER	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET	
6X9 60MM	6 x 9 x 2 3/8	112.5	32	112.5	10	3296

### SHAPES & SIZES

6 X 9 | 60MM



6 x 9 x 2 3/8




MIDNIGHT 

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



## PALLET LAYOUT



## TECHNICAL SPECS

- True 3" increments for simplified design, quoting and ordering
- Compatible with all modular paver lines—look for Modular Sizing icon
- Modular dimensions reduce cuts, installation time, and waste
- Modular compatibility allows more creative pattern options
- Maximized pallet layout for jobsite efficiencies
- Ideal for walkways, patios, borders, accents and residential driveways
- Can be used to construct ADA-compliant pavement



**DuraFusion™ Technology**  
A bold, vibrant finish with a smoother, tighter texture

## QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

# PAPYRUS™

## 3-Piece Paver | 60mm

An organic textural experience with modern elegance, this paver's unique face offers an upscale hand-tooled look enriched with DuraFusion Technology for enhanced color, texture and wear-resistance.

MODULAR  
SIZINGDURAFUSION  
TECHNOLOGYACCESSIBLE  
SURFACE

### PALLET INFORMATION

PAPYRUS™		SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
PAPYRUS 18 60MM	9 x 18 x 2 3/8	112.5	2	11.25	10	3296
	18 x 18 x 2 3/8		1			
	18 x 27 x 2 3/8		2			

### SHAPES & SIZES

#### PAPYRUS 18 | 60MM




9 x 18 x 2 3/8



18 x 18 x 2 3/8



18 x 27 x 2 3/8



SCANDINA GRAY 

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



### TECHNICAL Specs

- True 3" increments for simplified design, quoting and ordering
- Compatible with all modular paver lines—look for Modular Sizing icon
- Modular dimensions reduce cuts, installation time, and waste
- Modular compatibility allows more creative pattern options
- Maximized pallet layout for jobsite efficiencies
- Ideal for patios, walkways and pool decks
- Can be used to construct ADA-compliant pavement



**DuraFusion™ Technology**  
A bold, vibrant finish with a smoother, tighter texture



SEPIA 

### QUALITY FOR LIFE


Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

# TURFSTONE™

## Grid Paver | 80mm

An open lattice grid design offers turf or gravel infill, creating a unique hardscape design that works in harmony with nature.



DRIVEWAY  
APPROVED

### PALLET INFORMATION


TURFSTONE™	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET	
80MM	15 <sup>3</sup> / <sub>4</sub> x 23 <sup>5</sup> / <sub>8</sub> x 3 <sup>1</sup> / <sub>8</sub>	103.2	5	12.9	8	2377

### SHAPES & SIZES

80MM



15<sup>3</sup>/<sub>4</sub> x 23<sup>5</sup>/<sub>8</sub> x 3<sup>1</sup>/<sub>8</sub>




GRAY

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



## PALLET LAYOUT



## TECHNICAL SPECS

- Manufactured in accordance with ASTM C1319
- Open lattice grid design for turf infill
- 40% surface opening with void space for creating a grass pavement
- Applications include driveways, parking stalls, ramps, service and emergency access lanes

## QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

# GLOCAL

## Concrete Finish | 20mm

The smooth concrete-like finish offers a clean, contemporary aesthetic. Its structured and tight surface texture in neutral shades makes this porcelain paver a versatile design element.



**MIRAGE**  
INSPIRING BETTER LIVING



SLIGHT SHADE  
VARIATION



LOW SOLAR HEAT  
ABSORPTION



ACCESSIBLE  
SURFACE

### PALLET INFORMATION

GLOCAL		SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ PALLET
24 X 24	23.54 x 23.54 x 3/4	232.5	7.75	30	2	72	2160

### SHAPES & SIZES

24 X 24



23.54 x 23.54 x 3/4



CLEAR | GC 01  



IDEAL | GC 03 



CLASSIC | GC 05 

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



### TECHNICAL Specs

- Incredibly high breakage loads, up to 3,000 pounds
- Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.\*
- High-density structure and ultra-low absorption rate provide a tight surface texture that fends off surface mold, moss, dirt and stains
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials
- Structured top textures create non-slip surfaces
- Freeze-thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F)
- Can be installed on a pedestal system for plaza and rooftop installations
- Suitable for ADA-compliant installations

\* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

# LAGOON

Stone Finish | 20mm

Painstaking detail and depth of color evoke the expressive power of nature through these stylish modular pavers. Veining effects are inspired by the stratifications of sedimentary rocks.



**MIRAGE®**  
INSPIRING BETTER LIVING



SLIGHT SHADE  
VARIATION



LOW SOLAR HEAT  
ABSORPTION




ACCESSIBLE  
SURFACE

## PALLET INFORMATION

LAGOON		SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ PALLET
24 X 48	23.54 x 47.17 x 3/4	271.25	7.75	35	1	74	2621

## SHAPES & SIZES

24 X 48



23.54 x 47.17 x 3/4



MOONBEAM | LG 01 ST 



SANDSHELLL | LG 02 ST 



SHARKSKIN | LG 04 ST 

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



### TECHNICAL SPECS

- Incredibly high breakage loads, up to 3,000 pounds
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials
- Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.\*
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- Structured top textures create non-slip surfaces
- Freeze-thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F)
- Can be installed on a pedestal system for plaza and rooftop installations
- Suitable for ADA-compliant installations

\* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

# NOON

Wood Finish | 20mm

Warm and stylish, this contemporary expression of simplicity combines the look and feel of natural wood with the durability of porcelain.



**MIRAGE®**  
INSPIRING BETTER LIVING

**v3** MODERATE SHADE VARIATION

**v4** HIGH SHADE VARIATION

**♿** ACCESSIBLE SURFACE

**☀️** LOW SOLAR HEAT ABSORPTION


## PALLET INFORMATION

NOON		SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ PALLET
12 X 48	11.73 x 47.17 x ¾	279	7.75	36	2	74	2664

## SHAPES & SIZES

12 X 48

11.73 x 47.17 x ¾



DAYLIGHT | NN 01 ST  



EMBER | NN 02 ST 



HONEY | NN 03 ST 

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



### TECHNICAL Specs

- Incredibly high breakage loads, up to 3,000 pounds
- Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.\*
- High-density structure and ultra-low absorption rate provide a tight surface texture that fends off surface mold, moss, dirt and stains
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials
- Structured top textures create non-slip surfaces.
- Freeze-thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F)
- Suitable for ADA-compliant installations

\* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

**BELGARD®**  
AN OLDCASTLE® APG OUTDOOR BRAND

INDIANAPOLIS  
901 E. Troy Ave.  
Indianapolis, IN 46203  
Ph: 800-424-0119

BRIDGEPORT  
6045 Dixie Highway,  
Bridgeport, MI 48722  
Ph: 800-424-0190

SHEFFIELD VILLAGE  
5190 Oster Rd.,  
Sheffield Village, OH 44054  
Ph: 440-949-1167

# NOVEMBER

## Stone Finish | 20mm

Minimalist styling inspired by nature is found with this versatile porcelain paver. Characteristics of stone and cement embody its texture to offer a simple, yet elegant look.



**MIRAGE®**  
INSPIRING BETTER LIVING



SLIGHT SHADE  
VARIATION



LOW SOLAR HEAT  
ABSORPTION



ACCESSIBLE  
SURFACE

### PALLET INFORMATION

NOVEMBER	SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ PALLET
24 x 24 23.54 x 23.54 x 3/4	232.5	7.75	30	2	72	2280

### SHAPES & SIZES


24 x 24




23.54 x 23.54 x 3/4



RAIN | NM 01  



WIND | NM 02 



WARM | NM 04  



LAND | NM 05 

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



### TECHNICAL SPECS

- Incredibly high breakage loads, up to 3,000 pounds
- Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device\*
- High-density structure and ultra-low absorption rate provide a tight surface texture that fends off surface mold, moss, dirt and stains
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials
- Structured top textures create non-slip surfaces
- Freeze-thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F)
- Can be installed on a pedestal system for plaza and rooftop installations
- Suitable for ADA-compliant installations


\* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

# QUARZITI 2.0

Stone Finish | 20mm

This interpretation of natural quartz incorporates a gentle shading effect with the authentic diversity and subtle iridescence of natural elements.



**MIRAGE®**  
INSPIRING BETTER LIVING



MODERATE SHADE  
VARIATION



LOW SOLAR HEAT  
ABSORPTION



ACCESSIBLE  
SURFACE

## PALLET INFORMATION

QUARZITI 2.0	SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ PALLET	
24 X 24	23.54 x 23.54 x 3/4	232.5	7.75	30	2	72	2280
24 X 48	23.54 x 47.17 x 3/4	271.25	7.75	35	1	74	2621

## SHAPES & SIZES

24 X 24



23.54 x 23.54 x 3/4

24 X 48



23.54 x 47.17 x 3/4



GLACIER | QR 01 NAT  



MOUNTAINS | QR 02 NAT  



WATERFALL | QR 03 NAT 



RIVER | QR 04 NAT 



MANTLE | QR 05 NAT  

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



### TECHNICAL SPECS

- Incredibly high breakage loads, up to 3,000 pounds
- Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.\*
- High-density structure and ultra-low absorption rate provide a tight surface texture that fends off surface mold, moss, dirt and stains
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials
- Structured top textures create non-slip surfaces
- Freeze-thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F)
- Can be installed on a pedestal system for plaza and rooftop installations
- Suitable for ADA-compliant installations

\* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

# TRAVERTINI

## Travertine Finish | 20mm

Resembling the natural texture of travertine, these large-format slabs create upscale and timeless spaces with multiple aesthetic options, including linear vein or softer cross-cut looks.



**MIRAGE**  
INSPIRING BETTER LIVING



SLIGHT SHADE  
VARIATION



LOW SOLAR HEAT  
ABSORPTION

### PALLET INFORMATION

TRAVERTINI	SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ PALLET	
24 X 24	23.54 x 23.54 x 3/4	232.5	7.75	30	2	76	2280
24 X 48	23.54 x 47.17 x 3/4	271.25	7.75	35	1	74	2664

### SHAPES & SIZES

24 X 24



23.54 x 23.54 x 3/4

24 X 48



23.54 x 47.17 x 3/4



DARK VEIN | EY 08 

Only available in 24x48



MISTY VEIN | EY 11  

Only available in 24x48



PEARLY CROSS | EY 12  



MISTY CROSS | EY 14  

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



## TECHNICAL SPECS

- Can be installed on a traditional sand or gravel base or on a pedestal system for rooftop applications
- Large format slabs
- Two modular shapes offer design flexibility
- Incredibly high breakage loads, up to 3,000 pounds
- Modular for faster installation
- Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device\*
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials
- Structured top textures create non-slip surfaces
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F)
- Suitable for ADA-compliant installations

\* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

## QUALITY FOR LIFE


Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

# UNICO 2.0

## Coping | 20mm

Enhance outdoor spaces with the refined look of this premium coping featuring polished round edges for pools, garden walls and steps in styles to complement a variety of porcelain paver styles.



SLIGHT SHADE  
VARIATION



HIGH SHADE  
VARIATION



LOW SOLAR HEAT  
ABSORPTION



ACCESSIBLE  
SURFACE

### PALLET INFORMATION

UNICO 2.0		SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ PALLET
COPING	11.62 x 23.54 x 3/4	205.2	5.7	36	3	54	1944

### SHAPES & SIZES

#### COPING



11.62 x 23.54 x 3/4

TRAVERTINI



PEARLY CROSS | EY 12

TRAVERTINI



MISTY CROSS | EY 14

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



### TECHNICAL SPECS

- Coordinates with various porcelain paver lines
- Subtle bullnose edge on one side
- Use for steps or as coping for swimming pools
- Incredibly high breakage loads, up to 3,000 pounds
- High-density structure and ultra-low absorption rate provide a tight surface texture that fends off surface mold, moss, dirt and stains
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials
- Structured top textures create non-slip surfaces
- Freeze-thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F)
- Suitable for ADA-compliant installations

NOON



DAYLIGHT | NN 01 ST

NOON



EMBER | NN 02 ST

NOON



HONEY | NN 03 ST

QUARZITI 2.0



GLACIER | QR 01 NAT

QUARZITI 2.0



MOUNTAINS | QR 02 NAT

QUARZITI 2.0



WATERFALL | QR 03 NAT

QUARZITI 2.0



RIVER | QR 04 NAT

QUARZITI 2.0



MANTLE | QR 05 NAT

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

# BELGARD®

AN OLDCASTLE® APG OUTDOOR BRAND

INDIANAPOLIS  
901 E. Troy Ave.  
Indianapolis, IN 46203  
Ph: 800-424-0119

BRIDGEPORT  
6045 Dixie Highway,  
Bridgeport, MI 48722  
Ph: 800-424-0190

SHEFFIELD VILLAGE  
5190 Oster Rd.,  
Sheffield Village, OH 44054  
Ph: 440-949-1167

# ASHLAR TANDEM™

## Retaining | Freestanding

Virtual joints and a chiseled face create the look of a random stone facade for the versatile Tandem system that can build pillars, garden walls, and stylish outdoor kitchens and features.



DEVELOPED BY  
**ANCHOR**  
DIAMOND  
WALL INDUSTRY EXPERTS



FREESTANDING



RETAINING



COLUMNS



FIRE PITS



KITCHEN



STEPS

### PALLET INFORMATION

	ASHLAR TANDEM™	SQFT/ Pallet	SQFT/ Layer	LAYER/ Pallet	UNITS/ Pallet	WEIGHT/ Pallet
3-PIECE	7 x 13 <sup>3</sup> / <sub>16</sub> x 2 <sup>5</sup> / <sub>8</sub>	19.2	3.2	6	30	2082
	7 x 15 <sup>1</sup> / <sub>16</sub> x 2 <sup>5</sup> / <sub>8</sub>	23.1	3.85		30	
	7 x 18 <sup>7</sup> / <sub>16</sub> x 2 <sup>5</sup> / <sub>8</sub>	27	4.5		30	
COLUMN UNIT	7 x 18 <sup>1</sup> / <sub>2</sub> x 2 <sup>5</sup> / <sub>8</sub>	45.43	9	5	45	1350

### SHAPES & SIZES

#### 3-PIECE

	7 x 13 <sup>3</sup> / <sub>16</sub> x 2 <sup>5</sup> / <sub>8</sub>
	7 x 15 <sup>1</sup> / <sub>16</sub> x 2 <sup>5</sup> / <sub>8</sub>
	7 x 18 <sup>7</sup> / <sub>16</sub> x 2 <sup>5</sup> / <sub>8</sub>

#### COLUMN UNIT

	7 x 18 <sup>1</sup> / <sub>2</sub> x 2 <sup>5</sup> / <sub>8</sub>
--	--



NEWPORT GRAY



SHELBY BLEND

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



## TECHNICAL SPECS

- Consistent height tolerances
- Build curved or straight retaining or freestanding walls
- Versatile system also builds columns, and a variety of outdoor features including kitchens, planters and built-in seating
- Offered in 3 sizes to allow for design versatility and customization
- Minimum outside radius of 6'
- Freestanding walls up to 28"
- Engineered 90° corners
- Gravity walls up to 3 feet\* using a 1/2 inch setback per unit (4 degree system batter)
- Reinforced walls up to 8 feet
- System can be installed with either Tandem Modular Block or the Tandem Omni Connector

\*Gravity wall heights are based on project specific conditions and may be lower than this value.

## QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

# BELGARD®

AN OLDCASTLE® APG OUTDOOR BRAND

INDIANAPOLIS  
901 E. Troy Ave.  
Indianapolis, IN 46203  
Ph: 800-424-0119


BRIDGEPORT  
6045 Dixie Highway,  
Bridgeport, MI 48722  
Ph: 800-424-0190

SHEFFIELD VILLAGE  
5190 Oster Rd.,  
Sheffield Village, OH 44054  
Ph: 440-949-1167

# DIAMOND® 9D

## Retaining

With a weathered stone appearance, the split-stone face in multiple sizes offers an organic hand-laid aesthetic. The rough-hewn look and easy installation have made this system a favorite for residential wall projects.



RETAINING

### PALLET INFORMATION

DIAMOND® 9D		SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
SOLID UNIT	6 x 17¾ x 9	45	9	5	30	3092
RIGHT VIRTUAL JOINT	6 x 17¾ x 9				15	
LEFT VIRTUAL JOINT	6 x 17¾ x 9				15	

### SHAPES & SIZES

#### 3-PIECE



6 x 17¾ x 9



6 x 17¾ x 9



6 x 17¾ x 9



GASCONY TAN

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



### TECHNICAL Specs

- All system components are standard-split in-line
- Rear lip locators easily establish a uniform wall batter
- A matching cap and corner completes the system
- Build gravity walls up to 3 feet high\*, including the buried course
- Taller walls can be built using geosynthetic reinforcement when designed by a qualified engineer
- Minimum outside radius, measured on the top course to the front of the units: 3 feet
- Minimum inside radius, measured on the base course to the front of the units: 6 feet
- The rear lip establishes a 1 1/8" setback for a 10.6 degree system batter

\*Gravity wall heights are based on project specific conditions and may be lower than this value.



IRON BAY

### QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

**BELGARD®**

AN OLDCASTLE® APG OUTDOOR BRAND

INDIANAPOLIS  
901 E. Troy Ave.  
Indianapolis, IN 46203  
Ph: 800-424-0119

BRIDGEPORT  
6045 Dixie Highway,  
Bridgeport, MI 48722  
Ph: 800-424-0190

SHEFFIELD VILLAGE  
5190 Oster Rd.,  
Sheffield Village, OH 44054  
Ph: 440-949-1167

© 2026 Oldcastle® APG, Inc. All Rights Reserved. BEL25-D-556100 | Great Lakes | Revised 01/2026

# DIAMOND PRO® AIR STRAIGHT

## Retaining

Featuring a classic split-stone face and crisp edges, this innovative high-performance wall is 30% lighter with efficiencies on every level.



RETAINING



COLUMNS



STEPS

### PALLET INFORMATION

DIAMOND PRO® AIR STRAIGHT		SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
WALL BLOCK	8 x 18 x 11½	40	8	5	40	2060
CORNER	8 x 18 x 9	32	8	4	32	2848

### SHAPES & SIZES

#### WALL BLOCK



8 x 18 x 11½

#### CORNER



8 x 18 x 9



CHARCOAL



GRAY



TAN

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



### TECHNICAL Specs

- Can be installed as a gravity wall or geogrid-reinforced wall.
- Weighing only 54 lbs., this 1 square foot block maximizes installation and shipping efficiencies
- Front lug design produces a 9/16" per unit setback for a 4° system batter
- Cores align for easy filling
- Top course is placed upside down to increase capping efficiency
- Ideally situated for retaining walls up to 12 feet tall
- Can be used to build gravity walls up to 3' 4" high\*, including the buried course
- Minimum outside radius, measured on the top course to the front of the units: 4 feet
- Minimum inside radius, measured on the base course to the front of the units: 6 feet

\*Gravity wall heights are based on project specific conditions and may be lower than this value.

### QUALITY FOR LIFE


Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

# DIAMOND PRO® AIR SMOOTH

## Retaining

This innovative high-performance wall features a clean, contemporary look and is 30% lighter with efficiencies on every level.



RETAINING



STEPS



COLUMNS

### PALLET INFORMATION

DIAMOND PRO® AIR SMOOTH		SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
WALL BLOCK	8 x 18 x 11½	40	8	5	40	2060
CORNER	8 x 18 x 9	22.32	-	2	24	1970.4
CAP	4 x 18/12 x 13	27	-	6	54	3143.4

### SHAPES & SIZES

#### WALL BLOCK



8 x 18 x 11½

#### CORNER



8 x 18 x 9

#### 4" CAP



4 x 18/12 x 13



ANTHRACITE



HICKORY



SHADED GRAY

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



## TECHNICAL Specs

- Can be installed as a gravity wall or geogrid-reinforced wall.
- Weighing only 54 lbs., this 1 square foot block maximizes installation and shipping efficiencies
- Front lug design produces a 9/16" per unit setback for a 4° system batter
- Cores align for easy filling
- Top course is placed upside down to increase capping efficiency
- Ideally situated for retaining walls up to 12 feet tall
- Can be used to build gravity walls up to 3' 4" high\*, including the buried course
- Minimum outside radius, measured on the top course to the front of the units: 4 feet
- Minimum inside radius, measured on the base course to the front of the units: 6 feet

\*Gravity wall heights are based on project specific conditions and may be lower than this value.

## QUALITY FOR LIFE


Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

# DIAMOND PRO® SMOOTH

## Retaining

Modern and sleek, the refined look and smooth texture combine with the time-tested strength of the Diamond Pro System to offer elegantly durable retaining walls.



### PALLET INFORMATION

DIAMOND PRO® SMOOTH		SQFT/ Pallet	SQFT/ Layer	LAYER/ Pallet	UNITS/ Pallet	WEIGHT/ Pallet
REAR-LIP	8 x 18 x 12	36	9	4	36	2844
CORNER	8 x 17 x 8	22.67	5.64	2	24	2640
CAP	4 x 18 / 12 x 12	67.5LF	11.25LF	6	54	3078

### SHAPES & SIZES

REAR-LIP		8 x 18 x 12
CORNER		8 x 17 x 8
CAP		4 x 18 / 12 x 12



FOUNDRY



MOONLIGHT

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



## TECHNICAL SPECS

- Contemporary smooth face and crisp edges in a large-format block
- Rear-lip locator
- Large cores for ease in handling
- Matching corner and cap for a seamless appearance
- Gravity walls can be built up to 4 ft high\*, including buried course with a 7.1° batter
- Walls in excess of 50 ft high have been built with Diamond Pro when combined with geosynthetic reinforcement
- Minimum outside radius, measured from the top course to the front of the units: 4 ft
- Minimum inside radius, measured on the base course to the front of the units: 6 ft

\*Gravity wall heights are based on project specific conditions and may be lower than this value.

## QUALITY FOR LIFE


Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

# DIAMOND PRO® STRAIGHT

## Retaining

With tailored beveled edges, the split-face texture of this wall offers a classic time-worn organic appearance and is ideal for large-scale projects.



RETAINING



COLUMNS



STEPS

### PALLET INFORMATION

DIAMOND PRO® STRAIGHT		SQFT/ Pallet	SQFT/ Layer	Layer/ Pallet	Units/ Pallet	Weight/ Pallet
STRAIGHT	8 x 18 x 12	32	8	4	32	2653
CORNER	8 x 18 x 9	32	8	4	32	2848
CAP	4 x 18 / 12 x 13	67.5	12.25	6	54	3079

### SHAPES & SIZES

#### STRAIGHT



8 x 18 x 12

#### CORNER



8 x 18 x 9

#### CAP



4 x 18 / 12 x 13



GRAY



HARVEST BLEND



OXFORD CHARCOAL



SHEFFIELD BLEND

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



### TECHNICAL Specs

- Split-stone face in a large-format block
- Rear-lip locator
- Large cores for ease in handling
- Matching corner and cap for a seamless appearance
- Gravity walls can be built up to 4 ft high\*, including buried course with a 7.1° batter
- Walls in excess of 50 ft high have been built with Diamond Pro when combined with geosynthetic reinforcement
- Minimum outside radius, measured from the top course to the front of the units: 4 ft
- Minimum inside radius, measured on the base course to the front of the units: 6 ft

\*Gravity wall heights are based on project specific conditions and may be lower than this value.

### QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

# HIGHLAND STONE®

## Retaining | Freestanding

The rough-hewn face and multiple pieces of this wall provide a natural stone aesthetic with a rustic hand-stacked look. Each block has a rugged, varied split-stone appearance.



DEVELOPED BY  
**ANCHOR**  
DIAMOND  
WALL INDUSTRY EXPERTS



FREESTANDING



RETAINING



COLUMNS



FIRE PITS



KITCHEN




STEPS

### PALLET INFORMATION

	HIGHLAND STONE®	SQFT/ Pallet	SQFT/ Layer	LAYER/ Pallet	UNITS/ Pallet	WEIGHT/ Pallet
FREESTANDING WALL	6 x 6 / 4 x 9	8.4	2.1	4	40	3280
	6 x 12 / 10 x 9	18.4	4.6		40	
	6 x 18 / 16 x 9	28.4	7.1	-	40	3480
RETAINING WALL	6 x 6 x 12	8	2	4	32	2912
	6 x 12 x 12	16	4		32	
	6 x 18 x 12	24	6	-	32	2592
CORNER	6 x 18 x 9	30	7.5	4	40	3260
UNIVERSAL CAP	3 x 18 / 12 x 13	22.54 SF 90 LF	2.82	8	72	3938

### SHAPES & SIZES

#### FREESTANDING WALL



6 x 6 / 4 x 9

6 x 12 / 10 x 9

6 x 18 / 16 x 9

#### RETAINING WALL



6 x 6 x 12

6 x 12 x 12

6 x 18 x 12

#### CORNER




6 x 18 x 9

#### UNIVERSAL CAP



3 x 18 / 12 x 13



IRON BAY



OXFORD CHARCOAL

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



## TECHNICAL SPECS

- Multi-piece systems create a random hand-laid look
- Can create straight or curved freestanding or retaining walls and a variety of outdoor features
- Rear-lip block makes installation fast and accurate
- Freestanding walls can be built up to 3 ft high, including buried course, excluding the cap
- Gravity walls can be built up to 4 ft, 6 in high, including buried course\*
- Taller walls can be built using geosynthetic reinforcement when designed by a qualified engineer
- Minimum outside radius, measured on the top course to the front of the units: 4 ft
- Minimum inside radius, measured on the base course to the front of the units: 8 ft

\*Gravity wall heights are based on project specific conditions and may be lower than this value.

## QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

# BELGARD®

AN OLDCASTLE® APG OUTDOOR BRAND

INDIANAPOLIS  
901 E. Troy Ave.  
Indianapolis, IN 46203  
Ph: 800-424-0119

© 2026 Oldcastle® APG, Inc. All Rights Reserved. BEL25-D-556100 | Great Lakes | Revised 01/2026


BRIDGEPORT  
6045 Dixie Highway,  
Bridgeport, MI 48722  
Ph: 800-424-0190

SHEFFIELD VILLAGE  
5190 Oster Rd.,  
Sheffield Village, OH 44054  
Ph: 440-949-1167

# LAMINA TANDEM™

## Retaining | Freestanding

This system's look and feel of multiple layers of natural stacked stone is defined by a chiseled texture and a unique z-shape that allows for a seamless connection between units.



FREESTANDING



RETAINING



COLUMNS



FIRE PITS



KITCHEN



STEPS

### PALLET INFORMATION

LAMINA TANDEM™		SQFT/PALLET	SQFT/LAYER	LAYER/PALLET	UNITS/PALLET	WEIGHT/PALLET
3-PIECE	7 x 15 <sup>13</sup> / <sub>16</sub> x 2 <sup>5</sup> / <sub>8</sub>	15.576	2.596	6	24	1666
	7 x 18 <sup>7</sup> / <sub>16</sub> x 2 <sup>5</sup> / <sub>8</sub>	18.696	3.116		24	
	7 x 21 <sup>1</sup> / <sub>16</sub> x 2 <sup>5</sup> / <sub>8</sub>	21.816	3.636		24	
COL- UMN UNIT	7 x 18 <sup>7</sup> / <sub>16</sub> x 2 <sup>5</sup> / <sub>8</sub>	45.43	9	5	45	1313

### SHAPES & SIZES

#### 3-PIECE

7 x 15<sup>13</sup>/<sub>16</sub> x 2<sup>5</sup>/<sub>8</sub>7 x 18<sup>7</sup>/<sub>16</sub> x 2<sup>5</sup>/<sub>8</sub>7 x 21<sup>1</sup>/<sub>16</sub> x 2<sup>5</sup>/<sub>8</sub>

#### COLUMN UNIT

7 x 18<sup>7</sup>/<sub>16</sub> x 2<sup>5</sup>/<sub>8</sub>



SCANDINA GRAY



SIENNA BLEND



PEWTER

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



## TECHNICAL Specs

- Consistent height tolerances
- Versatile system allows for the creation of multiple outdoor features
- Build curved or straight retaining or freestanding walls
- Offered in 3 sizes to allow for design versatility and customization
- Minimum outside radius of 6'
- Freestanding walls up to 28"
- Engineered 90° corners
- Gravity walls up to 3 feet\* using a 1/2 inch setback per unit (4 degree system batter)
- Reinforced walls up to 8 feet
- System can be installed utilizing the Tandem Modular Block or Tandem Omni Connector

\*Gravity wall heights are based on project specific conditions and may be lower than this value.

## QUALITY FOR LIFE


Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

# MELVILLE TANDEM™

## Retaining | Freestanding

The distinctive smooth face and large format size provide a modern aesthetic for a wide variety of outdoor living projects including retaining walls, kitchens, built-in seating and more.



FREESTANDING



RETAINING



COLUMNS



FIRE PITS



KITCHEN



STEPS

### PALLET INFORMATION

MELVILLE TANDEM™		SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
3-PIECE	7 x 13 <sup>3</sup> / <sub>16</sub> x 2 <sup>5</sup> / <sub>8</sub>	19.2	3.2	6	30	2082
	7 x 15 <sup>1</sup> / <sub>16</sub> x 2 <sup>5</sup> / <sub>8</sub>	23.1	3.85		30	
	7 x 18 <sup>7</sup> / <sub>16</sub> x 2 <sup>5</sup> / <sub>8</sub>	27	4.5		30	
COL- UMN UNIT	7 x 15 <sup>1</sup> / <sub>16</sub> x 2 <sup>5</sup> / <sub>8</sub>	45.43	9	5	45	1313

### SHAPES & SIZES

#### 3-PIECE

7 x 13<sup>3</sup>/<sub>16</sub> x 2<sup>5</sup>/<sub>8</sub>7 x 15<sup>1</sup>/<sub>16</sub> x 2<sup>5</sup>/<sub>8</sub>7 x 18<sup>7</sup>/<sub>16</sub> x 2<sup>5</sup>/<sub>8</sub>

#### COLUMN UNIT

7 x 15<sup>1</sup>/<sub>16</sub> x 2<sup>5</sup>/<sub>8</sub>



ANTHRACITE

Cap is only available in Anthracite



NEWPORT GRAY



SCANDINA GRAY

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



## TECHNICAL SPECS

- Can be used to create a wide variety of outdoor features
- Build curved or straight retaining and freestanding walls
- Offered in 3 sizes to allow for design versatility and customization
- Minimum outside radius of 6'
- Freestanding walls up to 28"
- Engineered 90° corners
- Gravity walls up to 3 feet\* using a 1/2 inch setback per unit (4 degree system batter)
- Reinforced walls up to 8 feet
- System can be installed using Tandem Modular Block or the Tandem Omni Connector

\*Gravity wall heights are based on project specific conditions and may be lower than this value.

## QUALITY FOR LIFE


Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

# MELVILLE™ WALL

## Garden | Freestanding

Distinctive smooth faces, subtle edges and clean design make this wall stand out for the modern aesthetics it provides. This system is comprised of a double-sided wall unit, along with a matching cap.



DEVELOPED BY  
**ANCHOR**  
DIAMOND  
WALL INDUSTRY EXPERTS



FREESTANDING



GARDEN



COLUMNS



FIRE PITS



KITCHEN



STEPS

### PALLET INFORMATION

MELVILLE™ WALL		SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
BLOCK	4 x 20 x 10	26.67 SRW 53.33 FSW	4.44 SRW 8.88 FSW	6	48	3149
WEDGE	4 x 9½ x 10	-	-	6	72	1921
CAP	2 x 20 x 13	100 LF	10 LF	10	60	2450

### SHAPES & SIZES

#### BLOCK



4 x 20 x 10

#### WEDGE



4 x 9½ x 10

#### CAP



2 x 20 x 13



ANTHRACITE



HICKORY



SCANDINA GRAY



SHADED GRAY

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



## TECHNICAL SPECS

- Matching cap provides a seamless aesthetic
- Integrate cap into wall design to create depth and custom appearance
- Multiple installation patterns
- Pairs well with other Melville product lines
- Simplistic design allows for easy installation of walls and other outdoor features
- 2 foot maximum height is perfect for garden and planter walls

## QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

**BELGARD®**  
AN OLDCASTLE® APG OUTDOOR BRAND

INDIANAPOLIS  
901 E. Troy Ave.  
Indianapolis, IN 46203  
Ph: 800-424-0119


BRIDGEPORT  
6045 Dixie Highway,  
Bridgeport, MI 48722  
Ph: 800-424-0190

SHEFFIELD VILLAGE  
5190 Oster Rd.,  
Sheffield Village, OH 44054  
Ph: 440-949-1167

# STERLING®

## Retaining | Freestanding | Column

The classic split-stone look of this retaining wall is paired with an innovative design that allows the block to be split in half to create two-sided freestanding walls.



DEVELOPED BY  
**ANCHOR**  
DIAMOND  
WALL INDUSTRY EXPERTS



FREESTANDING



RETAINING



COLUMNS



FIRE PITS



KITCHEN



STEPS

### PALLET INFORMATION

STERLING®		SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
BLOCK	6 x 17¾ x 12	33.3	6.66	5	45	3983
UNIVERSAL CAP	3 x 18 / 12 x 13	22.54 SF 90 LF	2.82	8	72	3938
PINS	5 x ½ diameter 2 pins per block (sold separately)	100 per bag	-	-	-	15 lbs per bag

### SHAPES & SIZES

#### BLOCK



6 x 17¾ x 12

#### UNIVERSAL CAP



3 x 18 / 12 x 13

#### PINS

5 x ½ diameter  
2 pins per block  
(sold separately)



HARVEST BLEND



IRON BAY



OXFORD CHARCOAL



GRAY

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



## TECHNICAL Specs

- Build retaining walls with easy pin alignment and side view for placement visualization
- Score marks for splitting block to make a two-sided freestanding wall unit
- Center score mark provides guide for splitting to make corner or column units
- Hand holds allow for easier handling during installation
- Maximum gravity retaining wall height is 4 ft\*
- Retaining wall minimum inside radius, measured on the base course to the front of the units: 6 ft
- Retaining wall minimum outside radius, measured on the top course to the front of the units: 4 ft
- Maximum freestanding wall (FSW) height is 3 ft\*
- Freestanding wall minimum radius 4 ft
- Maximum column height is 4 ft\*
- Segmental retaining wall setback/system batter 10.6°

\*Gravity wall heights are based on project specific conditions and may be lower than this value.

## QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

**BELGARD®**  
AN OLDCASTLE® APG OUTDOOR BRAND

INDIANAPOLIS  
901 E. Troy Ave.  
Indianapolis, IN 46203  
Ph: 800-424-0119


BRIDGEPORT  
6045 Dixie Highway,  
Bridgeport, MI 48722  
Ph: 800-424-0190

SHEFFIELD VILLAGE  
5190 Oster Rd.,  
Sheffield Village, OH 44054  
Ph: 440-949-1167

# VANGUARD

## Retaining | Freestanding

This versatile smooth-faced wall system creates coordinated contemporary retaining walls, freestanding walls and outdoor features for a cohesive design.



DEVELOPED BY  
**ANCHOR**  
DIAMOND  
WALL INDUSTRY EXPERTS



RETAINING



FREESTANDING



GARDEN



COLUMNS

### PALLET INFORMATION


VANGUARD		SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
3-PIECE	6 x 6/4 x 10	28.4	4	5.68	5	1921
	6 x 12/10 x 10		4			
	6 x 16/14 x 10		4			
CAP	3 x 18 x 13	72	6	9	8	2652

### SHAPES & SIZES

#### 3-PIECE



6 x 6/4 x 10




6 x 12/10 x 10




6 x 16/14 x 10

#### CAP



3 x 18 x 13

#### PINS



5 x 1/2 diameter  
2 pins / block  
(Sold separately. For SRW application only)



ANTHRAHITE



HICKORY




SHADED GRAY

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



## PALLET LAYOUT



## TECHNICAL Specs

- Builds walls, seating and columns from one system
- Gravity retaining walls up to 3 ft\* and freestanding walls up to 2 ft\*. 6 in.
- Lightweight open-core units for easier handling and cutting
- Open slotted pinholes to help form inside and outside curves
- Integrated corner solution to finish turns and ends without extra pieces
- Shared pin design with Diamond® Pro PS for cross-platform consistency

\*Gravity wall heights are based on project specific conditions and may be lower than this value.

## QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

# WESTON STONE™

## Garden | Freestanding

Offering the look of tumbled cut stone, this wall block is double-sided for the design flexibility to create a wide variety of garden walls and outdoor living features.



DEVELOPED BY  
**ANCHOR**  
DIAMOND  
WALL INDUSTRY EXPERTS



FREESTANDING



GARDEN



COLUMNS



FIRE PITS



KITCHEN



STEPS

### PALLET INFORMATION

WESTON STONE™	SQFT/ Pallet	SQFT/ Layer	Layer/ Pallet	Units/ Pallet	Weight/ Pallet
UNIVERSAL	4 x 12 x 8	40	6.67	6	120

### SHAPES & SIZES

UNIVERSAL



4 x 12 x 8



ANTHRACITE




HICKORY



IRON BAY



OXFORD CHARCOAL



PEARL

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



### TECHNICAL Specs

- Ideal for seat walls, garden walls, columns, outdoor features and steps
- Plantable wall designs & columns can be easily created
- Build freeform walls with minimal cuts
- Can be used to build gravity walls up to 2 feet high\*, including the buried course
- Minimum outside radius, measured on the top course to the front of the units: 5 feet
- Minimum inside radius, measured on the base course to the front of the units: 3 feet

\*Gravity wall heights are based on project specific conditions and may be lower than this value.

### QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

# ESPLANADE CAPS

## Pillar | Seat Wall | Fire Pit

Angular edges and a flat, beveled surface provide a contemporary finished look for columns and pillars.



### PALLET INFORMATION

ESPLANADE FIREPIT CAP		LNFT/ Pallet	LNFT/ Layer	Layer/ Pallet	Units/ Pallet	Weight/ Pallet
CAP	56 Outside Diameter x 2½ 35 Inside Diameter	-	-	-	8	626

ESPLANADE PILLAR CAPS		LNFT/ Pallet	LNFT/ Layer	Layer/ Pallet	Units/ Pallet	Weight/ Pallet
30" CAP	30 x 30 x 2½	-	-	-	6	1081
24" CAP	24 X 24 X 2½	-	-	-	8	950

ESPLANADE SEAT WALL CAP		LNFT/ Pallet	LNFT/ Layer	Layer/ Pallet	Units/ Pallet	Weight/ Pallet
CAP	14 x 30 x 2½	-	-	-	18	1513

### SHAPES & SIZES

CAP	 56 Outside Diameter x 2½ 35 Inside Diameter
30" CAP	 30 x 30 x 2½
24" CAP	 24 x 24 x 2½
CAP	 14 x 30 x 2½



ANTHRACITE



LIMESTONE

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



### TECHNICAL Specs

- Flat top provides platform for accessories such as light fixtures, planters or other decorative elements
- Universal size and easy, adhesive installation
- Complements any retaining or freestanding wall project
- Perfect solution for use in any climate

### QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

**BELGARD®**  
AN OLDCASTLE® APG OUTDOOR BRAND

INDIANAPOLIS  
901 E. Troy Ave.  
Indianapolis, IN 46203  
Ph: 800-424-0119


BRIDGEPORT  
6045 Dixie Highway,  
Bridgeport, MI 48722  
Ph: 800-424-0190

SHEFFIELD VILLAGE  
5190 Oster Rd.,  
Sheffield Village, OH 44054  
Ph: 440-949-1167

# ANGLIA EDGER®

## Edger

Larger edger units feature a chiseled finish and tapered edges to provide an elegant complement to driveways, patios, walkways and flower beds.




### PALLET INFORMATION

ANGLIA EDGER®		LNFT/ PALLET	LNFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
EDGER UNITS	5 1/4 x 7 5/8 x 8	8	2.67	3	12	2600
	5 1/4 x 10 x 8	10	3.33		12	
	5 1/4 x 15 5/8 x 8	15.75	5.25		12	
	5 1/4 x 17 3/4 x 8	36	12		24	

### SHAPES & SIZES

#### EDGER UNITS





IRON BAY



GASCONY TAN

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



## TECHNICAL Specs

- Tapered ends create either curves or straight installation
- 8" height simulates natural stone curbing
- Multiple lengths offer a random look and flexible installation
- Large scale pieces create efficient installation

## QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

# DELMARO

## Coping | 60mm

Contemporary styling in a small-format size creates a clean, continuous finished look of freeform pool and step designs.



MODULAR  
SIZING

### PALLET INFORMATION

DELMARO	LNFT/ PALLET	UNITS/ LAYER	LNFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET	
COPING 60MM	6 x 12 x 2 $\frac{3}{8}$	54	36	18	3	1580


### SHAPES & SIZES

#### COPING | 60MM


 6 x 12 x 2 $\frac{3}{8}$




BOURBON




FOG



MIDNIGHT



PEARL



ROSEWOOD

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



### TECHNICAL Specs

- Easily follows both straight and curved pools and step edges
- Sized for freeform and radius applications difficult for larger units
- Front finished edge provides a clean waterline or tread detail
- True 3" incremental sizing compatible with all modular paver styles—look for Modular Sizing icon
- Edge detail matches Dimensions and Origins pavers for consistent transitions
- Modular dimensions simplify estimating and ordering
- Sizing and dimensions simplify installation and reduce cuts and waste

### QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

Regional colors may vary. Check with your local Belgard Sales Rep.

# GRANIKA STEP® XL

## Step Unit

The beauty of natural granite features a quarried face on the step tread and smooth sides, which allows side-by-side placement for longer treads. Double-sided texture on the rise allows rotation for optimal aesthetics.



### PALLET INFORMATION

GRANIKA STEP® XL	LNFT/ PALLET	LNFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET	
STEP UNIT	6 x 48 x 18	24	8	3	6	2580

### SHAPES & SIZES

#### STEP UNIT



6 x 48 x 18



IRON BAY



GASCONY TAN

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



### TECHNICAL Specs

- Double-sided texture and two unique faces on the rise allow steps to be rotated for optimal aesthetics
- Smooth sides allow steps to be placed side by side for longer treads
- Granite-like texture on tread surface
- Even bottom and consistent size offer installation ease
- Palletized for easy removal by skid-steer loader
- Dry-cast production provides consistent color throughout unit
- Riser faces are uniquely designed to nest together, creating an optional landing with a narrow joint

### QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

**BELGARD®**

AN OLDCASTLE® APG OUTDOOR BRAND

INDIANAPOLIS  
901 E. Troy Ave.  
Indianapolis, IN 46203  
Ph: 800-424-0119

© 2026 Oldcastle® APG, Inc. All Rights Reserved. BEL25-D-556100 | Great Lakes | Revised 01/2026

BRIDGEPORT  
6045 Dixie Highway,  
Bridgeport, MI 48722  
Ph: 800-424-0190

SHEFFIELD VILLAGE  
5190 Oster Rd.,  
Sheffield Village, OH 44054  
Ph: 440-949-1167

NATURAL COLLECTION

BELGARD®

# GRAVA

## Coping | 60mm

Enriched with DuraFusion Technology for enhanced color, texture and durability, the large-format shape and natural slate texture bring timeless, stone-inspired style to pools, steps, walls and outdoor features.

AVAILABLE SPRING 2026



MODULAR  
SIZING



DURAFUSION  
TECHNOLOGY



FIRE PITS



STEP TREADS

### PALLET INFORMATION

GRAVA	LNFT/ PALLET	UNITS/ LAYER	LNFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET	
COPING 60MM	36 x 15 x 2 3/8	54	3	9	6	3222

### SHAPES & SIZES

#### COPING | 60MM




36 x 15 x 2 3/8



ASHWOOD 



CHESWICK 



IRON BAY 



NEWPORT GRAY 




TEAK 

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



### PALLET LAYOUT



### TECHNICAL SPECS

- Finishes straight pools, steps and wall caps with one coordinated look
- Front finished edge provides a clean waterline or tread detail
- True 3" incremental sizing compatible with all modular paver styles—look for Modular Sizing icon
- Edge detail and texture matches Origins pavers for consistent transitions
- Modular dimensions simplify estimating and ordering
- Sizing and dimensions simplify installation and reduce cuts and waste
- Large format, DuraFusion coping option for ultra premium finish



### DuraFusion™ Technology

A bold, vibrant finish with a smoother, tighter texture.

### QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

# BELGARD®

AN OLDCASTLE® APG OUTDOOR BRAND

INDIANAPOLIS  
901 E. Troy Ave.  
Indianapolis, IN 46203  
Ph: 800-424-0119

BRIDGEPORT  
6045 Dixie Highway,  
Bridgeport, MI 48722  
Ph: 800-424-0190


SHEFFIELD VILLAGE  
5190 Oster Rd.,  
Sheffield Village, OH 44054  
Ph: 440-949-1167

© 2026 Oldcastle® APG, Inc. All Rights Reserved. BEL25-D-556100 | Great Lakes | Revised 01/2026

# LANDINGS™

## Step Unit

The weathered step tread and chiseled look of quarried limestone on the rise adds grand style to landscape level changes, while the smooth face of the remaining sides allows for greater design flexibility.



### PALLET INFORMATION

LANDINGS™		LNFT/ PALLET	LNFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
STEP UNIT	6 x 48 x 18	24	8	3	6	2760

### SHAPES & SIZES

#### STEP UNIT



6 x 48 x 18



BLU STONE

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



## TECHNICAL Specs

- Double-sided texture and two unique faces on the rise allow steps to be rotated for optimal aesthetics
- Smooth sides allow steps to be placed side by side for longer treads
- Granite-like texture on tread surface
- Even bottom and consistent size offer installation ease
- Palletized for easy removal by skid-steer loader
- Dry-cast production provides consistent color throughout unit
- Riser faces are uniquely designed to nest together, creating an optional landing with a narrow joint



BROWN



MIDNIGHT



MOONLIGHT

## QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

# BELGARD®

AN OLDCASTLE® APG OUTDOOR BRAND

INDIANAPOLIS  
901 E. Troy Ave.  
Indianapolis, IN 46203  
Ph: 800-424-0119

BRIDGEPORT  
6045 Dixie Highway,  
Bridgeport, MI 48722  
Ph: 800-424-0190

SHEFFIELD VILLAGE  
5190 Oster Rd.,  
Sheffield Village, OH 44054  
Ph: 440-949-1167

# MARINA™

## Coping | 60mm

The smooth surface texture and refined, rounded edges make this bullnose coping a classic finishing touch to enhance pools and a variety of outdoor features.



### PALLET INFORMATION

MARINA™ COPING	LNFT/ PALLET	LNFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
6 X 12 60MM	5 <sup>15</sup> / <sub>16</sub> x 11 <sup>13</sup> / <sub>16</sub> x 2 <sup>3</sup> / <sub>8</sub>	97.5	2.5	5	195

### SHAPES & SIZES

#### 6 X 12 | 60MM



5<sup>15</sup>/<sub>16</sub> x 11<sup>13</sup>/<sub>16</sub> x 2<sup>3</sup>/<sub>8</sub>



BOURBON



IRON BAY



MIDNIGHT

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



### TECHNICAL Specs

- Rounded edges protect feet and hands when getting out of a pool or going up and down steps.
- Offers a stylish finishing touch to blend seamlessly with patios.
- Helps pool or spa hold its shape by keeping walls straight and rigid, and protects surrounding area from water damage.
- Versatile use as pool coping or to edge steps, planters, columns or terraces

### QUALITY FOR LIFE


Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

# MELVILLE™

## Curb

The smooth, contemporary finish of this curb perfectly complements any paver. Its unique length and sleek design allows for versatility and transitions with modern style.



### PALLET INFORMATION

MELVILLE™ CURB		LNFT/ PALLET	LNFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
CURB	4 x 24 x 6½	96	24	4	48	2480

### SHAPES & SIZES

CURB  
 4 x 24 x 6½



BOURBON



FOG



MIDNIGHT



PEARL

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



### TECHNICAL Specs

- Elegant smooth face and elongated shape
- Perfect complement for oversized slabs and pavers
- Elegant finishing touch for driveways, walkways and gardens
- Pairs well with Melville walls and fire features
- Bury the course for low-profile curbing or lay at full height for a more dimensional look

### QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

METROPOLITAN COLLECTION

BELGARD®

# MODENA

## Coping | 60mm

Enriched with DuraFusion Technology for enhanced color, texture and durability, this large-format coping with a smooth, architectural face finishes pools, steps, walls and outdoor features with a clean modern edge.

AVAILABLE SPRING 2026



MODULAR  
SIZING



DURAFUSION  
TECHNOLOGY



FIRE PITS



STEPS

### PALLET INFORMATION

MODENA	LNFT/ PALLET	UNITS/ LAYER	LNFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET	
COPING 60MM	36 x 15 x 2 <sup>3</sup> / <sub>8</sub>	54	3	9	6	3222

### SHAPES & SIZES

#### COPING | 60MM



36 x 15 x 2<sup>3</sup>/<sub>8</sub>



ANTHRAHITE




HICKORY



SCANDINA GRAY



SEPIA




SHADED GRAY

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



### PALLET LAYOUT



### TECHNICAL SPECS

- Finishes straight pools, steps and wall caps with one coordinated look
- Front finished edge for a clean waterline or tread detail
- True 3" incremental sizing compatible with all modular paver styles—look for Modular Sizing icon
- Edge detail matches Dimensions and Origins pavers for consistent transitions
- Modular dimensions simplify estimating and ordering
- Sizing and dimensions simplify installation and reduce cuts and waste
- Large format, DuraFusion coping option for ultra premium finish



#### DuraFusion™ Technology

A bold, vibrant finish with a smoother, tighter texture.

### QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

# BELGARD®

AN OLDCASTLE® APG OUTDOOR BRAND

INDIANAPOLIS  
901 E. Troy Ave.  
Indianapolis, IN 46203  
Ph: 800-424-0119

BRIDGEPORT  
6045 Dixie Highway,  
Bridgeport, MI 48722  
Ph: 800-424-0190

SHEFFIELD VILLAGE  
5190 Oster Rd.,  
Sheffield Village, OH 44054  
Ph: 440-949-1167

© 2026 Oldcastle® APG, Inc. All Rights Reserved. BEL25-D-556100 | Great Lakes | Revised 01/2026

# ARTFORMS™

## Modular Panel System

Innovative large-format modular panels offer contemporary lines and the versatility to create unlimited architectural features for outdoor living spaces.



### PALLET INFORMATION

ARTFORMS™		SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
OPEN END	18 x 36 x 3	81	9	9	9	2745
CLOSE END	18 x 36 x 3				9	
OPEN END	6 x 36 x 3	31.5	10.5	3	3	1095
CLOSE END	6 x 36 x 3				18	

### SHAPES & SIZES

18 X 36		18 x 36 x 3 Pallets contain both open and close ended units
---------	--	--

6 X 36		6 x 36 x 3 Pallets contain both open and close ended units
--------	--	---

### INSTALLATION HARDWARE\*

	ANCHOR SLIDE & NUT 50 units per box
	JOINING PLATE 10 units per box
	OUTER CORNER 10 units per box
	INNER CORNER 10 units per box
	STRETCHER 10 units per box

\*Installation hardware is sold separately



ANTHRACITE



HICKORY



SCANDINA GRAY

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



### TECHNICAL Specs

- Large format high-strength concrete panels
- Clean lines for a contemporary aesthetic
- Mechanically fastened with stainless steel hardware
- Ideal for outdoor living projects of all sizes
- Suitable for rooftop applications
- Efficient installation with minimal waste
- Minimal disruption for property owner
- Easily added to existing projects
- Endless design possibilities for outdoor living features including seat walls, fire and water features, planters, and outdoor kitchens

### QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

# BORDEAUX™ SERIES

## Grill Island & Fire Features

Timeless stackstone design with accents that emulate polished limestone, the components of this series transform outdoor living spaces with a coordinated, cohesive look.



### SHAPES & SIZES

#### FIREPLACE



2'7"D x 4'3"W x 7'8"H  
Pallet Weight: 4,170

#### WOOD BOXES



2'1¼"D x 3'3"W x 3'1"H Each  
Sold as a pair  
Pallet Weight: 3,070

#### LINEAR FIREPLACE



3'6½"D x 7'8"W x 4'5¼"H  
Pallet Weight: 4,000

#### GRILL ISLAND



2'6"D x 5'11"W x 3'5"H  
Grill & Doors included  
Pallet Weight: 3,260

#### LINEAR FIRE TABLE



2'11"D x 6'2"W x 2'5"H  
Pallet Weight: 2,500



PEWTER/MIDNIGHT/ACCENT

## LEARN MORE


View the product page on [Belgard.com](https://Belgard.com) for more information



## TECHNICAL Specs

- Pre-assembled modular features are each packaged as one unit that can be installed in hours versus days
- Units include fork slot configurations for easy transport and installation
- Fireplaces can be retro-fitted for gas burning log sets and burners
- Grill islands include stainless steel grill and door set—specify propane or natural gas when ordering

PLEASE NOTE: Be sure to check with your local municipality for any codes that may affect your installation.



SIENNA/BUFF/ACCENT



SIENNA/MIDNIGHT/ACCENT

## QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

**BELGARD®**  
AN OLDCASTLE® APG OUTDOOR BRAND

INDIANAPOLIS  
901 E. Troy Ave.  
Indianapolis, IN 46203  
Ph: 800-424-0190

BRIDGEPORT  
6045 Dixie Highway,  
Bridgeport, MI 48722  
Ph: 800-424-0190

SHEFFIELD VILLAGE  
5190 Oster Rd.,  
Sheffield Village, OH 44054  
Ph: 440-949-1167

# MELVILLE™ SERIES

## Grill Island & Fire Features

Stunning linear design features a smooth face and subtle edges to deliver a sleek, contemporary style. Components work together to provide a cohesive finished look.



### SHAPES & SIZES

#### FIREPLACE



2'7"D x 4'3"W x 7'8"H  
Pallet Weight: 4,170

#### WOOD BOXES



2'1¼"D x 3'3"W x 3'1"H Each  
Sold as a pair  
Pallet Weight: 3,070

#### LINEAR FIREPLACE



3'6½"D x 7'8"W x 4'5¼"H  
Pallet Weight: 4,000

#### GRILL ISLAND



2'6"D x 5'11"W x 3'5"H  
Grill & Doors included  
Pallet Weight: 3,260

#### LINEAR FIRE TABLE




2'11"D x 6'2"W x 2'5"H  
Pallet Weight: 2,500



## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



Body Color

Accent Color

## TECHNICAL SPECS

- Contemporary smooth linear design that coordinates with Melville™ Wall and Melville™ Tandem Wall
- Pre-assembled modular features are each packaged as one unit that can be installed in hours versus days
- Units include fork slot configurations for easy transport and installation
- Fireplaces can be retro-fitted for gas burning log sets and burners
- Grill islands include stainless steel grill and door set—specify propane or natural gas when ordering

PLEASE NOTE: Be sure to check with your local municipality for any codes that may affect your installation.

## QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

# MELVILLE™

## Fire Pit

Compatible with the Elements™ fire pit insert, special wedge-shaped blocks of our smooth-faced Melville Wall create this circular fire pit to perfectly complement our Melville Series of walls and outdoor features.



### ROUND FIRE PIT

- 54 $\frac{3}{8}$ " outside diameter
- 34 $\frac{3}{8}$ " inside diameter
- Stacks 4 rows high
- Cap sold separately.
- Elements inserts sold separately.
- Pallet Weight: 1921

### SHAPES & SIZES

#### WEDGE



4 x 9 $\frac{1}{2}$  x 10

#### FIRE INSERT



Item #70580597  
Elements 34" Smoke-less  
Wood Fire Pit Insert

#### GAS INSERT



Item #70585063  
Elements 34" Round Gas  
Fire Pit Burner Kit



ANTHRACITE

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



## TECHNICAL Specs

- Special wedge-shaped blocks of Melville Wall
- Coordinates with Melville pavers and the Melville Series of kitchen and fire features
- Pallet includes all blocks needed to complete circular fire pit



HICKORY



SCANDINA GRAY



SHADED GRAY

## QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

# WESTON STONE™

## Fire Pit Kit

With the look of tumbled cut stone, this fire pit makes a beautiful addition to any outdoor living space and is the ideal complement to projects with Weston Stone walls.



### ROUND FIRE PIT

- 35" inside diameter
- Stacks 3 rows high
- Adhesive is included
- Cap sold separately

### SHAPES & SIZES

#### UNIT 1



4 x 12 x 8



IRON BAY



MIDNIGHT

## LEARN MORE

View the product page on [Belgard.com](https://Belgard.com) for more information



## TECHNICAL Specs

- Quick and easy to assemble with everything you need on a single pallet
- A beautiful complement to projects with Weston Stone™ walls
- Inserts and caps sold separately

## QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Belgard.com/Warranty](https://Belgard.com/Warranty)

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

# BELGARD®

AN OLDCASTLE® APG OUTDOOR BRAND

INDIANAPOLIS  
901 E. Troy Ave.  
Indianapolis, IN 46203  
Ph: 800-424-0119

© 2026 Oldcastle® APG, Inc. All Rights Reserved. BEL25-D-556100 | Great Lakes | Revised 01/2026

BRIDGEPORT  
6045 Dixie Highway,  
Bridgeport, MI 48722  
Ph: 800-424-0190

SHEFFIELD VILLAGE  
5190 Oster Rd.,  
Sheffield Village, OH 44054  
Ph: 440-949-1167

ENHANCED OUTDOOR LIVING

# COMPLETE THE VISION

Appliances & Accents



WANT MORE  
KITCHEN, FIRE OR  
WATER FEATURES?

[ElementsHome.com](http://ElementsHome.com)



## FIRE PITS & BOWLS

Artisan fire features and planters to enhance the style of any space.



Artisan Cast Stone  
Rectangle Fire Pit



Artisan Cast Stone  
Square Bowl

## FIRE PIT INSERTS

Burner kits and inserts for easy installation of fire features.



Elements Round Gas  
Fire Pit Burner Kit



Smoke-less  
Fire Pit Insert

## ARTFORMS™ + ELEMENTS™

Our Artforms™ Modular Panel System is designed to work seamlessly with Elements™ appliances and accessories for the efficient installation of contemporary outdoor kitchens and living rooms.

### Pro Tip

Set yourself up for repeat business by phasing projects: Start with a patio now—add a kitchen next season!



### OUTDOOR COOKING

(carts available for freestanding options)

Gourmet cooking appliances for outfitting outdoor kitchens with grills, burners, smokers and more.



Elements Blue  
Diamond Kamado



Elements  
Griddle



Elements Pro  
Built-In Grill

### OUTDOOR KITCHEN STORAGE

Storage and refrigeration for enhancing functionality.



Elements 2-Bin  
Trash Door



Elements Double  
Drawers



Elements 22" Outdoor  
Refrigerator



BELGARD®  
PAVES THE WAY



BELGARD®  
PAVES THE WAY



BELGARD®  
PAVES THE WAY

OLDCASTLE

A photograph of three construction workers in a wooded area. Two workers are in the foreground, wearing blue shirts and jeans, and are working on a stone or paver project. One worker is wearing a blue cap and sunglasses, and the other is wearing a white cap. A third worker's legs are visible on the far left. Stacks of pavers and tools are scattered around the work site. The background is a dense green forest.

# RESOURCES FOR EVERY STEP

EXPLORE LAYING PATTERNS,  
DESIGN TOOLS, AND BUSINESS  
RESOURCES THAT MAKE EVERY  
PROJECT EASIER AND EVERY  
RESULT EXCEPTIONAL

# EXPLORE THE 2026 COLOR OFFERINGS

With so many shades, hues and variations, we've made it easy to create the exact aesthetic and personality to fit each vision.

\*Available in Pavers Only \*\*Available in Walls Only

## Blended Colors

Blends of three or more complementary or contrasting colors create a more dramatic look.



CHESWICK\*



GALWAY\*



ASHWOOD\*



SIENNA BLEND\*\*



GASCONY TAN\*\*



BRITTANY BEIGE\*



FOSSIL BEIGE



ASHBURY HAZE



LAPORTE\*



SHELBY BLEND\*\*



HARVEST BLEND



NEWPORT GRAY



IRON BAY



TEAK\*

Due to the natural materials in our products, colors may vary from those shown in our catalog. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

## Solid Colors

Products with a consistent color tone throughout are primarily used for design accents or to create a neutral backdrop.



PEARL\*\*



MOONLIGHT\*\*



STONE GRAY\*\*



SANDSTONE\*\*



BOURBON\*



ROSEWOOD\*



FOUNDRY\*\*



MIDNIGHT



FOG\*

## Tone-on-Tone Colors

Subtle shifts in shade and tone within the same color family are often used to create a contemporary look.



SEPIA



HICKORY



SCANDINA GRAY



SHADED GRAY



OXFORD CHARCOAL\*\*



ANTHRACITE

## PAVER TECHNOLOGY GUIDE

# OPTIONS THAT PERFORM FOR EVERY LIFESTYLE

Choose textures and tones for the desired look, with performance engineered for how the space will be used. No matter the climate or site conditions, the right paver technology stands up to everyday life and delivers lasting style.

**The Right Paver Technology for the Right Project, Every Time.**



### Core Mix

A staple in outdoor patio design, offering consistent color through the whole paver to minimize wear.



### DuraFusion™

Ideal for design-forward projects and regions with harsh or unpredictable winter weather.





### ColorTech™

Factory-applied finish for sun-exposed spaces where long-lasting color and easy maintenance matter most.



### DuraFusion™ + ColorTech™

Ultimate protection offers lasting durability, bold texture, and vibrant color.



PROTECT THEIR INVESTMENT

# MAINTENANCE & PROTECTION

For 40 years, Techniseal® products have been trusted by residential and commercial hardscape installers. As a one-stop shop, Belgard offers Techniseal sealers, adhesives and edging to achieve long-lasting results.



WANT MORE  
PRODUCT OPTIONS?

[Belgard.com/Techniseal](http://Belgard.com/Techniseal)



## REMOVE STAINS

Tackle tough surface stains with specially formulated stain removers.



Rust stain  
remover



Dirt & grease  
stain remover

## ELIMINATE EFFLORESCENCE

Maintain and restore the beauty of your hardscape surfaces.



Paver restorer  
removes haze  
created by some  
polymeric sands



Paver Prep dislodges  
efflorescence and  
ground-in dirt

## PREVENT WEEDS & EROSION

Enhance aesthetics, durability and stability of paver projects.



The smart choice  
for everyday  
installations



High-performance,  
the only real  
no-haze, no-dust  
alternative



## Maintenance Tip

Allow pavers to cure prior to sealant application. Discuss with your representative, as cure time varies by climate. Maintain the long-term beauty of pavers by cleaning and resealing every 3 to 5 years.



## STAIN RESISTANCE

Protect pavers or enhance color with top quality sealers.



Natural look with matte finish, preserves the natural beauty of pavers

Color Boost CB+ matte finish, enhances the color of pavers

## ENHANCE STABILITY

NextGel™ technology ensures stability of patios and walkways.



Fortified hardscape concrete edging

## SUPERIOR STRENGTH

Bond construction materials 50% faster (8-minute bond time).



Hardscape foam adhesive

PARTNERING FOR YOUR SUCCESS

# BELGARD AUTHORIZED CONTRACTOR PROGRAM



**SIGN UP  
TODAY**

[Belgard.com/Pro](https://Belgard.com/Pro)



## **Exclusive Sales Tools**

Win more jobs with custom resources.

## **Priority Leads**

Get homeowner inquiries first.

## **Homeowner Financing**

Offer flexible payment options.

## **VIP Events**

Network and learn at exclusive gatherings.



GROW YOUR BUSINESS WITH BELGARD

# BUILD SKILLS. BOOST PROFITS. DRIVE SUCCESS.

## Hands-On Learning

Master hardscape techniques and trends through interactive sessions.



## Industry Certifications

Earn credentials that build trust and set you apart.

## Networking That Counts

Connect with pros, share ideas, and grow partnerships.

## Flexible Learning Options

Learn in person or online—anytime, anywhere.



### FIND TRAINING

[Belgard.com/Training](https://Belgard.com/Training)

BUILD MORE, EARN MORE  
WITH BELGARD.

Oldcastle® APG Partner Rewards is a contractor loyalty program that not only provides rewards for your purchases across numerous Oldcastle® APG brands, it also opens the door for opportunities to grow your business. Let's build your business together.



Oldcastle<sup>APG</sup>  
**PARTNER  
REWARDS**

ENROLL  
TODAY


[OldcastlePartnerRewards.com](https://OldcastlePartnerRewards.com)



CLOSE SALES FASTER

# BELGARD DESIGN STUDIO

Showing homeowners a clear vision of their project is key to closing the deal. Belgard Design Studio gives you customizable templates and augmented reality tools that make it easy for clients to picture their finished space. By helping them see the design come to life, you remove hesitation and give them the confidence to say yes.




## BELGARD DESIGN STUDIO

Turn your personal photos & sketches into customized 3D digital renderings.



[Belgard.com/DesignStudio](http://Belgard.com/DesignStudio)



# BELGARD RESOURCES

## ARTFORMS IDEA BOOK



## ARTFORMS IDEA BOOK - SPANISH



## INSTALLATION GUIDE

## FIND YOUR SALES REP

**Need help with designs?**

Browse hundreds of pre-designed outdoor living spaces that simplify planning, design, and installation for your dream backyard.

- Create sharable collections of favorite designs
- Customize layouts and materials with Design Studio
- Get full plans with materials lists

INCLUDING AUGMENTED REALITY!

[Belgard.com/Rooms](http://Belgard.com/Rooms)



# LAYING PATTERNS


## Important Note

Some patterns may not necessarily reflect the percentages of stone sizes within a particular pallet. In some cases you may have extras in one or more of the sizes. **This must be accounted for in your planning and design.**


AutoCAD® hatch pattern files can be downloaded from [belgard.com](http://belgard.com) for use in architectural drawings.

## Brooklyn™

Running Bond | 100% 3 x 9




Basket Weave | 100% 3 x 9



## Charlestone™

Running Bond | 25% 6 x 6, 33% 6 x 9, 42% 6 x 12




## Important Note


Some patterns may not necessarily reflect the percentages of stone sizes within a particular pallet. In some cases you may have extras in one or more of the sizes. **This must be accounted for in your planning and design.**

## Dimensions™ 6 | Origins™ 6


3-Piece



Herringbone



Running Bond




## Important Note


Some patterns may not necessarily reflect the percentages of stone sizes within a particular pallet. In some cases you may have extras in one or more of the sizes. **This must be accounted for in your planning and design.**

## Dimensions™ 12 | Origins™ 12


3-Piece



Herringbone



Running Bond




## Important Note


Some patterns may not necessarily reflect the percentages of stone sizes within a particular pallet. In some cases you may have extras in one or more of the sizes. **This must be accounted for in your planning and design.**

## Dimensions™ 18 | Origins™ 18 | Papyrus™ 18


Pattern A



Pattern B



Pattern C




## Important Note


Some patterns may not necessarily reflect the percentages of stone sizes within a particular pallet. In some cases you may have extras in one or more of the sizes. **This must be accounted for in your planning and design.**

## Dimensions™ Paver


Running Bond | 100% 3 x 12




Basket Weave | 100% 3 x 12



Herringbone | 100% 3 x 12



Running Bond | 100% 6 x 9




## Important Note


Some patterns may not necessarily reflect the percentages of stone sizes within a particular pallet. In some cases you may have extras in one or more of the sizes. **This must be accounted for in your planning and design.**

## Dimensions™ Paver


Basket Weave | 100% 6 x 9




Herringbone | 100% 6 x 9



Running Bond | 100% 6 x 12



Herringbone | 100% 6 x 12




## Important Note


Some patterns may not necessarily reflect the percentages of stone sizes within a particular pallet. In some cases you may have extras in one or more of the sizes. **This must be accounted for in your planning and design.**

## Dimensions™ Slab

Stack Bond | 100% 12 x 24




Running Bond | 100% 12 x 24



## Geometric Shapes

Hexagon | 100% 10 1/2 x 12




## Important Note


Some patterns may not necessarily reflect the percentages of stone sizes within a particular pallet. In some cases you may have extras in one or more of the sizes. **This must be accounted for in your planning and design.**

## Holland Stone


Running Bond | 100% 4 x 8



Herringbone | 100% 4 x 8



Basket Weave | 100% 4 x 8




**Important  
Note**


Some patterns may not necessarily reflect the percentages of stone sizes within a particular pallet. In some cases you may have extras in one or more of the sizes. **This must be accounted for in your planning and design.**

## Aqualine™

Running Bond | 100% 4½ x 9 x 3½



Basketweave | 100% 4½ x 9 x 3½




**Important Note**


Some patterns may not necessarily reflect the percentages of stone sizes within a particular pallet. In some cases you may have extras in one or more of the sizes. **This must be accounted for in your planning and design.**

## Cambridge Cobble®

2-Piece | 25% 6 x 6, 75% 6 x 9




Herringbone | 100% 6 x 9




## Mega-Libre®

Random Running Bond | 23% 16 1/4 x 23 3/4, 77% 16 1/4 x 31



# Every Outdoor Possibility. One Trusted Partner.

Complete solutions to simplify how pros  
design and deliver outstanding spaces.





**FREESTYLE™**  
Shade & Privacy

**CATALYST®**  
Fencing

**ELEMENTS™**  
Outdoor Cooking

**BELGARD®**  
Hardscapes

**TECHNISEAL®**  
Finish & Protect



**Oldcastle® APG**

A CRH COMPANY

Oldcastle® APG transforms how pros approach outdoor projects with integrated hardscape, decking, fencing and railing solutions backed by the expertise and resources of one powerful partner. The result is streamlined planning, smoother installs and elevated spaces that help more clients Live Well Outside.

[OldcastleAPG.com](http://OldcastleAPG.com)

**BELGARD®**

AN OLDCASTLE® APG OUTDOOR BRAND

**BELGARD.COM**

© 2026 Oldcastle® APG, Inc. All Rights Reserved. BEL25-D-556100 | Great Lakes | Revised 01/2026