

TABLE OF

CONTENTS











PAVERS

1	Aqualine
3	Basalt™
5	Belgian Cobble®
7	Brooklyn™

Cambridge cobble®

Charlestone™ 11

Dimensions[™] 3-Piece 13-24 25 Dimensions[™] Paver Dimensions[™] Slab 27 29 Dublin cobble® Geometric shapes 31 33-36 **Holland Stone** 37 Mega-Libre® 39-48 Origins™3-Piece 49 Origins[™] Paver 51 Papyrus™

Turfstone™

53

55 **PORCELAIN**

55 Glocal **57** Lagoon 59 Noon November 63 Quarziti 2.0 65 Travertini

67

Unico 2.0

93

COPING, CAPS, EDGERS & STEPS

93 Anglia Edger® 95 Esplanade° 97 Granika Step® XL 99 Landings™ Marina™ 101





69

69

91

WALLS

0,	Asiltai Tallacili
71	Diamond® 9D
73	Diamond Pro® Smooth
75	Diamond Pro® Straight
77	Easton Stone™
79	Highland Stone®
81	Lamina Tandem™
83	Melville Tandem™
85	Melville™ Wall
87	Sterling®
89	Wellington Wall®

Weston Stone™

Ashlar Tandem™

103

KITCHENS & FIRE FEATURES

103	Artforms™
105	Beaufort™ Series
107	Bordeaux™ Series
109	Melville™ Series
111	Melville™ Fire Pit
113	Weston Stone™ Fire Pit Kit



WE COVER A LOT OF GROUND

LIFETIME TRANSFERABLE LIMITED WARRANTY

TRANSFERRABLE WARRANTY TIMELY INVESTIGATIONS REPLACEMENT OF DEFECTIVE PRODUCT AT NO CHARGE

Oldcastle APG ("Belgard") is proud to inform you that all of our interlocking concrete paver and retaining walls ("Products") meet and/or exceed the requirements of ASTM C-936 and ASTM C-1372. Belgard guarantees its Products against these standards for the lifetime of the Product defined by CMHA. This guarantee does not apply to splitting, chipping or other breakage that could be caused by impact, abrasion or overloading. This warranty is transferable. The original proof of purchase is required.

This warranty is only valid if the material is installed under the guidelines of the CMHA or the Belgard Installation Guideline Manual. Improper installation voids this warranty. This warranty is for residential applications only and does not apply to commercial applications. It is recommended that the job is installed by a Belgard Contractor Program participant who guarantees their workmanship for a minimum of 3 years from the date of install. For warranty service, contact Belgard at 1-877-BELGARD. A service representative will investigate your claim within 10 business days. If the Belgard product fails to meet the specifications, Belgard will replace the defective product at no charge. Color matching cannot be guaranteed. Belgard will not be responsible for any replacement labor, consequential damages or incidental damages. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state. Some states do not allow for the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

The warranties in this limited warranty are the only warranties applicable to the veneer products. There are no other warranties, representations, or conditions of any kind, express or implied, statutory or otherwise, with respect to the interlocking concrete paver or retaining wall products supplied by manufacturer, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. All such warranties are hereby specifically disclaimed and manufacturer shall have no liability therefor, not withstanding (1) manufacturer's actual knowledge of any intended use of the interlocking concrete paver or retaining wall products or (2) any advice or representations that may have been rendered by manufacturer concerning the design, manufacture, fabrication, sale, use, installation or provision of the interlocking concrete paver or retaining wall products. No statement, product, or description by manufacturer or its employees or other representatives, in addition to or beyond this limited warranty shall constitute a warranty. Buyer agrees that its sole and exclusive remedies for breach of this limited warranty, and the sole and exclusive obligations of manufacturer with respect to any claims for breach of this limited warranty, shall be those remedies expressly set forth herein.

AQUALINE

PERMEABLE PAVER | 80MM



An environmentally friendly choice with a smooth surface and crisp clean lines for traditional and contemporary designs. Versatile pattern range provides ultimate design flexibility.







COTSWOLD MIST

GRAPHITE



DRIVEWAY APPROVED







QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Interlocking spacer bars for increased structural performance
- · Smooth surface with a microchamfer to minimize vibration and enhance wheelchair comfort
- · Can be utilized to construct an ADA-compliant pavement
- · True installed dimensions for design optimization
- Optimal joint openings for infiltration and maintenance
- Can eliminate stormwater runoff and improve water quality
- Meets the requirements of ASTM C936
- · Chamfer Width: 3 mm
- · Spacer Bar Width: 10 mm
- Surface Infiltration Rate: > 500 inches per hour (varies based on joint infill gradation)
- Surface Open Area: 12%

SHAPES & SIZES

80MM



41/2 x 9 x 31/8

PALLET INFORMATION

AQU	ALINE™ SERIES	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
80MM	4½ x 9 x 3½	90	40	11.25	8	3375

Downloadable professional resources available at Belgard.com/Resources




BASALT

3-PIECE PAVER | 60MM



Now in a large-format size, the distinct character of hammered stone is enriched by DuraFusion Technology and factory-applied ColorTech sealant for an enhanced texture and ultimate durability.











SCANDINA GRAY 🤝





MODULAR SIZING





PALLET INFORMATION

BAS	ALT™	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
	9 x 18 x 23/8		2			
3-PIECE	18 x 18 x 2¾	112.5	1	11.25	10	3296
co	18 x 27 x 23/8		2			

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Upscale texture of flamed or hammered stone
- · Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- Simplified quoting and design of projects
- Uniform sizing in true 3-inch increments
- Modular sizing compatible with our other modular paver lines like Origins™ and Dimensions™



DURAFUSION" + COLORTECH"

Enhanced texture and wear-resistance with the added protection of factory-applied sealant

SHAPES & SIZES






BELGIAN COBBLE®

PAVER | 60MM



Emulating the look of stones found lining a mountain creek bed, this multi-piece system has seven unique shapes for creating random patterns and picturesque settings.







MIDNIGHT

MOONLIGHT





PALLET INFORMATION

BELGIAN COBBLE°		SQFT/	UNITS/	SQFT/	LAYER/	WEIGHT/
		PALLET	LAYER	LAYER	PALLET	PALLET
MULTI- PIECE	Variable x 2%	68	-	-	-	1640

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Seven unique shapes create a random pattern
- · Can be installed as either a standard or permeable pavement system
- Larger joints between pavers allow permeable installation with sitespecific engineering and proper base, bedding and joint aggregate
- · The use of Techniseal's polymeric jointing sand is recommended for non-permeable applications
- Can also be used for accents or borders

SHAPES & SIZES

MULTI-PIECE



Variable x 23/8

View the product page on Belgard.com for more information



BRIDGEPORT

6045 Dixie Highway,

Bridgeport, MI 48722

Ph: 800-424-0190

BROOKLYN

PAVER | 60MM




Its warm, weathered stone appearance and texture delivers a timeless look enriched with DuraFusion Technology and factory-applied ColorTech sealant for an enhanced texture and ultimate durability.









MIDNIGHT 🤝



ROSEWOOD 🤝

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.



MODULAR SIZING









ADA COMPLIANT

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Warm, weathered appearance and texture
- · Ideal for patios, walkways and accents
- · Uniform thickness and width
- · Modular sizing compatible with our other modular paver lines like Origins™ and Dimensions™
- Superior color technology provides rich color tones with lasting durability



DURAFUSION" + COLORTECH

Enhanced texture and wear-resistance with the added protection of factory-applied sealant

SHAPES & SIZES

PAVER



3 x 9 x 23/8

PALLET INFORMATION

BRO	OKLYN™ PAVER	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
WW09	3 x 9 x 2%	103.13	55	10.3	10	2805

Downloadable professional resources available at Belgard.com/Resources



CAMBRIDGE COBBLE®

PAVER | 60MM



Gently rounded corners and a domed pillow-top surface provide clean lines and a classic architectural appearance.







LAPORTE



HARVEST Only available in 6 x 9

PEWTER





PALLET INFORMATION

CAM	BRIDGE COBBLE°	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
9 X 9	6 x 6 x 23/8	120	48	12	10	3140
6 X 9	6 x 9 x 2%	113	30	11.3	10	3051

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at Belgard.com/Warranty

FEATURES & BENEFITS

- Clean lines and an architectural appearance
- · Classic style perfectly suited for almost any aesthetic and application
- Gently rounded corners with smooth pillow-top surface
- · Multi-piece system with accent options available on separate pallet

SHAPES & SIZES

6 X 9



 $6 \times 9 \times 2\%$

6 X 6



6 x 6 x 23/8




CHARLESTONE

3-PIECE PAVER | 60MM



Reminiscent of early American streets, these pavers feature the timeless look of weathered hand-cobbled stone with the added protection of factory-applied sealant for enhanced resistance from stains or fading.





MODULAR









MECHANICAL

PALLET INFORMATION

CHA	RLESTONE™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
	6 x 6 x 23/s	15	6	1.5		
WW0 9	6 x 9 x 23/8	45	12	4.5	10	2909
	6 x 12 x 2 ³ / ₈	45	9	4.5		

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at Belgard.com/Warranty

FEATURES & BENEFITS

- · Timeless look of hand-cobbled stone
- · Sized in true 3-inch increments for simplified estimating and ordering
- · Reduced cuts and waste
- · Pallet optimized for both mechanical and manual installation
- Sizing compatible with all Belgard modular paver lines -- look for the Modular Sizing icon



COLORTECH" SEALED Factory-applied sealant

SHAPES & SIZES

3-PIECE MODULAR | 60MM



6 x 6 x 23/8



6 x 9 x 23/8



6 x 12 x 23/8




DIMENSIONS[™] 6

3-PIECE SYSTEM | 60MM



The smooth and consistent finish of DuraFusion Technology complements the clean lines and linear surface of Dimesions, for contemporary style with enhanced wear-resistance.








SCANDINA GRAY 🤝



SHADED GRAY 🤝



MODIII AR





SIZING TECHNOLOGY COMPLIA

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

QUALITY FOR LIFE


- Smooth face with clean, crisp lines
- · Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- Increased options for creative patterns
- Simplified quoting and design of projects
- Uniform dimensions compatible with other Dimensions paver sizes
- Sizing compatible with all Belgard modular paver lines -- look for the Modular Sizing icon



DURAFUSION" TECHNOLOGY
Refined texture with enhanced wear-resistance

SHAPES & SIZES

DIMENSIONS 6 | 60MM



PALLET INFORMATION

DIM	ENSIONS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
9 8	3 x 6 x 23/8		-			
DIMENSIONS 60MM	6 x 6 x 23/8	120	-	12	10	3516
DIM	6 x 9 x 23/8		-			

Downloadable professional resources available at **Belgard.com/Resources**




DIMENSIONS[™] 12

3-PIECE SYSTEM | 60MM



The smooth and consistent finish of DuraFusion Technology complements the clean lines and linear surface for contemporary style with enhanced wear-resistance.









HICKORY 🤝



SCANDINA GRAY 🤝



SEPIA 🤝



SHADED GRAY 🤝





MODULAR SIZING





PALLET INFORMATION

DIM	ENSIONS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
S 12	6 x 12 x 23/8		-			
DIMENSIONS '	12 x 12 x 2¾	120	_	12	10	3516
DIME	12 x 18 x 23/6		-			

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS


- Smooth face with clean, crisp lines
- · Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- Increased options for creative patterns
- Simplified quoting and design of projects
- Uniform dimensions compatible with other Dimensions paver sizes
- Sizing compatible with all Belgard modular paver lines -- look for the Modular Sizing icon



DURAFUSION" TECHNOLOGY
Refined texture with enhanced wear-resistance

SHAPES & SIZES

DIMENSIONS 12 | 60MM



12 x 18 x 23/8



DIMENSIONS[™]12

3-PIECE SYSTEM | 80MM



The smooth and consistent finish of DuraFusion Technology complements the clean lines and linear surface for contemporary style with enhanced wear-resistance.







SCANDINA GRAY 🤝



SHADED GRAY 🤝



MODULAR SIZING





PALLET INFORMATION

DIM	ENSIONS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
S 12	6 x 12 x 31/8		-			
DIMENSIONS '8	12 x 12 x 31/8	96	_	12	8	3600
DIME	12 x 18 x 23/6		-			

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS


- Smooth face with clean, crisp lines
- · Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- Increased options for creative patterns
- Simplified quoting and design of projects
- Uniform dimensions compatible with other Dimensions paver sizes
- Sizing compatible with all Belgard modular paver lines -- look for the Modular Sizing icon



DURAFUSION" TECHNOLOGY
Refined texture with enhanced wear-resistance

SHAPES & SIZES

DIMENSIONS 12 | 80MM



12 x 18 x 23/8



DIMENSIONS[™]18

3-PIECE SYSTEM | 60MM



The smooth and consistent finish of DuraFusion Technology complements the clean lines and linear surface of Dimesions, for contemporary style with enhanced wear-resistance









HICKORY 🤝



SCANDINA GRAY 🤝



SEPIA 🤝



SHADED GRAY 🤝





MODULAR SIZING







PALLET INFORMATION

DIM	ENSIONS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
S 18	9 x 18 x 23/8		2			
DIMENSIONS '	18 x 18 x 2¾	112.5	1	11.25	10	3296
	18 x 27 x 23/8		2			

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at Belgard.com/Warranty

FEATURES & BENEFITS


- Smooth face with clean, crisp lines
- · Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- · Increased options for creative patterns
- Simplified quoting and design of projects
- · Uniform dimensions compatible with other Dimensions paver sizes
- Sizing compatible with all Belgard modular paver lines -- look for the Modular Sizing icon



DURAFUSION" TECHNOLOGY Refined texture with enhanced wear-resistance

SHAPES & SIZES

DIMENSIONS 18 | 60MM







DIMENSIONS[™]12

3-PIECE SYSTEM | 60MM



The contemporary style and clean lines of Dimensions with the added protection of factory-applied sealant for enhanced resistance from stains or fading.











GALWAY 💍

IRON BAY 💍

SHADED GRAY 💍



MODULAR S17ING





PALLET INFORMATION

DIM	ENSIONS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
DIMENSIONS 12 60MM	6 x 12 x 23/8	120	4	12	10	3516
	12 x 12 x 23/8		4			
	12 x 18 x 23/8		4			

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Smooth face with clean, crisp lines
- · Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- Increased options for creative patterns
- Simplified quoting and design of projects
- Uniform dimensions compatible with other Dimensions paver sizes
- Sizing compatible with all Belgard modular paver lines -- look for the Modular Sizing icon



COLORTECH' SEALED
Factory-applied sealant

SHAPES & SIZES

DIMENSIONS 12 | 60MM



6 x 12 x 23/8



12 x 12 x 23/8



12 x 18 x 23/8




DIMENSIONS[™] 18

3-PIECE SYSTEM | 60MM



The contemporary style and clean lines of Dimensions with the added protection of factory-applied sealant for enhanced resistance from stains or fading.





MODULAR S17/MC





PALLET INFORMATION

DIM	ENSIONS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
S 18	9 x 18 x 23/8		2			
DIMENSIONS '	18 x 18 x 23/8	112.5	1	11.25	10	3296
DIME	18 x 27 x 23/8		2			

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS


- Smooth face with clean, crisp lines
- · Contemporary large-format sizing
- Maximized pallet layout for jobsite efficiencies
- Reduced cuts, installation time and waste
- · Increased options for creative patterns
- · Simplified quoting and design of projects
- Uniform dimensions compatible with other Dimensions paver sizes
- Sizing compatible with all Belgard modular paver lines -- look for the Modular Sizing icon



COLORTECH' SEALED
Factory-applied sealant

SHAPES & SIZES

DIMENSIONS 18 | 60MM





DIMENSIONS

PAVER | 60MM



With a shape ideal for driveways, small patios and borders, the smooth face of these contemporary pavers are enriched with DuraFusion for enhanced texture and wear-resistance.









BOURBON 🤝



M U U N L I U H I











DRIVEWAY APPROVED

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at Belgard.com/Warranty

FEATURES & BENEFITS

- Smooth face with clean, crisp lines
- · Ideal for small patios, walkways, borders, accents and residential vehicular applications
- · Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- · Increased options for creative patterns
- · Simplified quoting and design of projects
- · Uniform dimensions compatible with other Dimensions paver sizes
- · Sizing compatible with all Belgard modular paver lines -- look for the Modular Sizing icon



DURAFUSION" TECHNOLOGY Refined texture with enhanced wear-resistance

SHAPES & SIZES

3X9 | 60MM



3 x 9 x 23/8

6X9 | 60MM



6 x 9 x 23/8

PALLET INFORMATION

DIMENSIONS™ PAVER		SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
3X9 60MM	3 x 9 x 23/8	103.13	55	10.3	10	2805
6X9	6 x 9 x 23/8	112.5	30	11.25	10	3296

Downloadable professional resources available at Belgard.com/Resources




DIMENSIONS

SLAB | 60MM



The expansive size is distinguished by clean, crisp lines and a smooth, linear surface enriched with DuraFusion Technology for enhanced color, texture and wear-resistance.









CHESWICK 🤝



HICKORY 🤝



SCANDINA GRAY 🤝




SEPIA 🤝



SHADED GRAY 🤝

9x18 - Anthracite, Hickory, Scandina Gray 15x30 - Hickory & Scandina 24x36 - Anthracite, Cheswick, Hickory, Scandina Gray, Sepia, Shaded Gray







ADA COMPLIANT

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at Belgard.com/Warranty

FEATURES & BENEFITS

- Smooth face with clean, crisp lines
- · Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- · Large-format sizing for a contemporary aesthetic
- · Simplified quoting and design of projects
- · Uniform dimensions compatible with other Dimensions paver sizes
- Sizing compatible with all Belgard modular paver lines -- look for the Modular Sizing icon



DURAFUSION" TECHNOLOGY Refined texture with enhanced wear-resistance

SHAPES & SIZES

9X18 | 60MM



9 x 18 x 23/8

15X30 | 60MM



15 x 30 x 23/8

24X36 | 60MM



24 x 36 x 23/8

PALLET INFORMATION

DIM	ENSIONS™ SLAB	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
9X18 60MM	9 x 18 x 23/8	112.5	10	11.25	10	3139
15X30 60MM	15 x 30 x 23/8	93.75	3	9.4	10	2619
24X36 60MM	24 x 36 x 23/8	120	2	12	10	3516

Downloadable professional resources available at Belgard.com/Resources




DUBLIN COBBLE®

3-PIECE PAVER & CIRCLE | 60MM

The gently distressed surfaces and antiqued edges create a casually elegant time-worn look.







FOSSIL BEIGE Only available in 3-piece



HARVEST BLEND
Only available in 3-piece & Circle



IRON BAY



MIDNIGHT

Only available in 6 x 9







PALLET INFORMATION

DUBLIN COBBLE°		SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
ULAR	6 x 3 x 2³/s	21.35	176	1.94	11	3455
3-PIECE MODULAR 60MM	6 x 6 x 23/8	42.63	176	3.88		
3-PIE	6 x 9 x 23/8	64.02	176	5.85		
6 X 9 60MM	6 x 9 x 23/8	112.5	30	11.25	10	2981
CIRCLE KIT 60MM	5% x variable x 2⅓	73	-	7.3	10	2992

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at Belgard.com/Warranty

FEATURES & BENEFITS

- Gently distressed surfaces and antiqued edges
- · Exceptional stability and durability
- Wide range of natural color blends
- Available in a variety of shapes and sizes including a circle kit
- 6 x 9 can be used alone in a traditional pattern or for accent borders or banding

SHAPES & SIZES

3-PIECE MODULAR | 60MM



6 x 3 x 23/8



6 x 6 x 23/8



6 x 9 x 23/8

6 X 9 | 60MM



6 x 9 x 23/8



5% x variable x 2%



GEOMETRIC SHAPES

PAVER | 60MM



With a smooth face in various shapes to create ultra-modern and art deco designs, these pavers are enriched with factory-applied sealant to enhance color and durability.





Not available in Diamond shape





SCANDINA GRAY 💍









PALLET INFORMATION

GEO	METRIC SHAPES	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
HEXAGON 60MM	10% x 12 x 2%	100.02	9	8.35	12	2664
PARALLELOGRAM SMALL 60 MM	2% x 13½ x 2%	85.73	36	7.79	11	2390
DIAMOND 60MM	12 x 12 x 2⅓	93.53	9	7.79	12	2664
PARALLELOGRAM LARGE 60MM	6 x 18 x 2⅓s	114.31	16	10.39	11	3165

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Smooth face
- · Contemporary aesthetic
- All shapes sized to work together
- Also compatible with other Belgard modular paver lines like Origins[™] and Dimensions[™]
- · Reduced cuts, installation time and waste
- · Increased options for creative patterns



COLORTECH SEALED
Factory-applied sealant

SHAPES & SIZES

HEXAGON | 60MM



10½ x 12 x 23/8

PARALLELOGRAM SMALL | 60MM



 $2\frac{3}{5} \times 13\frac{1}{2} \times 2\frac{3}{8}$

DIAMOND | 60MM



12 x 12 x 2%

PARALLELOGRAM LARGE | 60MM




6 x 18 x 23/8




HOLLAND STONE

PAVER | 60MM









DURAFUSION"





ADA COMPLIANT

PALLET INFORMATION

HOL	LAND STONE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
WW09	4 x 8 x 23/8	120	54	12	10	3516

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Simple and elegant design and look
- · Smooth linear surface
- Architectural appearance in straight lines
- Wide range of natural color blends
- Meets the requirements of ASTM C936
- · Versatile border options



DURAFUSION" TECHNOLOGY
Refined texture with enhanced wear-resistance

SHAPES & SIZES

60MM



4 x 8 x 23/8




HOLLAND STONE

PAVER | 60MM



The classic architectural aesthetic of Holland Stone is enriched with factory-applied ColorTech sealant for enhanced color, stain resistance and durability.





COLORTECH







PALLET INFORMATION

HOL	LAND STONE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
WW09	4 x 8 x 23/8	120	54	12	10	3112

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Simple and elegant design and look
- Smooth linear surface
- Architectural appearance in straight lines
- Wide range of natural color blends
- Meets the requirements of ASTM C936
- Versatile border options



COLORTECH" SEALED Factory-applied sealant

SHAPES & SIZES

60MM



4 x 8 x 23/8





MEGA-LIBRE®

PAVER | 60MM



A natural stone look with no detectable pattern, this paver offers irregular shapes, a chiseled surface and unique color blends reminiscent of flagstone.











IRON BAY

NEWPORT GRAY TEAK



QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Makes a rustic patio or walkway easy
- Simple installation with an undetectable pattern
- Natural flagstone texture and appearance
- Pair with other 60mm pavers to create inlaid designs or to find a complementary border option

SHAPES & SIZES

2-PIECE | 60MM



161/4 x 233/4 x 23/8



161/4 x 31 x 23/8

PALLET INFORMATION

MEG	A-LIBRE [®]	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET	
PIECE	161/4 x 233/4 x 23/8	0.4	,	0.4	10	2/25	
2-PI	161/4 x 31 x 23/8	86	4	8.6	10	2427	

Downloadable professional resources available at **Belgard.com/Resources**




ORIGINS[™] 6

3-PIECE SYSTEM | 60MM



Emulating the look and texture of natural stone, this paver system offers earthy tones and a chiseled face enriched with DuraFusion Technology for enhanced color, texture and wear-resistance.











MODULAR SIZING







DRIVEWAY APPROVED C

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Look and feel of natural stone
- Ideal for walkways, smaller patios, and residential vehicular applications
- Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- · Increased options for creative patterns
- · Simplified quoting and design of projects
- Uniform dimensions compatible with other Origins paver sizes
- Sizing compatible with all Belgard modular paver lines -- look for the Modular Sizing icon



DURAFUSION" TECHNOLOGY
Refined texture with enhanced wear-resistance

SHAPES & SIZES

ORIGINS 6 | 60MM



3 x 6 x 23/8



6 x 6 x 23/8



6 x 9 x 23/8

PALLET INFORMATION

ORIO	GINS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
ORIGINS 6 60MM	3 x 6 x 23/8		16			
	6 x 6 x 23/8	120	16	12	10	3516
90	6 x 9 x 23/8		16			

Downloadable professional resources available at **Belgard.com/Resources**




ORIGINS[™] 12

3-PIECE SYSTEM | 60MM



Emulating the look and texture of natural stone, this paver system offers earthy tones and a chiseled face enriched with DuraFusion Technology for enhanced color, texture and wear-resistance.





MODULAR





PALLET INFORMATION

ORIO	GINS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
12	6 x 12 x 23/8		4			
ORIGINS 12 60MM	12 x 12 x 23/8	120	4	12	10	3516
OR	18 x 12 x 23/8		4			

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Look and feel of natural stone
- · Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- Increased options for creative patterns
- Simplified quoting and design of projects
- Uniform dimensions compatible with other Origins paver sizes
- Sizing compatible with all Belgard modular paver lines -- look for the Modular Sizing icon



DURAFUSION" TECHNOLOGY
Refined texture with enhanced wear-resistance

SHAPES & SIZES

ORIGINS 12 | 60MM



6 x 12 x 23/8



12 x 12 x 23/8



18 x 12 x 23/8




ORIGINS[™] 18

3-PIECE SYSTEM | 60MM



Emulating the look and texture of natural stone, this paver system offers earthy tones and a chiseled face enriched with DuraFusion Technology for enhanced color, texture and wear-resistance.















ADA COMPLIANT

ORIO	GINS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
8	9 x 18 x 23/8		2			
ORIGINS 18 60MM	18 x 18 x 2¾	112.5	1	11.3	10	3296
OR	18 x 27 x 23/8		2			

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS


- · Look and feel of natural stone
- · Contemporary large-format sizing
- · Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- · Increased options for creative patterns
- · Simplified quoting and design of projects
- · Uniform dimensions compatible with other Origins paver sizes
- Sizing compatible with all Belgard modular paver lines -- look for the Modular Sizing icon



DURAFUSION" TECHNOLOGY Refined texture with enhanced wear-resistance

SHAPES & SIZES

ORIGINS 18 | 60MM






ORIGINS[™] 12

3-PIECE SYSTEM | 60MM



Emulating the look and texture of natural stone, this paver system offers an earthy chiseled appearance enriched by factory-applied sealant for enhanced color and durability.









BRITTANY BEIGE 💍

GALWAY 💍

NEWPORT GRAY 💍



MODULAR SIZING





PALLET INFORMATION

ORIO	GINS™3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
ORIGINS 12 60MM	6 x 12 x 23/8		4			
	12 x 12 x 23/8	120	4	12	10	3516
OR	12 x 18 x 23/8		4			

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Look and feel of natural stone
- · Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- Increased options for creative patterns
- Simplified quoting and design of projects
- Uniform dimensions compatible with other Origins paver sizes
- Sizing compatible with all Belgard modular paver lines -- look for the Modular Sizing icon



COLORTECH SEALED
Factory-applied sealant

SHAPES & SIZES

ORIGINS 12 | 60MM



6 x 12 x 23/8



12 x 12 x 23/8



12 x 18 x 23/8




ORIGINS[™] 18

3-PIECE SYSTEM | 60MM



Emulating the look and texture of natural stone, this paver system offers an earthy chiseled appearance enriched by factory-applied sealant for enhanced color and durability.









GALWAY 💍









ORIO	GINS™3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
8	9 x 18 x 23/8		2			
ORIGINS 18 60MM	18 x 18 x 23/6	112.5	1	11.3	10	3296
OR	18 x 27 x 23/8		2			

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS


- Look and feel of natural stone
- · Contemporary large-format sizing
- Maximized pallet layout for jobsite efficiencies
- Reduced cuts, installation time and waste
- · Increased options for creative patterns
- Simplified quoting and design of projects
- Uniform dimensions compatible with other Origins paver sizes
- Sizing compatible with all Belgard modular paver lines -- look for the Modular Sizing icon



COLORTECH' SEALED
Factory-applied sealant

SHAPES & SIZES

ORIGINS 18 | 60MM






NATURAL COLLECTION

ORIGINS PAVER | 60MM



With the ideal shape and size for driveways, small patios and borders, the subtle chiseled stone face is enriched with DuraFusion Technology for enhanced color, texture and wear-resistance.







QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Look and feel of natural chiseled stone
- · Ideal for small patios, borders, banding or residential vehicular applications
- Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- · Increased options for creative patterns
- · Simplified quoting and design of projects
- Uniform dimensions compatible with other Origins paver sizes
- · Sizing compatible with all Belgard modular paver lines -- look for the Modular Sizing icon



DURAFUSION" TECHNOLOGY Refined texture with enhanced wear-resistance

SHAPES & SIZES

PAVER



6 x 9 x 23/8







ADA COMPLIANT

PALLET INFORMATION

ORIO	GINS™ PAVER	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
6X9 6W09	6 x 9 x 2¾	112.5	32	112.5	10	3296

Downloadable professional resources available at Belgard.com/Resources



PAPYRUS[™]

3-PIECE PAVER | 60MM



An organic textural experience with modern elegance, this paver's unique face offers an upscale hand-tooled look enriched with DuraFusion Technology for enhanced color, texture and wear-resistance.







SCANDINA GRAY

SEPIA







ADA COMPLIANT

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS


- · Clean modern edges, with a unique face that mimics the look of hand-tooled striations and the texture of organic textiles
- True 3" increments for optimized pallet layouts and jobsite efficiencies
- · Reduced cuts, installation time and waste
- · Increased options for creative patterns
- Simplified quoting and design of projects
- · Uniform dimensions compatible with other modular paver lines like Origins™ and Dimensions™



DURAFUSION" TECHNOLOGY Refined texture with enhanced wear-resistance

SHAPES & SIZES

PAPYRUS 18 | 60MM



PALLET INFORMATION

PAP	YRUS™	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
PAPYRUS 18 60MM	9 x 18 x 23/8		2			
	18 x 18 x 23/8	112.5	1	11.25	10	3296
PAF	18 x 27 x 2¾s		2			

Downloadable professional resources available at Belgard.com/Resources




TURFSTONE

GRID PAVER | 80MM

An open lattice grid design offers turf or gravel infill, creating a unique hardscape design that works in harmony with nature.







GRAY



DRIVEWAY APPROVED

PALLET INFORMATION

TURFSTONE™		SQFT/	UNITS/	SQFT/	LAYER/	WEIGHT/
		PALLET	LAYER	LAYER	PALLET	Pallet
80MM	15¾ x 235⁄a x 31⁄a	103.2	5	12.9	8	2377

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Manufactured in accordance with ASTM C1319
- · Open lattice grid design for turf infill
- 40% surface opening with void space for creating a grass pavement
- Applications include driveways, parking stalls, ramps, service and emergency access lanes

SHAPES & SIZES

80MM



15¾ x 235% x 31/8



GLOCAL

CONCRETE FINISH | 20MM



The smooth concrete-like finish offers a clean, contemporary aesthetic. Its structured and tight surface texture in neutral shades makes this porcelain paver a versatile design element.













V2 CLASSIC GC 05







SLIGHT

LOW SOLAR HEAT

	GLOCAL	SQFT/ Pallet	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ Pallet
24 X 24	23.54 x 23.54 x ³ / ₄	232.5	7.75	30	2	76	2280

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Can be installed on a traditional sand or gravel base or on a pedestal system for rooftop applications
- Incredibly high breakage loads, up to 3,000 pounds
- · Modular for faster installation,
- Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.*
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials
- Structured top textures create non-slip surfaces
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F)

* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

SHAPES & SIZES

24 X 24



23.54 x 23.54 x ³/₄



LAGOON

STONE FINISH | 20MM



Painstaking detail and depth of color evoke the expressive power of nature through these stylish modular pavers. Veining effects are inspired by the stratifications of sedimentary rocks.





M O O N B E A M **LG 01 ST**





SANDSHELL LG 02 ST









SLIGHT VARIATION

LOW SOLAR HEAT

	LAGOON	SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ Pallet
24 X 48	23.54 x 47.17 x ³ / ₄	271.25	7.75	35	1	74	2621

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Can be installed on a traditional sand or gravel base or on a pedestal system for rooftop applications
- · Veining effects with a smoothly flowing movement inspired by the stratifications of sedimentary rocks
- · Incredibly high breakage loads, up to 3,000 pounds
- · Modular for faster installation,
- · Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.*
- · High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- · Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials
- Structured top textures create non-slip surfaces
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to $+60^{\circ}$ C (-60° F to $+140^{\circ}$ F)

* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

SHAPES & SIZES

24 X 48



23.54 x 47.17 x 3/4



NOON WOOD FINISH



Warm and stylish, this contemporary expression of simplicity combines the look and feel of natural wood with the durability of porcelain.









EMBER NN 02 ST



HONEY
NN 03 ST







MODERATE

NOON		SQFT/	SQFT/	BOXES/	PCS/	WEIGHT/	WEIGHT/
		PALLET	BOX	PALLET	BOX	BOX	PALLET
12 X 48	11.73 x 47.17 x ³ / ₄	279	7.75	36	2	74	2664

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Can be installed on a traditional sand or gravel base or on a pedestal system for rooftop applications
- · Incredibly high breakage loads, up to 3,000 pounds
- · Modular for faster installation,
- Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.*
- · High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- · Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials
- Structured top textures create non-slip surfaces
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to $+60^{\circ}$ C (-60° F to $+140^{\circ}$ F)

* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

SHAPES & SIZES

12 X 48

11.73 x 47.17 x 3/4



NOVEMBER

STONE FINISH | 20MM



Minimalist styling inspired by nature is found with this versatile porcelain paver. Characteristics of stone and cement embody its texture to offer a simple, yet elegant look.

















V2 LAND NM 05







SLIGHT

LOW SOLAR HEAT

	NOVEMBER	SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ Pallet
24 X 24	23.54 x 23.54 x ³ / ₄	232.5	7.75	30	2	76	2280

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Can be installed on a traditional sand or gravel base or on a pedestal system for rooftop applications
- Characteristics of stone and cement combine for a simple, minimalist look with elegance
- Available in 4 versatile colors with choice of controlled shade variation (< 15 graphics, V2 variation)
- Efficient 24" x 24" size for cost savings
- · Color-body, rectified porcelain is made in Italy
- Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device*
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials
- Structured top textures create non-slip surfaces
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F)

It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

SHAPES & SIZES

24 X 24



23.54 x 23.54 x 3/4



QUARZITI 2.0

STONE FINISH


This interpretation of natural quartz incorporates a gentle shading effect with the authentic diversity and suble iridescence of natural elements.

v3

MOUNTAINS

QR 02 NAT





v3

WATERFALL

QR 03 NA



GLACIER

QR 01 NAT



v3RIVER

QR 04 NAT







LOW SOLAR HEAT

	QUARZITI 2.0	SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ PALLET
24 X 24	23.54 x 23.54 x ³ / ₄	232.5	7.75	30	2	76	2280
24 X 48	23.54 x 47.17 x ³ / ₄	271.25	7.75	35	1	74	2621

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Can be installed on a traditional sand or gravel base or on a pedestal system for rooftop applications
- Two modular shapes offer design flexibility
- · Incredibly high breakage loads, up to 3,000 pounds
- · Modular for faster installation
- · Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.*
- · High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- · Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials
- Structured top textures create non-slip surfaces
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F)

* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

SHAPES & SIZES

24 X 24 23.54 x 23.54 x 3/4 24 X 48 23.54 x 47.17 x 3/4



TRAVERTINI

TRAVERTINE FINISH | 20MM



Resembling the natural texture of travertine, these large-format slabs create upscale and timeless spaces with multiple aesthetic options, including linear vein or softer cross-cut looks.





DARK VEIN EY 08

Only available in 24x48



MISTY VEIN EY 11

Only available in 24x48



PEARLY CROSS EY 12



MISTY CROSS EY 14





SLIGHT ARIATION

LOW SOLAR HEAT ABSORPTION

	TRAVERTINI	SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ PALLET
24 X 24	23.54 x 23.54 x ³ / ₄	232.5	7.75	30	2	76	2280
24 X 48	23.54 x 47.17 x ³ / ₄	271.25	7.75	35	1	74	2664

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE


Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Can be installed on a traditional sand or gravel base or on a pedestal system for rooftop applications
- · Timeless beauty of travertine
- Aesthetic options include a linear Vein Cut appearance and a softer Cross Cut appearance
- · Large format slabs
- · Two modular shapes offer design flexibility
- Incredibly high breakage loads, up to 3,000 pounds
- · Modular for faster installation
- Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device*
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials
- Structured top textures create non-slip surfaces
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F)

* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

SHAPES & SIZES





UNICO 2.0

COPING | 20MM

MANTLE QR 05 NAT



Enhance outdoor spaces with the refined look of this premium coping featuring polished round edges for pools, garden walls and steps in styles to complement a variety of porcelain paver lines.





QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Porcelain coping features a sleek polished round edge
- · Featuring authentic looks in natural stone, cement, and wood to coordinate with various porcelain paver lines
- Use for steps or as coping for swimming pools
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- · Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials
- Structured top textures create non-slip surfaces
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F)

SHAPES & SIZES



SLIGHT VARIATION

v2







LOW SOLAR HEAT

PALLET INFORMATION

	UNICO 2.0	SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ PALLET
COPING	11.62 x 23.54 x ³ / ₄	205.2	5.7	36	3	54	1944

Downloadable professional resources available at Belgard.com/Resources




ASHLAR TANDEM™

RETAINING | FREESTANDING



Virtual joints and a chiseled face create the look of a random stone facade for the versatile Tandem system that can build pillars, garden walls and stylish outdoor kitchens and features.







NEWPORT GRAY

SHELBY BLEND















ASH	LAR TANDEM™	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ Pallet
3-PIECE	7 x 13¾16 x 2⅓8	19.2	3.2		30	
	7 x 15 ¹³ /16 x 2 ⁵ /8	23.1	3.85	6	30	2082
	7 x 18¾16 x 25/8	27	4.5		30	
COLUMN	7 x 18½ x 25/8	45.43	9	5	45	1350

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Distinctive chiseled stone texture manufactured to consistent height tolerances
- · Build curved or straight walls
- Offered in 3 sizes to allow for design versatility and customization
- · Minimum outside radius of 6'
- Freestanding walls up to 28"
- Engineered 90° corners
- Gravity walls up to 3 feet* using a ½ inch setback per unit (4 degree system batter)
- · Reinforced walls up to 8 feet

*Gravity wall heights are based on project specific conditions and may be lower than this value.

SHAPES & SIZES

3-PIECE



7 x 133/16 x 25/8



7 x 15¹³/₁₆ x 2⁵/₈



7 x 181/16 x 25/8

COLUMN UNIT




7 x 18½ x 25/8




DIAMOND° 9D

RETAINING














HARVEST BLEND IRON BAY

SHEFFIELD BLEND





DIAN	MOND° 9D	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
SOLID	6 x 17¾ x 9				30	
RIGHT VIRTUAL JOINT	6 x 17¾ x 9	45	9	5	15	3092
LEFT VIRTUAL JOINT	6 x 17¾ x 9				15	

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- All system components are standard-split in-line
- Rear lip locators easily establish a uniform wall batter
- A matching cap and corner completes the system
- Build gravity walls up to 3 feet high*, including the buried course
- Taller walls can be built using geosynthetic reinforcement when designed by a qualified engineer
- Minimum outside radius, measured on the top course to the front of the units: 3 feet
- Minimum inside radius, measured on the base course to the front of the units: 6 feet
- The rear lip establishes a 1½" setback for a 10.6 degree system batter

*Gravity wall heights are based on project specific conditions and may be lower than this value.

SHAPES & SIZES

3-PIECE



6 x 17¾ x 9



6 x 17¾ x 9



6 x 173/4 x 9




DIAMOND PRO SMOOTH

BELGARD

RETAINING

Modern and sleek, the refined look and smooth texture combine with the time-tested strength of the Diamond Pro System to offer elegantly durable retaining walls.











DIAN	MOND PRO® SMOOTH	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
REAR-LIP	8 x 18 x 12	36	9	4	36	2844
CORNER	8 x 17 x 8	22.67	5.64	2	24	2640
CAP	4 x 18 / 12 x 12	67.5LF	11.25LF	6	54	3078

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Contemporary smooth face and crisp edges in a large-format block
- · Rear-lip locator
- · Large cores for ease in handling
- Matching corner and cap for a seamless appearance
- Gravity walls can be built up to 4 ft high*, including buried course with a 7.1° batter
- Walls in excess of 50 ft high have been built with Diamond Pro when combined with geosynthetic reinforcement
- Minimum outside radius, measured from the top course to the front of the units: 4 ft
- Minimum inside radius, measured on the base course to the front of the units: 6 ft

*Gravity wall heights are based on project specific conditions and may be lower than this value.

SHAPES & SIZES

REAR-LIP



8 x 18 x 12

CORNER



8 x 17 x 8

CAP



4 x 18 / 12 x 12



DIAMOND PRO STRAIGHT



RETAINING

With tailored beveled edges, the split-face texture of this wall offers a classic time-worn organic appearance and is ideal for large-scale projects.











BUFF GRAY HARVEST BLEND OXFORD CHARCOAL



SHEFFIELD BLEND









DIAI	MOND PRO° STRAIGHT	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ Pallet
STRAIGHT	8 x 18 x 12	32	8	4	32	2653
CORNER	8 x 18 x 9	32	8	4	32	2848

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Split-stone face in a large-format block
- · Rear-lip locator
- · Large cores for ease in handling
- Matching corner and cap for a seamless appearance
- Gravity walls can be built up to 4 ft high*, including buried course with a 7.1° batter
- Walls in excess of 50 ft high have been built with Diamond Pro when combined with geosynthetic reinforcement
- Minimum outside radius, measured from the top course to the front of the units: 4 ft
- Minimum inside radius, measured on the base course to the front of the units: 6 ft

*Gravity wall heights are based on project specific conditions and may be lower than this value.

SHAPES & SIZES

STRAIGHT



8 x 18 x 12

CORNER



8 x 18 x 9



EASTON STONE

GARDEN | FREESTANDING



With its smooth texture and refined appearance, this versatile block seamlessly integrates into any setting. Its earthen tones and clean finish exude warmth and timeless appeal.











FOSSIL BEIGE IRON BAY

MIDNIGHT PEARL



FREESTANDING











PALLET INFORMATION

EAS	TON STONE™	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ Pallet
ВГОСК	4 x 12 x 8	31.68	7.92	4	96	2893

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Contemporary smooth texture
- Universal block can be used for both walls and caps
- Plantable wall designs & columns can be easily created
- Build freeform walls with minimal cuts
- Can be used to build gravity walls up to 2 feet high*, including the buried course

*Gravity wall heights are based on project specific conditions and may be lower than this value.

SHAPES & SIZES

BLOCK



4 x 12 x 8




HIGHLAND STONE

RETAINING | FREESTANDING



The rough-hewn face and multiple pieces of this wall provide a natural stone aesthetic with a rustic hand-stacked look. Each block has a rugged, varied split-stone appearance.








IRON BAY

OXFORD CHARCOAL















HIGH	ILAND STONE®	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
DING	6 x 6 / 4 x 9	8.4	2.1	,	40	3280
FREESTANDING WALL	6 x 12 / 10 x 9	18.4	4.6	4	40	
FREE	6 x 18 / 16 x 9	28.4	7.1	-	40	3480
9N	6 x 6 x 12	8	2	4	32	2912
RETAINING WALL	6 x 12 x 12	16	4		32	
丑	6 x 18 x 12	24	6	-	32	2592
CORNER	6 x 18 x 9	30	7.5	4	40	3260
UNIVERSAL	3 x 18 / 12 x 13	22.54 SF 90 LF	2.82	8	72	3938

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Multi-piece systems with a worn split-stone aesthetic
- Can be used to create straight or curved walls
- Rear-lip block makes installation fast and accurate
- Freestanding walls can be built up to 3 ft high, Including buried course, but excluding the cap
- Gravity walls can be built up to 4 ft, 6 in high, including buried course*
- Taller walls can be built using geosynthetic reinforcement when designed by a qualified engineer
- Minimum outside radius, measured on the top course to the front of the units: 4 ft
- Minimum inside radius, measured on the base course to the front of the units: 8 ft

*Gravity wall heights are based on project specific conditions and may be lower than this value.

SHAPES & SIZES

FREESTANDING WALL



6 x 6 / 4 x 9



6 x 12 / 10 x 9



6 x 18 / 16 x 9

RETAINING WALL



6 x 6 x 12



6 x 12 x 12



6 x 18 x 12

CORNER



6 x 18 x 9

UNIVERSAL CAP




3 x 18 / 12 x 13




LAMINA TANDEM™

RETAINING | FREESTANDING













SCANDINA GRAY SIENNA BLEND

PEWTER















LAM	INA TANDEM™	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ Pallet	WEIGHT/ Pallet
3-PEICE	7 x 15 ¹³ /16 x 2 ⁵ /8	15.576	2.596		24	1666
	7 x 18¾16 x 25⁄8	18.696	3.116	6	24	
	7 x 21½16 x 25%	21.816	3.636		24	
COLUMN	7 x 18 ⁷ /16 x 2 ⁵ /8	45.43	9	5	45	1313

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Distinctive chiseled stone texture manufactured to consistent height tolerances
- Versatile system allows for the creation of multiple outdoor features
- Build curved or straight walls
- Offered in 3 sizes to allow for design versatility and customization
- Minimum outside radius of 6'
- Freestanding walls up to 28"
- Engineered 90° corners
- Gravity walls up to 3 feet* using a ½ inch setback per unit (4 degree system batter)
- · Reinforced walls up to 8 feet

*Gravity wall heights are based on project specific conditions and may be lower than this value.

SHAPES & SIZES

3-PEICE



7 x 15¹³/₁₆ x 2⁵/₈



 $7 \times 18\% \times 2\%$



7 x 21½16 x 25/8

COLUMN UNIT



 $7 \times 18\% \times 2\%$




MELVILLE TANDEM™

RETAINING | FREESTANDING



A distinctive smooth face and large format size provides a modern aesthetic for a wide variety of outdoor living projects including retaining walls, kitchens, built-in seating and more.









ANTHRACITE NEWPORT GRAY

SCANDINA GRAY















MEL	VILLE TANDEM™	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ Pallet	WEIGHT/ Pallet
3-PIECE	7 x 13¾6 x 2½	19.2	3.2		30	
	7 x 15 ¹³ /16 x 2 ⁵ /8	23.1	3.85	6	30	2082
	7 x 18¾16 x 25⁄8	27	4.5		30	
COLUMN	7 x 15 ¹³ /16 x 2 ⁵ /8	45.43	9	5	45	1313

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Contemporary smooth face and clean lines in a large-format shape
- Can be used to create a wide variety of outdoor features
- Build curved or straight walls
- Offered in 3 sizes to allow for design versatility and customization
- Minimum outside radius of 6'
- Freestanding walls up to 28"
- Engineered 90° corners
- Gravity walls up to 3 feet* using a ½ inch setback per unit (4 degree system batter)
- · Reinforced walls up to 8 feet

*Gravity wall heights are based on project specific conditions and may be lower than this value.

SHAPES & SIZES

3-PIECE



7 x 13³/₁₆ x 2⁵/₈



 $7 \ x \ 15^{13}\!/_{16} \ x \ 2^{5}\!/_{8}$



7 x 181/16 x 25/8

COLUMN UNIT



7 x 15¹³/₁₆ x 2⁵/₈





MELVILLE™ WALL

GARDEN | FREESTANDING



Distinctive smooth faces, subtle edges and clean design make this wall stand out for the modern aesthetics it provides. System is comprised of a double-sided wall unit, along with a matching cap.





FREESTANDING











PALLET INFORMATION

MEL	VILLE™ WALL	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ Pallet	WEIGHT/ Pallet
ВГОСК	4 x 20 x 10	26.67 SRW 53.33 FSW	4.44 SRW 8.88 FSW	6	48	3149
WEDGE	4 x 9½ x 10	-	-	6	72	1921
CAP	2 x 20 x 13	100 LF	10 LF	10	60	2450

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Contemporary smooth face and clean lines
- Matching cap provides a seamless aesthetic
- Integrate cap into wall design to create depth and custom appearance (as pictured)
- Multiple installation patterns
- Pairs well with other Melville product lines
- On-trend color offering complements any project
- Simplistic design allows for easy installation of walls and other outdoor features
- 2 foot maximum height is perfect for garden and planter walls

SHAPES & SIZES

BLOCK



4 x 20 x 10

WEDGE



4 x 9½ x 10

CAP



2 x 20 x 13



STERLING°

RETAINING | FREESTANDING | COLUMN



The classic split-stone look of this retaining wall block is paired with an innovative design that allows the block to be split in half to create two-sided freestanding walls.











IRON BAY

HARVEST BLEND

OXFORD CHARCOAL

SANDSTONE





SHEFFIELD BLEND

STONE GRAY















STE	RLING®	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
ВГОСК	6 x 17% x 12	33.3	6.66	5	45	3983
UNIVERSAL	3 x 18 / 12 x 13	22.54 SF 90 LF	2.82	8	72	3938
PINS	5 x ½ diameter 2 pins per block (sold separately)	100 per bag	-	-	-	15 lbs per bag

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Build retaining walls with easy pin alignment and side view for placement visualization
- Block channels make easy pin alignment for battered or freestanding retaining walls
- Score marks for splitting block to make a two-sided freestanding wall unit
- Center score mark provides guide for splitting to make corner or column units
- Hand holds allow for easier handling during installation
- Maximum gravity retaining wall height is 4 ft*
- Retaining wall minimum inside radius, measured on the base course to the front of the units: 6 ft
- Retaining wall minimum outside radius, measured on the top course to the front of the units: A ft
- Maximum freestanding wall (FSW) height is 3 ft*
- · Freestanding wall minimum radius 4 ft
- Maximum column height is 4 ft*
- Segmental retaining wall setback/ system batter 10.6°

*Gravity wall heights are based on project specific conditions and may be lower than this value.

SHAPES & SIZES

BLOCK



6 x 17¾ x 12

UNIVERSAL CAP



3 x 18 / 12 x 13

PINS




5 x ½ diameter 2 pins per block (sold separately)




WELLINGTON WALL®

RETAINING | FREESTANDING









ASHBURY HAZE Only available in cap



IRON BAY



GASCONY TAN Only available in cap















WEL	LINGTON WALL°	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
WALL UNITS PINS INCLUDED ON PALLET	6 x 9 / 6 x 10		1.5		16	2626
	6 x 12 / 6 x 10	26	2	4	16	
	6 x 18 / 15 x 10		3		16	
CORNER	6 x 12 x 10	16	8	2	32	1888
UNIVERSAL	3 x 18 / 12 x 13	22.54 SF 90 LF	2.82	8	72	3938

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Rustic multi-piece system provides a random stone look
- Multi-piece wall system for increased installation flexibility
- Ideal for small freestanding walls, parapet walls, seat benches, pilasters, columns and outdoor living environments
- Build curved or straight, freestanding or retaining walls
- Each unit can be used as an exposed end unit or a 90° corner unit for less cuts
- No patterns required for random look
- Used for gravity walls up to 2.5 feet* at a near vertical batter or 3 feet* using the 9.5 degree batter/1 inch setback per unit option.
- Taller walls can be built using geosynthetic reinforcement when designed by a qualified engineer.
- · Minimum outside radius of 5 feet
- Minimum inside radius of 3 feet

*Gravity wall heights are based on project specific conditions and may be lower than this value.

SHAPES & SIZES

WALL UNITS



6 x 9 / 6 x 10



6 x 12 / 6 x 10



6 x 18 / 15 x 10

CORNER



6 x 12 x 10

UNIVERSAL CAP




3 x 18 / 12 x 13




WESTON STONE

GARDEN | FREESTANDING















FOSSIL BEIGE IRON BAY

MIDNIGHT Only available in universal

PEARL















WES	TON STONE™	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
WALL UNITS	4 x 8 / 5 x 8	26	1.32	7	42	3341
	4 x 12 / 9 x 8		1.98		42	
	4 x 16 / 13 x 8		2.64		42	
UNIVERSAL	4 x 12 x 8	40	6.67	6	120	3617

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Offers the look of time-worn stone
- Single size or multi-piece wall system for increased installation flexibility
- Universal wall units can be used in conjunction with multi-piece modular units
- Plantable wall designs & columns can be easily created
- Build curved or straight walls
- · Build freeform walls with minimal cuts
- Can be used to build gravity walls up to 2 feet high*, including the buried course
- Minimum outside radius, measured on the top course to the front of the units: 5 feet
- Minimum inside radius, measured on the base course to the front of the units: 3 feet

*Gravity wall heights are based on project specific conditions and may be lower than this value.

SHAPES & SIZES

WALL UNITS



4 x 8 / 5 x 8



4 x 12 / 9 x 8



4 x 16 / 13 x 8

IINIVERSA



4 x 12 x 8




ANGLIA EDGER°

EDGER



Larger edger units feature a chiseled finish and tapered edges to provide an elegant complement to driveways, patios, walkways and flower beds.







COTSWOLD MIST

GASCONY TAN



Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

QUALITY FOR LIFE

- Tapered ends create either curves or straight installation
- 8" height simulates natural stone curbing
- Three different lengths offer a random look and flexible installation
- Large scale pieces create efficient installation
- · Look and feel of natural chiseled stone

SHAPES & SIZES

EDGER UNITS



51/4 x 75/8 x 8



51/4 x 10 x 8



5¼ x 15% x 8



51/4 x 173/4 x 8

PALLET INFORMATION

ANGLIA EDGER°		LNFT/ PALLET	LNFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
EDGER UNITS	5¼ x 75⁄8 x 8	8	2.67		12	- 2600
	5¼ x 10 x 8	10	3.33		12	
	5¼ x 15% x 8	15.75	5.25	3	12	
	5¼ x 17¾ x 8	36	12		24	

Downloadable professional resources available at **Belgard.com/Resources**



ESPLANADE


CAPS



The natural stone look and versatile design of these chisel-faced caps add an elegant finishing touch for walls and columns that pairs well with any architectural design.







LIMESTONE

SLATE GRAY



ESPLAI	NADE CAP	LNFT/ PALLET	LNFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ Pallet
BULLNOSE	12 x 24 x 23/8	-	-	-	24	1476
TEXTURED WALL COPING	12 x 24 x 2 ³ / ₈ 16 x 24 x 2 ³ / ₈	-	-	-	24 18	1476 1476
TEXTURED WALL COPING END CAP	12 x 24 x 2 ³ / ₈ 16 x 24 x 2 ³ / ₈	-	-	-	24 18	1476 1476
SM00TH WALL COPING	14 x 24 x 2 ³ /8	-	-	-	24	1722
SM00TH BULLNOSE COPING	12 x 24 x 23/8	-	-	-	24	1476
WESTON FIREPIT COPING	39.5" Inside Diameter (4 pieces needed to make a circle)	-	-	-	4	412
TEXTURED COLUMN CAP	25 x 25 x 2¾	-	-	-	8	1068
SM00TH COLUMN CAP	25 x 25 x 2¾	-	-	-	8	1068
TEXTURED COLUMN CAP	28 x 28 x 2¾	-	-	-	8	1340
SM00TH COLUMN CAP	28 x 28 x 2¾	-	-	-	8	1340

Downloadable professional resources available at **Belgard.com/Resources**


QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Multiple distinctive textural aesthetics
- Ideal for finishing walls, steps and poolscapes
- Striking color options for a monochromatic design or contrasting accent
- Multiple sizes and shapes for design flexibility

SHAPES & SIZES





GRANIKA STEP XL

STEP UNIT



The beauty of natural granite features a quarried face on the step tread and smooth sides, which allows side-by-side placement for longer treads. Double-sided texture on the rise allows rotation for optimal aesthetics.







ASHBURY HAZE COTSWOLD MIST



QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Double-sided texture and two unique faces on the rise allow steps to be rotated for optimal aesthetics
- Smooth sides allow steps to be placed side by side for longer treads
- Granite-like texture on tread surface
- Even bottom and consistent size offer installation ease
- Palletized for easy removal by skid-steer loader
- Dry-cast production provides consistent color throughout unit
- Riser faces are uniquely designed to nest together, creating an optional landing with a narrow joint

SHAPES & SIZES

STEP UNIT



6 x 48 x 18

PALLET INFORMATION

GRANIKA STEP° XL		LNFT/	LNFT/	LAYER/	UNITS/	WEIGHT/
		PALLET	LAYER	PALLET	PALLET	Pallet
STEP	6 x 48 x 18	24	8	3	6	2580

Downloadable professional resources available at **Belgard.com/Resources**




LANDINGS

STEP UNIT



The weathered step tread and chiseled look of quarried limestone on the rise adds grand style to landscape level changes, while the smooth face of the remaining sides allows for greater design flexibility.





QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Double-sided texture and two unique faces on the rise allow steps to be rotated for optimal aesthetics
- Smooth sides allow steps to be placed side by side for longer treads
- Granite-like texture on tread surface
- Even bottom and consistent size offer installation ease
- Palletized for easy removal by skid-steer loader
- Dry-cast production provides consistent color throughout unit
- Riser faces are uniquely designed to nest together, creating an optional landing with a narrow joint

SHAPES & SIZES

STEP UNIT



6 x 48 x 18

PALLET INFORMATION

LANDINGS™		LNFT/	LNFT/	LAYER/	UNITS/	WEIGHT/
		PALLET	LAYER	PALLET	PALLET	Pallet
STEP	6 x 48 x 18	24	8	3	6	2760

Downloadable professional resources available at **Belgard.com/Resources**



HERITAGE COLLECTION

MARINA TO COPING I 60MM



The smooth surface texture and refined, rounded edges make this bullnose coping a classic finishing touch to enhance pools and a variety of outdoor features.







COTSWOLD MIST

MIDNIGHT



QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Rounded edges protect feet and hands when getting out of a pool or going up and down steps.
- Offers a stylish finishing touch to blend seamlessly with patios.
- Helps pool or spa hold its shape by keeping walls straight and rigid, and protects surrounding area from water damage.
- Versatile use as pool coping or to edge steps, planters, columns or terraces

SHAPES & SIZES

60MM



 $5^{15}/_{16} \times 11^{13}/_{16} \times 2^{3}/_{8}$

PALLET INFORMATION

MARINA™ COPING		LNFT/	LNFT/	LAYER/	UNITS/	WEIGHT/
		PALLET	LAYER	PALLET	PALLET	Pallet
MM09	5 ¹⁵ / ₁₆ x 11 ¹³ / ₁₆ x 2 ³ / ₈	97.5	2.5	5	195	2555

Downloadable professional resources available at **Belgard.com/Resources**



ARTFORMS

MODULAR PANEL SYSTEM



Innovative large-format modular panels offer contemporary lines and the versatility to create unlimited architectural features for outdoor living spaces.









MIDNIGHT SCANDINA GRAY SEPIA





	ARTFORMS™	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ Pallet	WEIGHT/ Pallet
OPEN	18 x 36 x 3	01	9	0	9	27/5
CLOSE	18 x 36 x 3	81	9	9	9	2745
OPEN	6 x 36 x 3	31.5	10.5	2	3	1005
CLOSE	6 x 36 x 3			3	18	1095

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Large format high-strength concrete panels
- · Clean lines for a contemporary aesthetic
- Mechanically fastened with stainless steel hardware
- · Ideal for outdoor living projects of all sizes
- Suitable for rooftop applications
- · Efficient installation with minimal waste
- · Minimal disruption for property owner
- · Easily added to existing projects
- Endless design possibilities for outdoor living features including seat walls, fire and water features, planters, and outdoor kitchens

SHAPES & SIZES

18 X 36



18 x 36 x 3

Pallets contain both open and close ended units

6 X 36



6 x 36 x 3

Pallets contain both open and close ended units

INSTALLATION HARDWARE*



Anchor Slide & Nut 50 units per box



Joining Plate 10 units per box



Outer Corner 10 units per box



Inner Corner 10 units per box



Stretcher 10 units per box

*Installation hardware is sold separately



BEAUFORT SERIES

GRILL ISLAND & FIRE FEATURES

Captivating contemporary style results from the pairing of natural chiseled stone textures in a sleek 4" high linear format.







SHELBY BLEND / MIDNIGHT





Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Contemporary lines with the timeless appeal of chiseled stone
- · Elegant accents feature the look of limestone
- Pre-assembled modular features are each packaged as one unit that can be installed in hours versus days
- Units include fork slot configurations for easy transport and installation
- Fireplaces can be retro-fitted for gas burning log sets and burners
- Grill islands include stainless steel grill and door set — specify propane or natural gas when ordering

PLEASE NOTE: Be sure to check with your local municipality for any codes that may affect your installation.

SHAPES & SIZES

FIREPLACE



2'7"D x 4'3"W x 7'8"H
Pallet Weight: 4,170

GRILL ISLAND



2'6"D x 5'11"W x 3'5"H Grill & Doors included Pallet Weight: 3,260

WOOD BOXES



2'11/4"D x 3'3"W x 3'1"H Each Sold as a pair Pallet Weight: 3,070

LINEAR FIRE TABLE



 $2'11"D \times 6'2"W \times 2'5"H$ Pallet Weight: 2,500

LINEAR FIREPLACE



3'6½"D x 7'8"W x 4'5½"H Image represents product size, not texture. Pallet Weight: 4,000



BORDEAUX SERIES

GRILL ISLAND & FIRE FEATURES



Timeless stackstone design with accents that emulate polished limestone, the components of this series transform outdoor living spaces with a coordinated, cohesive look.









PEWTER / MIDNIGHT

SIENNA / BUFF

SIENNA / MIDNIGHT



Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Features a timeless stacked stone design with smooth cast stone accents
- Pre-assembled modular features are each packaged as one unit that can be installed in hours versus days
- Units include fork slot configurations for easy transport and installation
- Fireplaces can be retro-fitted for gas burning log sets and burners
- Grill islands include stainless steel grill and door set – specify propane or natural gas when ordering

PLEASE NOTE: Be sure to check with your local municipality for any codes that may affect your installation.

SHAPES & SIZES

FIREPLACE



2'7"D x 4'3"W x 7'8"H Pallet Weight: 4,170

GRILL ISLAND



2'6"D x 5'11"W x 3'5"H Grill & Doors included Pallet Weight: 3,260

WOOD BOXES



2'11/4"D x 3'3"W x 3'1"H Each Sold as a pair Pallet Weight: 3,070

LINEAR FIRE TABLE



2'11"D x 6'2"W x 2'5"H Pallet Weight: 2,500

LINEAR FIREPLACE



 $3'61\!/\!\!\!/2"D\times7'8"W\times4'51\!/\!\!\!/4"H$ Pallet Weight: 4,000



MELVILLE[™] SERIES

GRILL ISLAND & FIRE FEATURES



Stunning linear design features a smooth face and subtle edges to deliver a sleek, contemporary style. Components work together to provide a cohesive finished look.





SCANDINA GRAY / MIDNIGHT





Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Contemporary smooth linear design that coordinates with Melville™ Wall and Melville™ Tandem Wall
- Pre-assembled modular features are each packaged as one unit that can be installed in hours versus days
- Units include fork slot configurations for easy transport and installation
- Fireplaces can be retro-fitted for gas burning log sets and burners
- Grill islands include stainless steel grill and door set — specify propane or natural gas when ordering

PLEASE NOTE: Be sure to check with your local municipality for any codes that may affect your installation.

SHAPES & SIZES

FIREPLACE



2'7"D x 4'3"W x 7'8"H Pallet Weight: 4,170

GRILL ISLAND



2'6"D x 5'11"W x 3'5"H Grill & Doors included Pallet Weight: 3,260

WOOD BOXES



2'11/4"D x 3'3"W x 3'1"H Each Sold as a pair Pallet Weight: 3,070

LINEAR FIRE TABLE



 $2'11"D \times 6'2"W \times 2'5"H$ Pallet Weight: 2,500

LINEAR FIREPLACE



 $3'61/2"D \times 7'8"W \times 4'51/4"H$ Pallet Weight: 4,000



METROPOLITAN COLLECTION

$MELVILLE^{*}$

FIRE PIT



Compatible with the Elements fire pit insert, special wedge-shaped blocks of our smooth-faced Melville Wall create this circular fire pit to perfectly complement our Melville Series of walls and outdoor features.









ANTHRACITE HICKORY

SHADED GRAY



QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Special wedge-shaped blocks of Melville Wall
- Smooth linear face for contemporary appeal
- Coordinates with Melville pavers and the Melville Series of kitchen and fire features
- Pallet includes all blocks needed to complete circular fire pit

SHAPES & SIZES

WEDGE



4 x 9½ x 10

FIRE INSERT



Item #70580597 Elements 34" Smoke-less Wood Fire Pit Insert

GAS INSERT



Item #70585063 Elements 34" Round Gas Fire Pit Burner Kit

ROUND FIRE PIT

54%" outside diameter 34%" inside diameter Stacks 4 rows high Cap sold separately. Elements inserts sold separately. Pallet Weight: 1921

Downloadable professional resources available at **Belgard.com/Resources**



WESTON STONE


FIRE PIT KIT

ASHBURY HAZE



With the look of tumbled cut stone, this fire pit makes a beautiful addition to any outdoor living space and is the ideal complement to projects with Weston Stone walls.

COTSWOLD MIST



GASCONY TAN

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.



QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Offers the look of time-worn stone
- Cleaner, more sculpted look than stone
- Quick and easy to assemble with everything you need on a single pallet
- A beautiful complement to projects with Weston Stone™ walls

SHAPES & SIZES

WESTON STONE™ FIRE PIT

UNIT 1



4 x 8 x 8

UNIT 2



4 x 12 x 8

ROUND FIRE PIT

35" inside diameter Stacks 3 rows high Adhesive is included Cap sold separately

Downloadable professional resources available at **Belgard.com/Resources**





QUALITY TO THE CORE

With Belgard, you get the nation's leading pavers and landscape walls backed by the foremost experts in the industry.

BELGARD.COM

© Copyright 2025 Oldcastle APG, Inc. All Rights Reserved. BEL24-D-322200

PICTURED ON THE COVER: ARTFORMS" MODULAR PANEL SYSTEM, BASALT", BELGIAN COBBLE, DIMENSIONS"6, DRIGINS" 6X9, GLOCAL PORCELAIN PAVERS, LANDINGS"STEP, MELVILLE" FIREPLACE & DIAMOND PRO'SMOOTH