

### TABLE OF

## **CONTENTS**











43

63

### **PAVERS**

- Aqua Dublin® Aqualine™ 3 5 Avalon Slate 7 Basalt™ 9 Brooklyn™
- Cambridge Cobble® 11 13-16 Catalina Grana® 17 Charlestone™ Dimensions™ 3-Piece 19-28 29-32 Dimensions<sup>™</sup> Paver
- Dimensions<sup>™</sup> Slab 33-36 37-40 Dimensions™ Plank 41 Dublin Cobble®
- Empire™ 45 Geometric Shapes 47 Holland Stone 49 Mega-Arbel® 51 Melville<sup>™</sup> Plank 53-58 Origins<sup>™</sup> 3-Piece 59-62 Origins™ Paver

Origins<sup>™</sup> Antiqued

65 Papvrus™ 67 Turfstone™

## 69

### **PORCELAIN**

Foundation™ 69 Genoa™ 71 73 Glocal 75 Jurupa **77** Lagoon 79 Noon 81 Norr 83 November 85 Quarziti 2.0 87 Silverlake Travertini 89 91 Unico 2.0

## COPING, CAPS, EDGERS & STEPS

111 Anglia Edger® 113 Column Cap 115 Landings<sup>™</sup> Step 117 Marina™ Coping 119 Melville™ Curb





## 93

### **WALLS**

93	Belair Wall® 2.0
95	Diamond Pro® Air Quarried
97	Diamond Pro® Air Smooth
99	Diamond Pro® Air Straight
101	Highland Stone®
103	Melville™ Wall
105	Shelton Wall™
107	Steeple Crest™
109	Weston Stone™

## 121

## KITCHENS & FIRE FEATURES

- 121 Artforms™ Modular Panel System 123 Melville™ Fire Pit
- Weston Stone™ Fire Pit Kit 125



## WE COVER A LOT OF GROUND

LIFETIME TRANSFERABLE LIMITED WARRANTY

# TRANSFERRABLE WARRANTY TIMELY INVESTIGATIONS REPLACEMENT OF DEFECTIVE PRODUCT AT NO CHARGE

Oldcastle APG ("Belgard") is proud to inform you that all of our interlocking concrete paver and retaining walls ("Products") meet and/or exceed the requirements of ASTM C-936 and ASTM C-1372. Belgard guarantees its Products against these standards for the lifetime of the Product defined by CMHA. This guarantee does not apply to splitting, chipping or other breakage that could be caused by impact, abrasion or overloading. This warranty is transferable. The original proof of purchase is required.

This warranty is only valid if the material is installed under the guidelines of the CMHA or the Belgard Installation Guideline Manual. Improper installation voids this warranty. This warranty is for residential applications only and does not apply to commercial applications. It is recommended that the job is installed by a Belgard Contractor Program participant who guarantees their workmanship for a minimum of 3 years from the date of install. For warranty service, contact Belgard at 1-877-BELGARD. A service representative will investigate your claim within 10 business days. If the Belgard product fails to meet the specifications, Belgard will replace the defective product at no charge. Color matching cannot be guaranteed. Belgard will not be responsible for any replacement labor, consequential damages or incidental damages. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state. Some states do not allow for the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

The warranties in this limited warranty are the only warranties applicable to the veneer products. There are no other warranties, representations, or conditions of any kind, express or implied, statutory or otherwise, with respect to the interlocking concrete paver or retaining wall products supplied by manufacturer, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. All such warranties are hereby specifically disclaimed and manufacturer shall have no liability therefor, not withstanding (1) manufacturer's actual knowledge of any intended use of the interlocking concrete paver or retaining wall products or (2) any advice or representations that may have been rendered by manufacturer concerning the design, manufacture, fabrication, sale, use, installation or provision of the interlocking concrete paver or retaining wall products. No statement, product, or description by manufacturer or its employees or other representatives, in addition to or beyond this limited warranty shall constitute a warranty. Buyer agrees that its sole and exclusive remedies for breach of this limited warranty, and the sole and exclusive obligations of manufacturer with respect to any claims for breach of this limited warranty, shall be those remedies expressly set forth herein.

## AQUA DUBLIN°

3-PIECE PERMEABLE | 80MM

Reduce stormwater runoff with a permeable system that offers a smooth surface and the classic look of cut stone.











RIO TOSCANA VICTORIAN











AQU	A DUBLIN® 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
	3½ x 6½16 x 3½		15	2.5		
80MM	6 <sup>11</sup> / <sub>16</sub> x 6 <sup>11</sup> / <sub>16</sub> x 3½	92.4	8	2.66	8	3240
	10¼ x 6½16 x 3½		13	6.39		

Downloadable professional resources available at Belgard.com/Resources

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Multipiece permeable system with a contemporary smooth face and cut-stone aesthetic
- · Can eliminate stormwater runoff and improve water quality
- Meets the requirements of ASTM C936
- · Suitable for pedestrian and vehicular applications
- Can be utilized to construct an ADA-compliant pavement
- · Micro-chamfer to minimize vibration and enhance wheelchair comfort
- · Optimized joint openings for infiltration and maintenance
- · Joint Width: 10 mm
- Initial Surface Infiltration Rate: >500 inches per hour (varies based on joint infill gradation)
- Surface Open Area: 10%

## SHAPES & SIZES

3-PIECE | 80MM



3½ x 611/16 x 31/8



611/16 x 611/16 x 31/8



101/4 x 611/16 x 31/8




# AQUALINE™

## PERMEABLE PAVER | 80MM

An environmentally friendly choice with a smooth surface and crisp, clean lines for stunning timeless designs.









TOSCANA



VICTORIAN

RIO

Please contact your local Belgard representative for additional special order sizes.













AQU	ALINE™	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
80MM	4½ x 9 x 3½	90	40	11.25	8	3100

Downloadable professional resources available at Belgard.com/Resources

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Interlocking spacer bars for increased structural performance
- · Smooth surface with a micro- chamfer to minimize vibration and enhance wheelchair comfort
- Can be utilized to construct an ADA-compliant pavement
- True installed dimensions for design optimization
- Optimal joint openings for infiltration and maintenance
- · Can eliminate stormwater runoff and improve water quality
- Meets the requirements of ASTM C936
- Chamfer Width: 3 mm
- Spacer Bar Width: 10 mm
- Surface Infiltration Rate: > 500 inches per hour (varies based on joint infill gradation)
- Surface Open Area: 12%
- · Can be installed mechanically with herringbone pallet layout
- · Approved for vehicular applications

### SHAPES & SIZES

80MM



4½ x 9 x 31/8



## AVALON SLATE™

3-PIECE PAVER | 60MM

The dimensional texture of natural cut slate creates graceful outdoor spaces that blend seamlessly with the natural landscape.











BELLA TOSCANA VICTORIAN



## DRIVEWAY



## ROVED COMPLIANT

## PALLET INFORMATION

AVAI	LON SLATE™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
	12 x 6 x 23/8	30	6	3		
WW09	12 x 9 x 23/8	30	4	3	10	3230
	12 x 12 x 2¾	60	6	6		

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- 3-piece modular system
- · Optional border stone available
- Ideal for courtyards, walkways, patios pool decks, and residential vehicular applications
- Flexible installation for multiple laying patterns
- · Natural slate texture

## SHAPES & SIZES

3-PIECE | 60MM





## **BASALT**

## 3-PIECE PAVER | 60MM

BELGARD PAVES THE WAY

The distinct character of hammered stone is enriched by DuraFusion Technology for enhanced texture and wear-resistance.



















BAS	ALT™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
00	9 x 18 x 23/8		2	2.25		
BASALT 1 60MM	18 x 18 x 2¾	112.5	1	2.25	10	3152
ВА	18 x 27 x 23/6		2	6.75		

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Upscale texture of flamed or hammered stone
- · Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- Simplified quoting and design of projects
- Uniform sizing in true 3-inch increments
- Sizing compatible with all Belgard modular paver lines look for the Modular Paver icon



DURAFUSION" TECHNOLOGY

Refined texture with enhanced wear-resistance

## SHAPES & SIZES

BASALT 18 | 60MM

9 x 18 x 23/8

18 x 18 x 2%

18 x 27 x 23/6



# 

PAVER | 60MM

The warm weathered-stone appearance offers a timeless look enriched with DuraFusion Technology for enhanced texture and wear-resistance.

















## MODULAR S171NIC





## PALLET INFORMATION

BRO	OKLYN™	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
WW09	3 x 9 x 2³/ <sub>8</sub>	99.5	55	9.5	10	2784

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Warm, weathered appearance and texture
- Ideal for patios, walkways, accents and residential vehicular applications
- · Uniform thickness and width
- Sizing compatible with all Belgard modular paver lines -- look for the Modular Sizing icon
- Superior color technology provides rich color tones with lasting durability



DURAFUSION" TECHNOLOGY
Refined texture with enhanced wear-resistance

## SHAPES & SIZES

60MM



3 x 9 x 23/8



## CAMBRIDGE COBBLE®

PAVER | 60MM

Gently rounded corners and a domed pillow-top surface provide clean lines and a classic architectural appearance.













AUTUMN

BELLA

GRAPHITE

Only available in 6 x 9

RIO





TOSCANA

VICTORIAN







CAM	BRIDGE COBBLE°	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
6 X 6 80MM	6 x 6 x 2%	120	48	12	10	3230
MM09	6 x 9 x 2%	112	30	11.25	10	3020

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Clean lines and an architectural appearance
- Classic style perfectly suited for almost any aesthetic and application
- Gently rounded corners with smooth pillowtop surface
- Two size options available on separate pallets for design flexibility
- Ideal for patios, walkways, pool decks and residential vehicular applications

## SHAPES & SIZES

6 X 6 | 60MM



6 x 6 x 23/8

6 X 9 | 60MM



6 x 9 x 23/8

View the product page on **Belgard.com** for more information




**FONTANA** 

## CATALINA GRANA®


3-PIECE PAVER | 60MM

SEPIA 🤝



SHADED GRAY 🤝







## DURAFUSION' TECHNOLOGY





ADA Compliant

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- 3-piece system for flexibility and ease of installation
- · Smooth linear surface
- · ADA Compliant
- Multiple laying patterns
- · Ideal for residential driveways, patios, pool decks and walkways



DURAFUSION" TECHNOLOGY Refined texture with enhanced wear-resistance

## SHAPES & SIZES

3-PIECE | 60MM



12 x 6 x 23/8



12 x 9 x 23/8



12 x 12 x 23/8

## PALLET INFORMATION

CATA	ALINA GRANA° 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
	12 x 6 x 23/8		6	3		
MM09	12 x 9 x 2%	120	4	3	10	3230
	12 x 12 x 23/8		6	6		

Downloadable professional resources available at Belgard.com/Resources



## CATALINA GRANA®

3-PIECE PAVER | 60MM

Clean lines, a smooth surface, and a subtle beveled edge work together to create a contemporary eye-pleasing look.













 $A\;U\;T\;U\;M\;N$ 

BELLA

MONTECITO

RIO





TOSCANA

VICTORIAN







CATA	ALINA GRANA° 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
	12 x 6 x 23/s		6	3		
MM09	12 x 9 x 2%	120	4	3	10	3230
	12 x 12 x 23/8		6	6		

Downloadable professional resources available at **Belgard.com/Resources** 

#### QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- 3-piece system for flexibility and ease of installation
- · Smooth linear surface
- ADA Compliant
- Multiple laying patterns
- Ideal for residential driveways, patios, pool decks and walkways

## SHAPES & SIZES

3-PIECE | 60MM



12 x 6 x 23/8



12 x 9 x 23/8



12 x 12 x 23/8



## **CHARLESTONE**

3-PIECE PAVER | 60MM

Designed to evoke the charm of early American streets, this system mimics the historical elegance of weathered, hand-cobbled stone.













GRAPHITE RIO TOSCANA VICTORIAN



## MODULAR SIZING





## PALLET INFORMATION

CHA	RLESTONE™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
	6 x 6 x 23/8		6			
MM09	6 x 9 x 2¾	103.9	12	10.4	10	2575.25
	6 x 12 x 2%		9			

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- · Timeless look of hand-cobbled stone
- Sized in true 3-inch increments for simplified estimating and ordering
- Reduced cuts and waste
- Sizing compatible with all Belgard modular paver lines -- look for the Modular Sizing icon
- Pallet optimized for both mechanical and manual installation
- Particularly ideal for accents, walkways and residential driveway applications

## SHAPES & SIZES

3-PIECE | 60MM



6 x 6 x 23/8



6 x 9 x 23/8



6 x 12 x 23/8




## DIMENSIONS<sup>™</sup> 12

3-PIECE SYSTEM | 60MM



The smooth and consistent finish of DuraFusion Technology complements the clean lines and linear surface of Dimensions for contemporary style with enhanced wear-resistance.





SHADED GRAY 🤝



#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Smooth face with clean, crisp lines
- · Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- Increased options for creative patterns
- Simplified quoting and design of projects
- Uniform dimensions compatible with other Dimensions paver sizes
- Sizing compatible with other Belgard modular paver lines, like Origins™ and Papyrus™



DURAFUSION" TECHNOLOGY
Refined texture with enhanced wear-resistance

### SHAPES & SIZES

DIMENSIONS 12 | 60MM



6 x 12 x 23/8



 $12 \times 12 \times 2^{3/8}$ 



12 x 18 x 2<sup>3</sup>/<sub>8</sub>

## PALLET INFORMATION

DURAFUSION'

**TECHNOLOGY** 

ADA COMPLIANT

MODULAR

DIM	ENSIONS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
12	6 x 12 x 23/8		4	2		
DIMENSIONS 12 60MM	12 x 12 x 2 <sup>3</sup> / <sub>8</sub>	120	4	4	10	3180
OIN	12 x 18 x 2 <sup>3</sup> / <sub>8</sub>		4	6		

Downloadable professional resources available at **Belgard.com/Resources** 




## DIMENSIONS<sup>™</sup> 18

3-PIECE SYSTEM | 60MM



The smooth and consistent finish of DuraFusion Technology complements the clean lines and linear surface of Dimensions for contemporary style with enhanced wear-resistance.





SHADED GRAY 🤝









#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Smooth face with clean, crisp lines
- · Contemporary larger format sizing
- · Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- · Increased options for creative patterns
- · Simplified quoting and design of projects
- · Uniform dimensions compatible with other Dimensions paver sizes
- Sizing compatible with other Belgard modular paver lines, like Origins™ and Papyrus™



**■ DURAFUSION\* TECHNOLOGY** Refined texture with enhanced wear-resistance

## SHAPES & SIZES

DIMENSIONS 18 | 60MM



9 x 18 x 23/8



18 x 18 x 23/8



18 x 27 x 23/8

## PALLET INFORMATION

DIM	ENSIONS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
8	9 x 18 x 2³/s		2	2.25		
DIMENSIONS 18 60MM	18 x 18 x 2 <sup>3</sup> / <sub>8</sub>	112.5	1	2.25	10	3152
DIN	18 x 27 x 2 <sup>3</sup> / <sub>8</sub>		2	6.75		

Downloadable professional resources available at Belgard.com/Resources




# DIMENSIONS™ 6

3-PIECE SYSTEM | 60MM

Versatility meets contemporary design with a multipiece system that features a smooth face and crisp, clean lines.








BELLA







RIO TOSCANA VICTORIAN



#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Smooth face with clean, crisp lines
- · Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- Increased options for creative patterns
- Simplified quoting and design of projects
- Uniform dimensions compatible with other Dimensions paver sizes
- Sizing compatible with other Belgard modular paver lines, like Origins™ and Papyrus™
- Ideal for patios, walkways and residential vehicular applications

## SHAPES & SIZES

### DIMENSIONS 6 | 60MM

3 x 6 x 2<sup>3</sup>/<sub>8</sub>

6 x 6 x 23/8

6 x 9 x 23/8

## PALLET INFORMATION

DIM	ENSIONS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
DIMENSIONS 6 60MM	3 x 6 x 23/8	120	16	2	10	3230
	6 x 6 x 2 <sup>3</sup> / <sub>8</sub>		16	4		
	6 x 9 x 2 <sup>3</sup> / <sub>8</sub>		16	6		

Downloadable professional resources available at **Belgard.com/Resources** 




# DIMENSIONS<sup>™</sup> 12

3-PIECE SYSTEM | 60MM

Versatility meets contemporary design with a multipiece system that features a smooth face and crisp, clean lines.













BELLA RIO TOSCANA VICTORIAN







DIM	ENSIONS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
12	6 x 12 x 23/8		4	2		
DIMENSIONS 12 60MM	12 x 12 x 2 <sup>3</sup> / <sub>8</sub>	120	4	4	10	3180
	12 x 18 x 2 <sup>3</sup> / <sub>8</sub>		4	6		

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Smooth face with clean, crisp lines
- · Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- Increased options for creative patterns
- Simplified quoting and design of projects
- Uniform dimensions compatible with other Dimensions paver sizes
- Sizing compatible with other Belgard modular paver lines, like Origins™ and Papyrus™

### SHAPES & SIZES

DIMENSIONS 12 | 60MM



6 x 12 x 23/8



12 x 12 x 23/8



 $12 \times 18 \times 2^{3/8}$ 




## DIMENSIONS<sup>™</sup> 18

3-PIECE SYSTEM | 60MM

Versatility meets contemporary design with a multipiece system that features a smooth face and crisp, clean lines.













BELLA LINEN RIO TOSCANA



VICTORIAN







DIM	ENSIONS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
18	9 x 18 x 2³/s		2	2.25		
DIMENSIONS 18 60MM	18 x 18 x 2 <sup>3</sup> / <sub>8</sub>	112.5	1	2.25	10	3152
	18 x 27 x 2 <sup>3</sup> / <sub>8</sub>		2	6.75		

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Smooth face with clean, crisp lines
- · Contemporary larger format sizing
- Maximized pallet layout for jobsite efficiencies
- Reduced cuts, installation time and waste
- · Increased options for creative patterns
- Simplified quoting and design of projects
- Uniform dimensions compatible with other Dimensions paver sizes
- Sizing compatible with other Belgard modular paver lines, like Origins™ and Papyrus™

## SHAPES & SIZES

DIMENSIONS 18 | 60MM



9 x 18 x 23/8



 $18 \times 18 \times 2^{3/8}$ 



18 x 27 x 23/8

View the product page on **Belgard.com** for more information




**FONTANA** 


## **DIMENSIONS**

PAVER | 60MM



Ideal for accents, driveways and small patios, the contemporary smooth, linear surface of this paver is enriched with DuraFusion Technology for enhanced texture and wear-resistance.











DIMENSIONS™ PAVER		SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
6 X 9	6 x 9 x 2 <sup>3</sup> /8	112.5	30	11.2	10	3020
6 X 12 60MM	6 x 12 x 2³/s	120	24	12	10	3260

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Smooth face with clean, crisp lines
- · Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- Increased options for creative patterns
- Simplified quoting and design of projects
- Uniform dimensions compatible with other Dimensions paver sizes
- Sizing compatible with other Belgard modular paver lines, like Origins™ and Papyrus™
- Ideal for walkways, small patios, borders and banding
- 6x9 size can be used for residential vehicular applications



DURAFUSION" TECHNOLOGY
Refined texture with enhanced wear-resistance

### SHAPES & SIZES

6 X 9 | 60MM



6 x 9 x 23/8

6 X 12 | 60MM



6 x 12 x 23/8




## **DIMENSIONS**

PAVER | 60MM



Accentuate contemporary style with a smooth, linear surfaced paver that is ideal for installation of driveways, accents and small patios.





#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Smooth face with clean, crisp lines
- · Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- Increased options for creative patterns
- Simplified quoting and design of projects
- Uniform dimensions compatible with other Dimensions paver sizes
- Sizing compatible with other Belgard modular paver lines, like Origins™ and Papyrus™
- Ideal for walkways, small patios, borders, banding, and residential vehicular applications

## SHAPES & SIZES

6 X 9 | 60MM



6 x 9 x 23/8

MODULAR





## PALLET INFORMATION

DIMENSIONS™ PAVER		SQFT/	UNITS/	SQFT/	LAYER/	WEIGHT/
		PALLET	LAYER	LAYER	PALLET	Pallet
6 X 9 60MM	6 x 9 x 2 <sup>3</sup> / <sub>8</sub>	112.5	30	11.2	10	3020

Downloadable professional resources available at **Belgard.com/Resources** 




# **DIMENSIONS**

SLAB | 60MM



The expansive size is distinguished by clean, crisp lines and a smooth, linear surface, which make it a superior choice for contemporary designs.









LINEN RIO VICTORIAN







DIM	ENSIONS™ SLAB	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
12 X 24 60MM	12 x 24 x 2%	120	6	12	10	3230
24 X 24 60MM	24 x 24 x 23/6	80	2	8	10	2170

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Smooth face with clean, crisp lines
- Contemporary larger format sizing
- Maximized pallet layout for jobsite efficiencies
- Reduced cuts, installation time and waste
- · Increased options for creative patterns
- · Simplified quoting and design of projects
- Uniform dimensions compatible with other Dimensions paver sizes
- Sizing compatible with other Belgard modular paver lines, like Origins™ and Papyrus™

#### SHAPES & SIZES

12 X 24 | 60MM



12 x 24 x 23/8

24 X 24 | 60MM



24 x 24 x 23/8




# **DIMENSIONS**

SLAB | 60MM



Expansive sizes, clean lines and a smooth surface create ultra-contemporary designs enriched with DuraFusion Technology for enhanced texture and wear-resistance.









HICKORY 🤝



SCANDINA GRAY 🤝



SEPIA 🤝



SHADED GRAY 🤝











DIMI	ENSIONS™ SLAB	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
9 X 18 60MM	9 x 18 x 23/8	112.5	10	11.25	10	3219
12 X 24 60MM	12 x 24 x 23/8	120	6	12	10	3230
15 X 30 60MM	15 x 30 x 23/s	93.75	3	9.375	10	2680
24 X 24 60MM	24 x 24 x 23/8	80	2	8	10	2170
24 X 36 60MM	24 x 36 x 23/6	120	2	12	10	3240

Downloadable professional resources available at Belgard.com/Resources

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- Smooth face with clean, crisp lines
- · Contemporary larger format sizing
- · Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- · Increased options for creative patterns
- · Simplified quoting and design of projects
- · Uniform dimensions compatible with other Dimensions paver sizes
- Sizing compatible with other Belgard modular paver lines, like Origins™ and Papyrus™



**■ DURAFUSION\* TECHNOLOGY** Refined texture with enhanced wear-resistance

#### SHAPES & SIZES

9 X 18 | 60MM



9 x 18 x 23/8

12 X 24 | 60MM



12 x 24 x 23/8

15 X 30 | 60MM



15 x 30 x 23/8

24 X 24 | 60MM



24 x 24 x 23/8

24 X 36 | 60MM



24 x 36 x 23/8




# **DIMENSIONS**

PLANK | 80MM



Clean lines and an elongated shape offer a modern architectural appearance. With a size that supports vehicular loads, this paver is ideal for creating contemporary curb appeal.









RIO TOSCANA VICTORIAN



# MODULAR





#### PALLET INFORMATION

DIMI	ENSIONS™ PLANK	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
3 X 12 80MM	3 x 12 x 31/8	88	44	11	8	3250

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- True 3-inch dimensions for optimized pallet layout
- Clean lines and a modern architectural appearance
- Can be utilized to construct an ADA-compliant pavement
- 3 mm micro-chamfer width to minimize vibration and enhance wheelchair comfort
- · Reduced cuts, installation time and waste
- · Increased options for creative patterns
- Sizing compatible with other Dimensions sizes.
- Sizing compatible with all Belgard modular paver lines -- look for the Modular Sizing icon
- Ideal for patios, walkways and residential vehicular applications

#### SHAPES & SIZES

3 X 12 | 80MM



3 x 12 x 31/8



# **DIMENSIONS**


PLANK | 80MM



Clean lines and an elongated shape offer a modern look capable of supporting vehicular loads, enriched with DuraFusion Technology for enhanced texture and wear-resistance.















OGY APPROVED COM

DIM	ENSIONS™ PLANK	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
3 X 9 80MM	3 x 9 x 31/8	82.4	55	10.3	8	3050
3 X 12 80MM	3 x 12 x 31/8	88	44	11	8	3250

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- True 3-inch dimensions for optimized pallet layout
- Clean lines and a modern architectural appearance
- Can be utilized to construct an ADA-compliant pavement
- 3 mm micro-chamfer width to minimize vibration and enhance wheelchair comfort
- · Reduced cuts, installation time and waste
- · Increased options for creative patterns
- Sizing compatible with other Dimensions sizes.
- Sizing compatible with all Belgard modular paver lines -- look for the Modular Sizing icon
- Ideal for patios, walkways and residential vehicular applications



DURAFUSION" TECHNOLOGY
Refined texture with enhanced wear-resistance

#### SHAPES & SIZES

3 X 9 | 80MM



3 x 9 x 31/8

3 X 12 | 80MM



3 x 12 x 3½



MONTECITO


TOSCANA

# DUBLIN COBBLE®

3-PIECE PAVER | 60MM



The gently distressed surfaces and antiqued edges create a casually elegant time-worn look. This cobble's exceptional stability and durability makes it suitable for driveways.



VICTORIAN





DUB	LIN COBBLE° 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
	3 x 6 x 23/8		16	1.9		
MM09	6 x 6 x 23/8	114	16	3.8	10	3080
	6 x 9 x 23/6		16	5.7		

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Gently distressed surfaces and antiqued edges
- · Exceptional stability and durability
- Wide range of natural color blends
- Ideal for patios, walkways and residential vehicular applications

#### SHAPES & SIZES

3-PIECE | 60MM



3 x 6 x 23/8



6 x 6 x 2%



6 x 9 x 23/8



# EMPIRE<sup>™</sup> PAVER | 60MM



The plank shape and hand-tooled face are enriched by DuraFusion Technology for enhanced texture and wear-resistance with seven distinct face styles for unique pattern creation.











SCANDINA GRAY 🤝









EMP	IRE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
мм09	3 x 12 x 2³/s	110	44	11	10	3100

NOTE: All 7 face styles are sold on a single pallet.

Downloadable professional resources available at Belgard.com/Resources

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- · Hand-tooled appearance
- 7 unique textures per pallet
- Ideal for patios, walkways and accents
- Contemporary twist for classic herringbone and basketweave designs
- Sizing compatible with all Belgard modular paver lines -- look for the Modular Sizing icon



DURAFUSION" TECHNOLOGY Refined texture with enhanced wear-resistance

#### SHAPES & SIZES

60MM



3 x 12 x 23/8




# GEOMETRIC SHAPES

PAVER | 60MM



smooth face in various shapes to offer ultra-modern design and art deco aesthetics. In 3-inch increments, these pavers add visual appeal to borders, accents or inlays.









GEO	METRIC SHAPES	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
HEXAGON	12 x 12 x 2¾	100.02	14	9.09	11	2845
DIAMOND	12 x 12 x 2¾	93.53	9	7.79	12	2664
PARALLEL0GRAM	6 x 18 x 2¾	114.31	16	10.39	11	3225

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Smooth face
- · Contemporary aesthetic
- All shapes sized to work together.
- Reduced cuts, installation time and waste
- · Increased options for creative patterns
- Sizing compatible with all Belgard modular paver lines -- look for the Modular Sizing icon

#### SHAPES & SIZES

HEXAGON



12 x 12 x 23/8

DIAMOND



12 x 12 x 23/8

PARALLELOGRAM



6 x 18 x 23/8



# HOLLAND STONE

PAVER | 60MM | 80MM

The classic architectural appearance is derived from a smooth face and clean lines to offer traditional appeal.













BELLA

RIOTOSCANA VICTORIAN





VALENCIA Only available in 80mm

GRAPHITE Only available in 60mm







HOL	LAND STONE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
MM09	4 x 8 x 2%	120	54	12	10	3230
80MM	4 x 8 x 31/8	96	54	12	8	3450

Downloadable professional resources available at Belgard.com/Resources

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Ideal for inlays, borders and as a stand alone
- · Contemporary larger format sizing
- · Ideal for both residential and commercial applications
- Comprehensive library of installation patterns
- · Both sizes ideal for residential vehicular applications
- · 80MM size approved for commercial vehicular applications
- · Approved for residential vehicular applications

#### SHAPES & SIZES

60MM



4 x 8 x 23/8



4 x 8 x 31/8



# MEGA-ARBEL®

PAVER | 60MM



Mega-Arbel offers the look and feel of natural flagstone. With an irregular shape and false joints, it creates a random look that flows harmoniously into the surrounding landscape.









RIO TOSCANA VICTORIAN



#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Large, dramatic scale that mimics natural stone
- Features a range of natural colors and blends
- Irregular interlocking system that utilizes a no-repeat pattern

## SHAPES & SIZES

60MM



153/8 x 21 x 23/8

## PALLET INFORMATION

MEG	A-ARBEL°	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
MM09	15% x 21 x 2%	104.4	6	8.7	12	2850

Downloadable professional resources available at **Belgard.com/Resources** 

View the product page on **Belgard.com** for more information



**FONTANA** 

# **MELVILLE**<sup>™</sup>

## 3-PIECE PLANK | 60MM



The smooth texture, tight-fitted joints and crisp edges of this 3-piece system offer an array of linear design options for seamlessly integrating them with your outdoor elements.











FOUNDRY

GRAPHITE

LINEN

RIO



VICTORIAN





MEL	VILLE™ 3-PIECE PLANK	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
WW09	5 x 11 <sup>13</sup> / <sub>16</sub> x 2 <sup>3</sup> / <sub>8</sub>		7	2.9		
	5 x 15¾ x 2¾	114.5	7	3.85	10	3150
	5 x 19 <sup>11</sup> / <sub>16</sub> x 2 <sup>3</sup> / <sub>8</sub>		7	4.7		
	7½ x 11 <sup>13</sup> / <sub>16</sub> x 2 <sup>3</sup> / <sub>8</sub>	122.7	5	3.035	10	3380
LARGE 60MM	7½ x 15¾ x 2¾		5	4.1		
	7½ x 19½/16 x 23/8		5	5.135		

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Suitable for a variety of pedestrian applications
- Can be utilized to construct an ADA-compliant pavement
- Tight-fitted joints for a clean look and minimal maintenance
- Compliments the Melville series of wall products and outdoor living features

#### SHAPES & SIZES

SLIM | 60MM

1

5 x 11<sup>13</sup>/<sub>16</sub> x 2<sup>3</sup>/<sub>8</sub>



5 x 153/4 x 23/8



5 x 19<sup>1</sup>/<sub>16</sub> x 2<sup>3</sup>/<sub>8</sub>

LARGE | 60MM

7½ x 11¾16 x 23/8



7½ x 15¾ x 2¾



 $7\frac{1}{2} \times 19^{11}/_{16} \times 2\frac{3}{8}$ 




# ORIGINS<sup>™</sup> 6

3-PIECE SYSTEM | 60MM



Emulating the look and texture of natural stone, this paver system offers earthy tones and a slightly chiseled surface that blends with outdoor environments.





#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Look and feel of natural stone
- · Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- · Increased options for creative patterns
- Simplified quoting and design of projects
- Uniform dimensions compatible with other Origins paver sizes
- Sizing compatible with all Belgard modular paver lines, like Dimensions<sup>™</sup> and Papyrus<sup>™</sup>
- Ideal for walkways, small patios, borders, banding, and residential vehicular applications

## SHAPES & SIZES



3 x 6 x 2<sup>3</sup>/<sub>8</sub>

6 x 6 x 23/8

6 x 9 x 23/8

## PALLET INFORMATION

ORIG	GINS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
	3 x 6 x 2%		16	2		
ORIGINS 6 60MM	6 x 6 x 23/8	120	16	4	10	3230
)	6 x 9 x 23/8		16	6		

Downloadable professional resources available at **Belgard.com/Resources** 




# ORIGINS<sup>™</sup> 12

3-PIECE SYSTEM | 60MM



Emulating the look and texture of natural stone, this paver system offers earthy tones and a chiseled face enriched with DuraFusion Technology for enhanced texture and wear-resistance.







ASHWOOD 🤝



CHESWICK 😽









ORIO	GINS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
	6 x 12 x 23/8		4	2		
ORIGINS 12 60MM	12 x 12 x 2 <sup>3</sup> / <sub>8</sub>	120	4	4	10	3180
0	12 x 18 x 2 <sup>3</sup> / <sub>8</sub>		4	6		

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Look and feel of natural stone
- · Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- Increased options for creative patterns
- Simplified quoting and design of projects
- Uniform dimensions compatible with other Origins paver sizes
- Sizing compatible with all Belgard modular paver lines, like Dimensions<sup>™</sup> and Papyrus<sup>™</sup>



DURAFUSION" TECHNOLOGY
Refined texture with enhanced wear-resistance

#### SHAPES & SIZES

ORIGINS 12 | 60MM



6 x 12 x 2<sup>3</sup>/<sub>8</sub>



12 x 12 x 23/8



12 x 18 x 2<sup>3</sup>/<sub>8</sub>



# ORIGINS<sup>™</sup> 18

3-PIECE SYSTEM | 60MM



Emulating the look and texture of natural stone, this paver system offers earthy tones and a chiseled face enriched with DuraFusion Technology for enhanced texture and wear-resistance.







ASHWOOD 🤝



CHESWICK 😽









#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- · Look and feel of natural stone
- · Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- · Increased options for creative patterns
- · Simplified quoting and design of projects
- · Uniform dimensions compatible with other Origins paver sizes
- Sizing compatible with all Belgard modular paver lines, like Dimensions™ and Papyrus™



DURAFUSION" TECHNOLOGY Refined texture with enhanced wear-resistance

#### SHAPES & SIZES

ORIGINS 18 | 60MM



9 x 18 x 23/8



18 x 18 x 23/8



18 x 27 x 23/8

## PALLET INFORMATION

ORIG	GINS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
	9 x 18 x 23/s		2	2.25		
ORIGINS 18 60MM	18 x 18 x 2%	112.5	1	2.25	10	3152
0	18 x 27 x 2%		2	6.75		

Downloadable professional resources available at Belgard.com/Resources



# ORIGINS PAVER | 60MM



With a subtle chiseled stone face, this paver is an ideal choice for driveways, small patios, or for adding a touch of texture as a distinctive border, accent banding and inlaid design.











B E L L A G R A P H I T E





VICTORIAN



#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Look and feel of natural stone
- · Maximized pallet layout for jobsite efficiencies
- Reduced cuts, installation time and waste
- Increased options for creative patterns
- Simplified quoting and design of projects
- Uniform dimensions compatible with other Origins paver sizes
- Sizing compatible with all Belgard modular paver lines, like Dimensions<sup>™</sup> and Papyrus<sup>™</sup>
- Ideal for walkways, small patios, borders, banding, and residential vehicular applications

## SHAPES & SIZES

6 X 9 | 60MM

6 x 9 x 23/8

## PALLET INFORMATION

ORIGINS™ PAVER		SQFT/	UNITS/	SQFT/	LAYER/	WEIGHT/
		PALLET	LAYER	LAYER	PALLET	PALLET
WW09	6 x 9 x 23/8	112.5	300	11.2	10	3020

Downloadable professional resources available at **Belgard.com/Resources** 




#### NATURAL COLLECTION

# ORIGINS PAVER | 60MM



With a chiseled face and an ideal size for driveways, small patios and borders, this paver is enriched with DuraFusion Technology for enhanced texture and wear-resistance.







ASHWOOD 🤝



CHESWICK 🤝



# MODULAR







# PALLET INFORMATION

ORIGINS™ PAVER		SQFT/	UNITS/	SQFT/	LAYER/	WEIGHT/
		PALLET	LAYER	LAYER	PALLET	Pallet
6 X 9	6 x 9 x 2¾	112.5	30	11.2	10	3020

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Look and feel of natural stone
- · Maximized pallet layout for jobsite efficiencies
- · Reduced cuts,installation time and waste
- Increased options for creative patterns
- Simplified quoting and design of projects
- Uniform dimensions compatible with other Origins paver sizes
- Sizing compatible with all Belgard modular paver lines, like Dimensions™ and Papyrus™
- Ideal for walkways, small patios, borders, banding, and residential vehicular applications



DURAFUSION" TECHNOLOGY
Refined texture with enhanced wear-resistance

## SHAPES & SIZES

6 X 9 | 60MM



6 x 9 x 23/8




# ORIGINS™ ANTIQUED

3-PIECE PAVER | 60MM

The old-world charm of hand cut stone that has aged over time adds distinctive character to patios, walkways and driveways.













BELLA RIO TOSCANA VICTORIAN







ORIO	GINS™ ANTIQUED 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
	3 x 6 x 23/8		16	2		
ORIGINS 6 60MM	6 x 6 x 23/8	120	16	4	10	3230
	6 x 9 x 23/6		16	6		

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Gently distressed surfaces and antiqued edges
- · Exceptional stability and durability
- Wide range of natural color blends
- Ideal for walkways, patios and residential vehicular applications
- Sizing compatible with all Belgard modular paver lines -- look for the Modular Sizing icon

## SHAPES & SIZES

ORIGINS 6 | 60MM

3 x 6 x 2<sup>3</sup>/<sub>8</sub>

6 x 6 x 23/8

6 x 9 x 23/8



# PAPYRUS<sup>™</sup>

## 3-PIECE PAVER | 60MM



An organic textural experience with modern elegance, this paver's unique face offers an upscale hand-tooled look enriched with DuraFusion Technology enhanced color, texture and wear-resistance.







SCANDINA GRAY 🤝











ADA

PAPYRUS™ 3-PIECE		SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
18	9 x 18 x 2³/s		2	2.25		
PAPYRUS 18 60MM	18 x 18 x 2 <sup>3</sup> / <sub>8</sub>	122.5	1	2.25	10	3152
PAF	18 x 27 x 2³/ <sub>8</sub>		2	6.75		

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- Upscale organic texture that emulates hand-tooled stone
- · Contemporary larger format sizing
- True 3" increments for optimized pallet layouts and jobsite efficiencies
- · Reduced cuts, installation time and waste
- · Increased options for creative patterns
- · Simplified quoting and design of projects
- Expansion of the Artisan Collection of modular pavers
- Sizing compatible with all Belgard modular paver lines like Origins<sup>™</sup> and Dimensions<sup>™</sup>



DURAFUSION\* TECHNOLOGY
Refined texture with enhanced wear-resistance

## SHAPES & SIZES

PAPYRUS 18 | 60MM



9 x 18 x 23/8



18 x 18 x 23/8



18 x 27 x 23/8




# **TURFSTONE**

GRID PAVER | 80MM

An open lattice grid design offers turf or gravel infill, creating a unique hardscape design that works in harmony with nature.







 $\mathsf{G}\;\mathsf{R}\;\mathsf{A}\;\mathsf{Y}$ 





TURFSTONE™		SQFT/	UNITS/	SQFT/	LAYER/	WEIGHT/
		PALLET	LAYER	LAYER	PALLET	PALLET
80MM	16 x 24 x 3⅓	101	4	10.1	10	2680

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Manufactured in accordance with ASTM C1319
- · Open lattice grid design for turf infill
- 40% surface opening with void space for creating a grass pavement
- Applications include driveways, parking stalls, ramps, service and emergency access lanes

## SHAPES & SIZES

80MM




16 x 24 x 31/8



# FOUNDATION CONCRETE FINISH | 20MM



These pavers exude timeless sophistication and a uniform look achieved by a smooth, refined surface texture, polished concrete appearance, and neutral color tones.







AMBER BEIGE

SCANDINA GRAY



FO	UNDATION	SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ PALLET
24 X 24	23.46 x 23.46 x <sup>3</sup> / <sub>4</sub>	275.04	7.64	36	2	67.84	2517

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- Organic polished concrete finish
- · Elegant look of polished concrete
- Incredibly high breakage loads, up to 3,000 pounds.
- · Modular for faster installation.
- Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.\*
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains.
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials.
- Structured top textures create non-slip surfaces.
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F).
  - \* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

### SHAPES & SIZES

24 X 24



23.46 x 23.46 x <sup>3</sup>/<sub>4</sub>



## 

## STONE FINISH | 20MM



Subtle nuances of natural stone and a smooth, non-slip texture make this porcelain paver the choice for blending earthy tones with a weathered patina for timeless aesthetics.







B L A N C O C R E M A



GENOA™		SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ PALLET
12 X 24	11.65 x 23.46 x <sup>3</sup> / <sub>4</sub>	303.6	7.59	40	4	68	2804
24 X 24	23.46 x 23.46 x <sup>3</sup> / <sub>4</sub>	303.6	7.64	36	2	72	2517

Downloadable professional resources available at **Belgard.com/Resources** 

#### QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- · Look of natural polished stone
- Incredibly high breakage loads, up to 3,000 pounds.
- Modular for faster installation.
- Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.\*
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains.
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials.
- Structured top textures create non-slip surfaces.
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F).

\* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

#### SHAPES & SIZES

12 X 24 11.65 x 23.46 x ¾

23.46 x 23.46 x 3/4




## GLOCAL

### CONCRETE FINISH | 20MM



The smooth concrete-like finish offers a clean, contemporary aesthetic. Its structured and tight surface texture in neutral shades makes this porcelain paver a versatile design element.











Clear not available in 48 x 48







SLIGHT LOW SOLAR H

GLOCAL		SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ PALLET
24 X 24	23.54 x 23.54 x <sup>3</sup> / <sub>4</sub>	232.5	7.75	30	2	72	2201
24 X 48	23.54 x 47.17 x <sup>3</sup> / <sub>4</sub>	271.25	7.75	35	1	74	2621

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- · Minimalist appeal of refined concrete
- Incredibly high breakage loads, up to 3,000 pounds
- Modular for faster installation
- Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.\*
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials
- Structured top textures create non-slip surfaces
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F)

\* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

#### SHAPES & SIZES

24 X 24 23.54 x 23.54 x ¾ 24 X 48 23.54 x 47.17 x ¾



## **JURUPA**

### WOOD FINISH | 20MM



The robust intrinsic characteristics of smooth planed wood offer warmth and sophistication. Resembling wood, each paver has subtle variations clearly framed by grouted details.










MASTER JP 03



CAMP JP 04





JU	RUPA	SQFT/ PALLET	SQFT/ BOX	BOXES/ Pallet	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ PALLET
12 X 48	11.73 x 47.17	279	7.75	36	2	74	2664

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- Robust intrinsic characteristics of smooth planed wood.
- Incredibly high breakage loads, up to 3,000 pounds
- · Modular for faster installation,
- Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.\*
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials.
- Structured top textures create non-slip surfaces.
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.10 to + 600 C (-60°F to +140°F).

\* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

#### SHAPES & SIZES

12 X 48



11.73 x 47.17



## LAGOON

### STONE FINISH | 20MM



Painstaking detail and depth of color evoke the expressive power of nature through these stylish modular pavers. Veining effects are inspired by the stratifications of sedimentary rocks.









SANDSHELL **LG 02 ST**  SHARKSKIN LG 04 ST







LOW SOLAR HEAT

LA	GOON	SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ Box	WEIGHT/ PALLET
24 X 48	23.54 x 47.17 x <sup>3</sup> / <sub>4</sub>	271.25	7.75	35	1	74	2621

Downloadable professional resources available at Belgard.com/Resources

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- · Veining effects with a smoothly flowing movement inspired by the stratifications of sedimentary rocks
- · Incredibly high breakage loads, up to 3,000 pounds
- · Modular for faster installation,
- · Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.\*
- · High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types
- · Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials.
- · Structured top textures create non-slip surfaces.
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from  $-51.10 \text{ to} + 600 \text{ C} (-60^{\circ}\text{F to} +140^{\circ}\text{F}).$ 
  - \* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

#### SHAPES & SIZES

24 X 48



23.54 x 47.17 x 3/4



## NOON

### WOOD FINISH | 20MM



Warm and stylish, this contemporary expression of simplicity combines the look and feel of natural wood with the durability of porcelain.









EMBER NN 02 ST



HONEY
NN 03 ST







MODERATE

HIGH VARIATION

NOON		SQFT/	SQFT/	BOXES/	PCS/	WEIGHT/	WEIGHT/
		PALLET	BOX	PALLET	BOX	Box	PALLET
12 X 48	11.73 x 47.17	279	7.75	36	2	74	2664

Downloadable professional resources available at **Belgard.com/Resources** 

#### QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- · Rustic look of reclaimed wood
- Incredibly high breakage loads, up to 3,000 pounds
- · Modular for faster installation
- Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.\*
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials
- Structured top textures create non-slip surfaces
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F)

\* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

#### SHAPES & SIZES

12 X 48



11.73 x 47.17




## NORR

### STONE FINISH | 20MM



The stone-like look of pebbles in various colors and shapes creates a three-dimensional effect that adds a natural yet contemporary touch to any surface.







NORR		SQFT/	SQFT/	BOXES/	PCS/	WEIGHT/	WEIGHT/
		PALLET	BOX	PALLET	BOX	BOX	PALLET
32 X 32	31.42 x 31.42 x <sup>3</sup> / <sub>4</sub>	289.33	6.88	42	1	65.48	2751

Downloadable professional resources available at **Belgard.com/Resources** 

#### QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- Features pebbles of varying colors and shapes to create a pleasant three-dimensional effect
- Incredibly high breakage loads, up to 3,000 pounds
- Modular for faster installation
- Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.\*
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials
- Structured top textures create non-slip surfaces
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F)

\* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

#### SHAPES & SIZES

32 X 32



31.42 x 31.42 x <sup>3</sup>/<sub>4</sub>




## NOVEMBER

STONE FINISH | 20MM



Minimalist styling inspired by nature is found with this versatile porcelain paver. Characteristics of stone and cement embody its texture to offer a simple, yet elegant look.









NOVEMBER		SQFT/	SQFT/	BOXES/	PCS/	WEIGHT/	WEIGHT/
		PALLET	BOX	PALLET	BOX	BOX	PALLET
24 X 24	23.54 x 23.54 x <sup>3</sup> / <sub>4</sub>	232.5	7.75	30	2	72	2160

Downloadable professional resources available at Belgard.com/Resources

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- · Characteristics of stone and cement combine for a simple, minimalist look with elegance
- · Available in 4 versatile colors with choice of controlled shade variation (< 15 graphics, V2 variation)
- Efficient 24" x 24" size for cost savings
- · Color-body, rectified porcelain is made in Italy
- · Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device\*
- · High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- · Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials
- Structured top textures create non-slip surfaces
- · Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F)

\* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

### SHAPES & SIZES

24 X 24



23.54 x 23.54 x 3/4




## QUARZITI 2.0

STONE FINISH | 20MM



This interpretation of natural quartz incorporates a gentle shading effect with the authentic diversity and subtle iridescence of natural elements.





MANTLE\*

QR 05 NAT

\*only available in 24x24







	QUARZITI 2.0	SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ PALLET
12 X 24	11.73 x 23.54 x <sup>3</sup> / <sub>4</sub>	232.4	5.81	40	3	54.19	2201
24 X 24	23.54 x 23.54 x <sup>3</sup> / <sub>4</sub>	232.5	7.75	30	2	72	2160
24 X 48	23.54 x 47.17 x <sup>3</sup> / <sub>4</sub>	271.25	7.75	35	1	74	2621

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**


Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- Realistic look of natural quartz
- A variety of modular shapes offer ultimate design flexibility
- Incredibly high breakage loads, up to 3,000 pounds
- · Modular for faster installation
- Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.\*
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials
- Structured top textures create non-slip surfaces
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F)

\* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

#### SHAPES & SIZES





## SILVERLAKE

STONE FINISH | 20MM



Soft veining effects intertwine with neutral shades to offer natural patterns like those found in marble and stones. These traits provide a luxurious look with maximum versatility.

















LOW SOLAR HEAT ARSORPTION

SIL	VERLAKE	SQFT/ PALLET	SQFT/ BOX	BOXES/ Pallet	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ Pallet
24 X 48	23.54 x 47.17 x <sup>3</sup> / <sub>4</sub>	271.25	7.75	35	1	74	2621

Downloadable professional resources available at Belgard.com/Resources

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- A range of balanced, neutral colours with soft veining effects
- · Incredibly high breakage loads, up to 3,000 pounds
- · Modular for faster installation,
- · Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.\*
- · High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- · Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials.
- Structured top textures create non-slip surfaces.
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.10 to + 600 C (-60 $^{\circ}$ F to +140 $^{\circ}$ F).

\* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

#### SHAPES & SIZES

24 X 48




23.54 x 23.54 x 3/4



## TRAVERTINI

### TRAVERTINE FINISH | 20MM














v2 MISTY VEIN\* EY 11 NAT



v2 LIGHT CROSS\*\* EY 13 NAT



MISTY CROSS\*\*



DARK VEIN\* EY 08 NAT



v2 PEARLY CROSS\*\*
EY 12 NAT











TRAVERTINI		SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ PALLET
32 X 32	31.42 x 31.42 x <sup>3</sup> / <sub>4</sub>	289.33	6.88	42	1	65.48	2751
24 X 48	23.54 x 47.17 x <sup>3</sup> / <sub>4</sub>	271.25	7.75	35	1	74	2621

Downloadable professional resources available at **Belgard.com/Resources** 

#### QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- · Timeless beauty of travertine
- Aesthetic options include a linear Vein Cut appearance and a softer Cross Cut appearance
- Large format slabs
- A variety of modular shapes offer ultimate design flexibility
- Incredibly high breakage loads, up to 3,000 pounds
- · Modular for faster installation
- Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device\*
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials
- Structured top textures create non-slip surfaces
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F)

\* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

#### SHAPES & SIZES

32 X 32 31.42 x 31.42 x <sup>3</sup>/<sub>4</sub> 24 X 48 23.54 x 47.17 x <sup>3</sup>/<sub>4</sub>




## UNICO 2.0

COPING | 20MM



Enhance your outdoor spaces with our premium porcelain coping available in a variety of styles to complement multiple porcelain paver lines.





#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- · Sleek, polished round edge
- Featuring authentic looks in natural stone, cement, and wood to coordinate with various porcelain paver lines
- Use for steps or as coping for swimming pools
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials
- Structured top textures create non-slip surfaces
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F)

#### SHAPES & SIZES





11.62 x 23.54 x 3/4

#### PALLET INFORMATION


UN	IICO 2.0	LNFT/ PALLET	LNFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ PALLET
COPING	11.62 x 23.54 x <sup>3</sup> / <sub>4</sub>	10	6	36	3	52	2080

Downloadable professional resources available at **Belgard.com/Resources** 




## BELAIR WALL 2.0

### RETAINING | FREESTANDING









RIO



TOSCANA





VICTORIAN GRAPHITE Only available in Cap















	BELAIR WALL® 2.0	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
9NI	6 x 6 x 5	30	0.75	5	120	2700
FREESTANDING WALL	6 x 10 x 5		1.25			
FRE	6 x 16 x 5		4			
91	6 x 6 x 8	30	1.25	3	60	2445
RETAINING WALL	6 x 10 x 8		2.08			
2	6 x 16 x 8		6.66			
CORNER	16 x 7.25 x 6	28	9.33	2	28	1650
CAP	3 x 8 / 7 x 13½	90 LF	11.25	8	144	3510
CAP	3 x 8 x 13½	24 LF	12	2	36	912
WALL	6 x 8 x 11	14	7	2	42	1832

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- · Elegant look of chiseled stone
- Freestanding & gravity walls\* can be built up to 3 feet high, including buried course
- Taller walls can be built using geosynthetic reinforcement when designed by a qualified engineer
- Rear-lip on retaining wall block makes installation fast and accurate
- Freestanding Walls: 4-foot minimum radius using all 3 units
- Retaining Walls: 1"/9.5° Setback/System batter
- Minimum outside radius, measured on the top course to the front of the units: 4 feet
- Minimum inside radius, measured on the base course to the front of the units: 8 feet

\*Gravity wall heights are based on project specific conditions and may be lower than this value.

#### SHAPES & SIZES

FREESTANDING WALL



6 x 6 x 5 6 x 10 x 5 6 x 16 x 5

RETAINING WALL



6 x 6 x 8 6 x 10 x 8 6 x 16 x 8

CORNER



16 x 7.25 x 6

CAP



3 x 8 / 7 x 13½

CAP END



3 x 8 x 13½

WALL END



6 x 8 x 11



## DIAMOND PRO® AIR QUARRIED



RETAINING

This lightweight block features the strength of Diamond Pro with an elegant chiseled stone look for the creation of retaining walls and terraced landscapes.







RIO TOSCANA









DIAMOND PRO° AIR Quarried		SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ Pallet	WEIGHT/ Pallet
WALL	8 x 18 x 11½	40	8	5	40	2060
CAP	4 x 18 / 12 x 12	67.5 LF	-	-	54	3138
CORNER	8 x 17 x 8	22.6	-	-	24	1980

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- Elegant chiseled-stone face in a large lightweight block
- Can be installed as a gravity wall or geogrid-reinforced wall.
- Weighing only 54 lbs., this 1 square foot block maximizes installation and shipping efficiencies
- Front lug design produces a 9/16" per unit setback for a 4° system batter
- · Cores align for easy filling
- Top course is placed upside down in order to increase capping efficiency
- Ideally situated for retaining walls up to 12 feet tall
- Can be used to build gravity walls up to 3' 4" high\*, including the buried course
- Minimum outside radius, measured on the top course to the front of the units: 4 feet
- Minimum inside radius, measured on the base course to the front of the units: 6 feet

\*Gravity wall heights are based on project specific conditions and may be lower than this value.

### SHAPES & SIZES

WALL BLOCK



8 x 18 x 11½

CAF



4 x 18 / 12 x 12

CORNER



8 x 17 x 8




## DIAMOND PRO AIR SMOOTH




RETAINING

The smooth face and clean lines of this lightweight block make it the ideal choice for contemporary retaining walls and terraced landscapes.



SHADED GRAY









	DIAMOND PRO® AIR SMOOTH	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ Pallet	WEIGHT/ Pallet
WALL	8 x 18 x 11½	40	8	5	40	2060
CAP	4 x 18 / 12 x 12	67.5 LF	-	-	54	3138
LIGHTWEIGHT	8 x 18 x 9	54	-	-	36	2760
CORNER	8 x 17 x 8	22.6	-	-	24	1980

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- · Contemporary lines in a large lightweight block
- Can be installed as a gravity wall or geogrid-reinforced wall.
- Weighing only 54 lbs., this 1 square foot block maximizes installation and shipping efficiencies
- Front lug design produces a 9/16" per unit setback for a 4° system batter
- · Cores align for easy filling
- Top course is placed upside down in order to increase capping efficiency
- Ideally situated for retaining walls up to 12 feet tall
- Can be used to build gravity walls up to 3' 4" high\*, including the buried course
- Minimum outside radius, measured on the top course to the front of the units: 4 feet
- Minimum inside radius, measured on the base course to the front of the units: 6 feet

\*Gravity wall heights are based on project specific conditions and may be lower than this value.

### SHAPES & SIZES

WALL BLOCK



8 x 18 x 11½

CAF



4 x 18 / 12 x 12

LIGHTWEIGHT CORNER



8 x 18 x 9

CORNER



8 x 17 x 8



## DIAMOND PRO® AIR STRAIGHT



RETAINING


The classic rough-hewn look of split stone in a lightweight block offers a traditional aesthetic for retaining walls and terraced landscapes.







G R A Y T A N









	DIAMOND PRO° AIR Straight	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
WALL	8 x 18 x 11½	40	8	5	40	2060
CAP	4 x 18 x 13	96 LF	12 LF	8	64	4155
CORNER	8 x 18 x 9	-	-	-	-	-

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- Classic split-stone aesthetic in a lightweight block
- Can be installed as a gravity wall or geogrid-reinforced wall.
- Weighing only 54 lbs., this 1 square foot block maximizes installation and shipping efficiencies
- Front lug design produces a 9/16" per unit setback for a 4° system batter
- · Cores align for easy filling
- Top course is placed upside down in order to increase capping efficiency
- Ideally situated for retaining walls up to 12 feet tall
- Can be used to build gravity walls up to 3' 4" high\*, including the buried course
- Minimum outside radius, measured on the top course to the front of the units: 4 feet
- Minimum inside radius, measured on the base course to the front of the units: 6 feet

\*Gravity wall heights are based on project specific conditions and may be lower than this value.

#### SHAPES & SIZES

WALL BLOCK



8 x 18 x 11½

CAF



4 x 18 x 13

CORNER



8 x 18 x 9



## HIGHLAND STONE

### RETAINING | FREESTANDING



The rough-hewn face of this wall provides a natural stone aesthetic for infusing a look of hand-stacked rustic charm. Each block has a rugged, varied split-stone appearance.











BELLA RIO TOSCANA VICTORIAN



GRAPHITE

Only available in cap















PALLET INFORMATION

HIGHLAND STONE®		SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ Pallet
WALL	6 x 6 / 4 x 9	10.67	2.67	. 4	48	3375
3-PIECE FREESTANDING	6 x 12 / 10 x 9	21.33	5.33		48	
FREES	6 x 18 / 16 x 9	27	9	3	36	2960
3-PIECE RETAINING WALL	6 x 6 x 12	9	2.25	- 4	36	- 2900
	6 x 12 x 12	18	4.5		36	
	6 x 18 x 12	27	6.75	4	36	2760
CORNER	6 x 18 x 9	36	9	4	32	3042
CAP	3 x 18 / 12 x 13	78.75 LF	11.25 LF	7	63	3700

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- · Rustic look of hand-stacked split stone
- Can be used to create straight or curved walls
- Rear-lip block makes installation fast and accurate
- Freestanding walls can be built up to 3 ft high, Including buried course, but excluding the cap
- Gravity walls can be built up to 4 ft, 6 in high, including buried course\*
- Taller walls can be built using geosynthetic reinforcement when designed by a qualified engineer.
- Minimum outside radius, measured on the top course to the front of the units: 4 ft
- Minimum inside radius, measured on the base course to the front of the units; 8 ft

\*Gravity wall heights are based on project specific conditions and may be lower than this value.

#### SHAPES & SIZES

3-PIECE FREESTANDING WALL



6 x 6 / 4 x 9



6 x 12 / 10 x 9



6 x 18 / 16 x 9

3-PIECE RETAINING WALL



6 x 6 x 12



6 x 12 x 12



6 x 18 x 12

CORNER



6 x 18 x 9

CAP



3 x 18 / 12 x 13

View the product page on **Belgard.com** for more information




**FONTANA** 

## MELVILLE" WALL

### GARDEN | FREESTANDING



Distinctive smooth faces, subtle edges and clean design make this wall stand out for the modern aesthetics it provides. System is comprised of a double-sided wall unit, along with a matching cap.



















MELVILLE™ WALL		SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
WALL	4 x 20 x 10	26.67	4.44	6	48	3120
WEDGE	4 x 9½ x 10	19	3.17	6	72	1932
CAP	2 x 20 x 13	120 LF	10 LF	12	72	3100

Downloadable professional resources available at Belgard.com/Resources

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- Matching cap provides a seamless aesthetic
- Integrate cap into wall design to create depth and custom appearance (as pictured on opposite page)
- · Multiple installation patterns.
- Smooth face and aesthetics pair well with Melville pavers and our pre-built Melville Series of fire and kitchen features
- · On-trend color offering complem ents any project
- Simplistic design allows for easy installation of walls and other outdoor features
- · 2 foot maximum height is perfect for garden and planter walls

#### SHAPES & SIZES

WALL UNIT



4 x 20 x 10

WEDGE



4 x 9½ x 10



2 x 20 x 13




## SHELTON WALL

## FREESTANDING | RETAINING



Exuding old world charm with its rustic finish and earth tone blends, this multi-piece wall system offers multidimensional character and installation flexibility.









RIO TOSCANA VICTORIAN















PALLET INFORMATION

SHELTON WALL™		SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
3-PIECE	6 x 6 / 4 x 10	26	0.83	6	60	2720
	6 x 12 / 10 x 10		1.83			
	6 x 16 / 14 x 10		2.5			
CAP	3 x 12 / 8 x 12	60 LF	10 LF	6	72	2039

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- · Features the look of weathered cut stone
- · Rustic look of time-worn cut stone
- Multi-piece wall system for increased installation flexibility
- Ideal for small freestanding walls, parapet walls, seat benches, pilasters, columns and outdoor living environments
- Build curved or straight, freestanding or retaining walls
- Each unit can be used as an exposed end unit or a 90o corner unit for less cuts
- · No patterns required for random look
- Used for gravity walls up to 2.5 feet\* at a near vertical batter or 3 feet\* using the 9.5 degree batter/1 inch setback per unit option.
- Taller walls can be built using geosynthetic reinforcement when designed by a qualified engineer.
- Minimum outside radius of 5 feet
- · Minimum inside radius of 3 feet

\*Gravity wall heights are based on project specific conditions and may be lower than this value.

## SHAPES & SIZES

3-PIECE



6 x 6 / 4 x 10



6 x 12 / 10 x 10



6 x 16 / 14 x 10

CORNER




3 x 12 / 8 x 12




## STEEPLE CREST

FREESTANDING | RETAINING










RIO





T O S C A N A VICTORIA N



### PALLET INFORMATION

STEEPLE CREST™		SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
3-PIECE	6 x 6 / 4 x 10	26	0.83	6	60	2720
	6 x 12 / 10 x 10		1.83			
	6 x 16 / 14 x 10		2.5			
CAP	3 x 12 / 8 x 12	60 LF	10 LF	6	72	2039

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Contemporary smooth face with multiple sizes for a varied look
- Multi-piece wall system for increased installation flexibility
- Ideal for small freestanding walls, parapet walls, seat benches, pilasters, columns and outdoor living environments
- Build curved or straight, freestanding or retaining walls
- Each unit can be used as an exposed end unit or a 90° corner unit for less cuts
- No patterns required for random look
- Used for gravity walls up to 2.5 feet\* at a near vertical batter or 3 feet\* using the 9.5 degree batter/1 inch setback per unit option.
- Taller walls can be built using geosynthetic reinforcement when designed by a qualified engineer.
- Minimum outside radius of 5 feet
- · Minimum inside radius of 3 feet

\*Gravity wall heights are based on project specific conditions and may be lower than this value.

## SHAPES & SIZES

3-PIECE



6 x 6 / 4 x 10



6 x 12 / 10 x 10



6 x 16 / 14 x 10

CAP



3 x 12 / 8 x 12



## WESTON STONE

GARDEN | FREESTANDING



Offering the look of tumbled cut stone, this wall block is double-sided for the design flexibility to create a wide variety of garden walls and outdoor living features.











BELLA GRAPHITE RIO TOSCANA



VICTORIAN















### PALLET INFORMATION

	WESTON STONE™	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
UNIVERSAL	4 x 8 x 12	33.5	6.7	5	100	2899

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- · Weathered stone appearance
- Plantable wall designs & columns can be easily created
- Create a wide variety of custom outdoor living features including kitchens, built-in seating and fire features
- · Build curved or straight walls
- Build freeform walls with minimal cuts
- Can be used to build gravity walls up to 2 feet high\*, including the buried course
- Minimum outside radius, measured on the top course to the front of the units: 5 feet
- Minimum inside radius, measured on the base course to the front of the units: 3 feet

\*Gravity wall heights are based on project specific conditions and may be lower than this value.

### SHAPES & SIZES

UNIVERSAL



4 x 8 x 12



## ANGLIA EDGER®

EDGER



Large edger units feature a chiseled finish and tapered edges to provide an elegant complement to driveways, walkways, patios and flower beds.










RIO TOSCANA VICTORIAN



Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Tapered ends create either curves or straight installation
- 8" height simulates natural stone curbing
- Three different lengths offer a random look and flexible installation
- Large scale pieces create efficient installation
- · Look and feel of natural chiseled stone

### SHAPES & SIZES

4-PIECE

51/4 x 8 x 8

51/4 x 8 x 101/2

51/4 x 8 x 155/6

51/4 x 8 x 18

## PALLET INFORMATION

ANG	LIA EDGER®	LNFT/ PALLET	LNFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
4-PIECE	51/4 x 8 x 8	69.75	2.63	3	60	2650
	51/4 x 8 x 101/2		3.5			
	5¼ x 8 x 15%		5.2			
	5¼ x 8 x 18		11.92			

Downloadable professional resources available at **Belgard.com/Resources** 




## COLUMN CAP

CAP



The polished texture of this cap combined with its modern characteristics bring style and durability to the tops of pillars and columns. Seamless design provides a high-quality finish.









GRAPHITE TOSCANA VICTORIAN



Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Contemporary smooth face
- Crisp tailored edges
- Finishing touch to columns and pillars
- Minimalist look complements a variety of architectural styles

### SHAPES & SIZES

CAP



28 x 28 x 3

## PALLET INFORMATION

COLUMN CAP		LNFT/ PALLET	LNFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ Pallet	
CAP	28 x 28 x 3	-	-	-	5	1016	

Downloadable professional resources available at **Belgard.com/Resources** 




## $LANDINGS^{^{\intercal}}$

STEP UNIT



The chiseled look of quarried limestone on the step tread and rise adds grand style to landscape level changes, while the smooth face of the remaining sides allows for greater design flexibility.










GRAPHITE GRAY VICTORIAN



Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Double-sided texture and two unique faces on the rise allow steps to be rotated for optimal aesthetics
- Smooth sides allow steps to be placed side by side for longer treads
- Granite-like texture on tread surface
- Even bottom and consistent size offer installation ease
- Palletized for easy removal by skid-steer loader
- Dry-cast production provides consistent color throughout unit
- Riser faces are uniquely designed to nest together, creating an optional landing with a narrow joint

### SHAPES & SIZES

STEP



6 x 48 x 18

## PALLET INFORMATION

LANDINGS™		LNFT/	LNFT/	LAYER/	UNITS/	WEIGHT/
		PALLET	LAYER	PALLET	PALLET	Pallet
STEP	6 x 48 x 18	24	8	3	6	2565

Downloadable professional resources available at **Belgard.com/Resources** 




# MARINA COPING | 60MM

SEPIA



The smooth surface texture and refined, rounded edges make this bullnose coping a classic finishing touch to enhance pools and a variety of outdoor features.


SHADED GRAY



TOSCANA

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

VICTORIAN



Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Classic look with a smooth face and bullnosed edge
- Rounded edges protect feet and hands when getting out of a pool or going up and down steps.
- Offers a stylish, textured edge to blend seamlessly with patios.
- Helps pool or spa hold its shape by keeping walls straight and rigid, and protects surrounding area from water damage.
- Can be used to provide a finishing touch to steps, planters, walkways, and terraced patios

## SHAPES & SIZES

60MM



6 x 12 x 23/8

## PALLET INFORMATION

MARINA™ COPING		LNFT/	LNFT/	LAYER/	UNITS/	WEIGHT/
		PALLET	LAYER	PALLET	PALLET	Pallet
MM09	6 x 12 x 2%	42	21	2	84	1155

Downloadable professional resources available at **Belgard.com/Resources** 



## $\mathsf{MELVILLE}^{\scriptscriptstyle\mathsf{TM}}$

CURB



The smooth, contemporary finish complements any outdoor space with an elongated shape and flexible installation options for a unique finishing touch.










GRAPHITE TOSCANA VICTORIAN



Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Elegant smooth face and elongated shape
- Perfect complement for oversized slabs and pavers
- Elegant finishing touch for driveways, walkways and gardens
- Pairs well with Melville pavers, walls and fire features
- Bury the course for low-profile curbing or lay at full height for a more dimensional look

## SHAPES & SIZES

CURB



4 x 24 x 6½

## PALLET INFORMATION

MELVILLE™ CURB		LNFT/	LNFT/	LAYER/	UNITS/	WEIGHT/
		PALLET	LAYER	PALLET	PALLET	Pallet
CURB	4 x 24 x 6½	96	24	4	48	2480

Downloadable professional resources available at **Belgard.com/Resources** 




## **ARTFORMS**

## MODULAR PANEL SYSTEM



Innovative large-format modular panels offer contemporary lines and the versatility to create unlimited architectural features for outdoor living spaces.











AMBER BEIGE MIDNIGHT

SCANDINA GRAY SHADED GRAY





### PALLET INFORMATION

	ARTFORMS™	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ Pallet	WEIGHT/ Pallet
OPEN	18 x 36 x 3	- 81	9	9	9	- 2745
CLOSE	18 x 36 x 3				9	
OPEN	6 x 36 x 3	31.5	10.5	2	3	- 1095
CLOSE	6 x 36 x 3			3	18	

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- · Large format high-strength concrete panels
- Clean lines for a contemporary aesthetic
- Mechanically fastened with stainless steel
   hardware
- Ideal for outdoor living projects of all sizes
- Suitable for rooftop applications
- · Efficient installation with minimal waste
- · Minimal disruption for property owner
- · Easily added to existing projects
- Endless design possibilities for outdoor living features including seat walls, fire and water features, planters, and outdoor kitchens

### SHAPES & SIZES

18 X 36



18 x 36 x 3

Pallets contain both open and close ended units

6 X 36



6 x 36 x 3

Pallets contain both open and close ended units

#### INSTALLATION HARDWARE\*



Anchor Slide & Nut 50 units per box



Joining Plate 10 units per box



Outer Corner



10 units per box
Inner Corner



10 units per box



Stretcher 10 units per box

\*Installation hardware is sold separately




#### METROPOLITAN COLLECTION

## $\mathsf{MELVILLE}^{\scriptscriptstyle{\mathsf{TM}}}$

FIRE PIT



The linear design and subtle edges of wall wedge blocks take this fire pit center stage. Compatible with the Elements $^{\text{\tiny{M}}}$  round gas fire pit insert, it pairs with Melville wall products.





Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Special wedge-shaped blocks of Melville Wall
- Smooth linear face for contemporary appeal
- Coordinates with Melville pavers and the Melville Series of kitchen and fire features
- Pallet includes all blocks needed to complete circular fire pit

## SHAPES & SIZES

WEDGE



4 x 9½ x 10

FIRE INSERT



Item #70580597 Elements 34" Smoke-less Wood Fire Pit Insert

**GAS INSERT** 



Item #70585063 Elements 34" Round Gas Fire Pit Burner Kit

#### ROUND FIRE PIT

54%" outside diameter 34%" inside diameter Stacks 4 rows high Cap sold separately. Elements inserts sold separately. Pallet Weight: 1932

Downloadable professional resources available at **Belgard.com/Resources** 



## WESTON STONE

FIRE PIT KIT



With the look of tumbled cut stone, this fire pit makes a beautiful addition to any outdoor living space and is the ideal complement to projects with Weston Stone walls.







TOSCANA VICTORIAN



Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- · Features the look of weathered cut stone
- Weathered cut stone appearance
- Cleaner, more sculpted look than stone
- Quick and easy to assemble with everything you need on a single pallet
- A beautiful complement to projects with Weston Stone™ walls

## SHAPES & SIZES

UNIT



4 x 8 x 8

#### ROUND FIRE PIT

48" outside diameter Stacks 3 rows high Fire ring insert is included. Pallet Weight: 1025

Downloadable professional resources available at **Belgard.com/Resources** 

View the product page on **Belgard.com** for more information



**FONTANA** 





With Belgard, you get the nation's leading pavers and landscape walls backed by the foremost experts in the industry.

BELGARD.COM

© Copyright 2025 Oldcastle APG, Inc. All Rights Reserved. BEL24-D-322269

PICTURED ON THE COVER: CHARLESTONE