

TABLE OF

CONTENTS











01 PAVERS

1 Antiqued Flat Top

3 Aqualine[™]

5 Avalon Slate[™]

7 Basalt[™]

9 Brooklyn

11 Cambridge Cobble®

13-16 Catalina Grana®

17 Charlestone[™]

19 Classic Cobble

21-30 Dimensions[™] 3-Piece

31-34 Dimensions[™] Paver

35-38 Dimensions[™] Slab

39 Dimensions[™] Plank

41 Empire[™]

43 Geometric Shapes

45 Holland Stone

47 Mega-Arbel®

49-52 Origins[™] 3-Piece

53 Origins[™] Paver

55 Papyrus[™]

57 Quarry Stone

59 Turfstone[™]

61

PORCELAIN

61 Foundation[™]

63 Genoa[™]

65 Glocal

67 Jurupa

69 Lagoon

71 Noon

73 Norr

75 November

77 Quarziti 2.0

79 Silverlake

81 Travertini

83 Unico 2.0

103

COPING, CAPS, EDGERS & STEPS

103 Anglia Edger™105 Column Cap™

107 Landings[™] Step

109 Melville[™] Curb

111 Marina[™] Coping





85

WALLS

85 Ashlar Tandem[™]87 Belair Wall[®] 2.0

89 Diamond Pro® Air Smooth

91 Highland Stone®

93 Melville Tandem[™]

95 Melville™ Wall

97 Shelton Wall™

99 Steeple Crest[™]

101 Weston Stone[™]

113

KITCHENS & FIRE FEATURES

113 Artforms[™]

115 Melville™ Fire Pit

117 Weston Stone™ Fire Pit



WE COVER A LOT OF GROUND

LIFETIME TRANSFERABLE LIMITED WARRANTY

TRANSFERRABLE WARRANTY TIMELY INVESTIGATIONS REPLACEMENT OF DEFECTIVE PRODUCT AT NO CHARGE


Oldcastle APG ("Belgard") is proud to inform you that all of our interlocking concrete paver and retaining walls ("Products") meet and/or exceed the requirements of ASTM C-936 and ASTM C-1372. Belgard guarantees its Products against these standards for the lifetime of the Product defined by CMHA. This guarantee does not apply to splitting, chipping or other breakage that could be caused by impact, abrasion or overloading. This warranty is transferable. The original proof of purchase is required.

This warranty is only valid if the material is installed under the guidelines of the CMHA or the Belgard Installation Guideline Manual. Improper installation voids this warranty. This warranty is for residential applications only and does not apply to commercial applications. It is recommended that the job is installed by a Belgard Contractor Program participant who guarantees their workmanship for a minimum of 3 years from the date of install. For warranty service, contact Belgard at 1-877-BELGARD. A service representative will investigate your claim within 10 business days. If the Belgard product fails to meet the specifications, Belgard will replace the defective product at no charge. Color matching cannot be guaranteed. Belgard will not be responsible for any replacement labor, consequential damages or incidental damages. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state. Some states do not allow for the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.


The warranties in this limited warranty are the only warranties applicable to the veneer products. There are no other warranties, representations, or conditions of any kind, express or implied, statutory or otherwise, with respect to the interlocking concrete paver or retaining wall products supplied by manufacturer, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. All such warranties are hereby specifically disclaimed and manufacturer shall have no liability therefor, not withstanding (1) manufacturer's actual knowledge of any intended use of the interlocking concrete paver or retaining wall products or (2) any advice or representations that may have been rendered by manufacturer concerning the design, manufacture, fabrication, sale, use, installation or provision of the interlocking concrete paver or retaining wall products. No statement, product, or description by manufacturer or its employees or other representatives, in addition to or beyond this limited warranty shall constitute a warranty. Buyer agrees that its sole and exclusive remedies for breach of this limited warranty, and the sole and exclusive obligations of manufacturer with respect to any claims for breach of this limited warranty, shall be those remedies expressly set forth herein.

ANTIQUED FLAT TOP

3-PIECE PAVER | 60MM













ANT	IQUED FLAT TOP	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
	6 x 6 x 2 ³ / ₈	25	8	2.78		
3-PIECE 60MM	9 x 9 x 2 ³ / ₈	40	8	4.44	9	2940
C	9 x 12 x 2 ³ / ₈	40	6	4.44		
6 X 9	6 x 9 x 2³/s	98	30	10.88	9	2774

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Gently weathered smooth-faced 3-piece system
- Optional accent paver available for borders and creative patterns
- Ideal for walkways, patios, pool decks and residential vehicular applications



SHAPES & SIZES

3-PIECE | 60MM



6 x 9 x 2%



9 x 9 x 23/8



9 x 12 x 23/8

6 X 9 | 60MN



6 x 9 x 2%



AQUALINE

PERMEABLE PAVER | 80MM

An environmentally friendly choice with a smooth surface and crisp, clean lines for stunning timeless designs.









TOSCANA VICTORIAN











MECHANICAL

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at Belgard.com/Warranty

FEATURES & BENEFITS

- Interlocking spacer bars for increased structural performance
- · Smooth surface with a microchamfer to minimize vibration and enhance wheelchair comfort
- · Can be utilized to construct an ADA-compliant pavement
- · True installed dimensions for design optimization
- · Optimal joint openings for infiltration and maintenance
- · Can eliminate stormwater runoff and improve water quality
- · Meets the requirements of ASTM C936
- · Chamfer Width: 3 mm
- Spacer Bar Width: 10 mm
- Surface Infiltration Rate: > 500 inches per hour (varies based on joint infill gradation)
- Surface Open Area: 12%
- · Can be installed mechanically with herringbone pallet layout
- · Approved for vehicular applications

SHAPES & SIZES

80MM



4½ x 9 x 3½

PALLET INFORMATION

AQU	ALINE™	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
80MM	4½ x 9 x 3⅓	90	40	11.25	8	3100

Downloadable professional resources available at Belgard.com/Resources



AVALON SLATE"

3-PIECE PAVER | 60MM

The dimensional texture of natural cut slate creates graceful outdoor spaces that blend seamlessly with the natural landscape.













BELLA RIVIERA TOSCANA VICTORIAN



GRAPHITE

Only available in 6 x 9



DRIVEWAY APPROVED



PALLET INFORMATION

AVAI	LON SLATE™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
	12 x 6 x 23/8	30	6	3		
3-PIECE 60MM	12 x 9 x 23/8	30	4	3	10	3230
co	12 x 12 x 2 ³ / ₈	60	6	6		
6 X 9	6 x 9 x 2³/s	112.5	30	11.2	10	3020

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- 3-piece modular system
- · Optional border stone available
- Ideal for courtyards, walkways, patios pool decks, and residential vehicular applications
- Flexible installation for multiple laying patterns
- · Natural slate texture

SHAPES & SIZES





12 x 6 x 23/8



12 x 9 x 23/8



12 x 12 x 23/8

4 X 9 | 4 N M M



6 x 9 x 23/8



BASALT

3-PIECE PAVER | 60MM



The distinctive character of hammered or flame-textured stone brings a timeless look to this paver, enriched with DuraFusion Technology for enhanced texture and wear-resistance.







MIDNIGHT 🤝





MODULAR SIZING





DURAFUSION" ADA Technology compliant

PALLET INFORMATION

BAS	ALT™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
8	9 x 18 x 2 ³ / ₈		2	2.25		
BASALT 1 60MM	18 x 18 x 2 ³ / ₈	112.5	1	2.25	10	3152
ВА	18 x 27 x 2³⁄ ₈		2	6.75		

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Upscale texture of flamed or hammered stone
- · Contemporary large-format shapes
- Maximized pallet layout for jobsite efficiencies
- Reduced cuts, installation time and waste
- Simplified quoting and design of projects
- Uniform sizing in true 3-inch increments
- Sizing compatible with all our modular paver lines -- look for the Modular Sizing icon



SHAPES & SIZES

BASALT 18 | 60MM



9 x 18 x 23/8



 $18 \times 18 \times 2\%$



18 x 27 x 23/8



HERITAGE COLLECTION

BROOKLYN

PAVER | 60MM



Its warm, weathered stone appearance and texture delivers a timeless look enriched with DuraFusion Technology for enhanced texture and wear-resistance.







MIDNIGHT 🤝





MODULAR









PALLET INFORMATION

BRO	OKLYN™	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
WW09	3 x 9 x 23/6	99.5	55	9.5	10	2784

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Warm, weathered appearance and texture
- Ideal for patios, walkways, accents and residential vehicular applications
- · Uniform thickness and width
- Modular sizing compatitble with all Belgard modular paver lines - look for the Modular Sizing icon
- Superior color technology provides rich color tones with lasting durability



DURAFUSION" TECHNOLOGY
Refined texture with enhanced wear-resistance

SHAPES & SIZES

60MM



3 x 9 x 23/8




CAMBRIDGE COBBLE®

PAVER | 60MM

Gently rounded corners and a domed pillow-top surface provide clean lines and a classic architectural appearance.













CAM	BRIDGE COBBLE°	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
6 X 6 8 MM 09	6 x 6 x 2 ³ / ₈	120	48	12	10	3230
6 X 9	6 x 9 x 23/8	112	30	11.25	10	3020

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Clean lines and an architectural appearance
- Classic style perfectly suited for almost any aesthetic and application
- Gently rounded corners with smooth pillow-top surface
- Two size options available on separate pallets for design flexibility
- Ideal for patios, walkways, pool decks and residential vehicular applications

SHAPES & SIZES

6 X 6 | 60MM



6 x 6 x 23/8

6 X 9 | 60MM




6 x 9 x 23/8





CATALINA GRANA®

3-PIECE PAVER | 60MM









DURAFUSION' TECHNOLOGY





PALLET INFORMATION

CATA	ALINA GRANA° 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
MM09	12 x 6 x 23/8		6	3		
_	12 x 9 x 23/8	120	4	3	10	3230
3-PIECE	12 x 12 x 2 ³ / ₈		6	6		

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at Belgard.com/Warranty

FEATURES & BENEFITS

- 3-piece system for flexibility and ease of installation
- · Smooth linear surface
- · ADA Compliant
- · Multiple laying patterns
- · Ideal for residential driveways, patios, pool decks and walkways



SHAPES & SIZES

3-PIECE | 60MM



12 x 6 x 23/8



12 x 9 x 23/8



12 x 12 x 23/8



CATALINA GRANA®

3-PIECE PAVER | 60MM

Clean lines, a smooth surface, and an subtle beveled edge work together to create a contemporary eye-pleasing look.













ASPEN BELLA RIVIERA TOSCANA



VICTORIAN







CATA	ALINA GRANA° 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
MM09	12 x 6 x 23/8		6	3		
_	12 x 9 x 23/8	120	4	3	10	3230
3-PIECE	12 x 12 x 2 ³ / ₈		6	6		

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at Belgard.com/Warranty

FEATURES & BENEFITS

- 3-piece system for flexibility and ease of installation
- · Smooth linear surface
- · ADA Compliant
- · Multiple laying patterns
- · Ideal for residential driveways, patios, pool decks and walkways

SHAPES & SIZES

3-PIECE | 60MM



12 x 6 x 23/8



 $12 \times 9 \times 2\frac{3}{8}$



12 x 12 x 23/8





CHARLESTONE**

3-PIECE PAVER | 60MM

Designed to evoke the charm of early American streets, this system mimics the historical elegance of weathered, hand-cobbled stone.















MECHANICAL INSTALL

CHA	RLESTONE™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
MM09	6 x 6 x 2 ³ / ₈		6			
0E 61	6 x 9 x 2 ³ / ₈	103.88	12	10.388	10	2997
3-PIECE	6 x 12 x 23/8		9			

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at Belgard.com/Warranty

FEATURES & BENEFITS

- · Timeless look of hand-cobbled stone
- · Sized in true 3-inch increments for simplified estimating and ordering
- Reduced cuts and waste
- · Sizing compatible with all Belgard modular paver lines - look for the Modular Sizing icon
- · Pallet optimized for both mechanical and manual installation
- · Particularly ideal for accents, walkways and residential driveway applications

SHAPES & SIZES

3-PIECE | 60MM



6 x 6 x 23/8



6 x 9 x 2%



6 x 12 x 23/8




CLASSIC COBBLE

3-PIECE PAVER | 60MM



Showcasing a traditional European cobblestone appearance and enriched with DuraFusion Technology for enhanced texture and wear-resistance, this paver offers old-world aesthetics.











ADA

CLAS	SSIC COBBLE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
111	6 x 9 x 2 ³ / ₈		8	2.78		
3-PIECE 60MM	9 x 9 x 2 ³ / ₈	105	8	4.44	9	2940
co	9 x 12 x 2 ³ / ₈		6	4.44		
6 X 9	6 x 9 x 2³/s	98	30	10.88	9	2774

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Traditional appeal with a smooth pillow-top surface
- 3-piece system with optional accent piece for borders and design flexibility
- Ideal for walkways, patios, pool decks and residential vehicular applications



DURAFUSION" TECHNOLOGY
Refined texture with enhanced wear-resistance

SHAPES & SIZES

3-PIECE | 60MM



 $6 \times 9 \times 2\%$



9 x 9 x 23/8



9 x 12 x 23/8

6 X 9 | 60MM



6 x 9 x 2%




DIMENSIONS[™] 12

3-PIECE SYSTEM | 60MM



The smooth and consistent finish of DuraFusion Technology complements the clean lines and linear surface of Dimensions for contemporary style with enhanced wear-resistance.





SHADED GRAY 🤝







QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Smooth face with clean, crisp lines
- · Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- · Increased options for creative patterns
- · Simplified quoting and design of projects
- · Uniform dimensions compatible with other Dimensions paver sizes
- · Sizing compatible with other Belgard modular paver lines, like Origins™ and Papyrus™



DURAFUSION" TECHNOLOGY Refined texture with enhanced wear-resistance

SHAPES & SIZES

DIMENSIONS 12 I 60MM



6 x 12 x 23/8



12 x 12 x 23/8



12 x 18 x 23/8

PALLET INFORMATION

DIMI	ENSIONS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
S 12	6 x 12 x 23/8		4	2		
DIMENSIONS 60MM	12 x 12 x 2 ³ / ₈	120	4	4	10	3180
DIME	12 x 18 x 2 ³ / ₈		4	6		

Downloadable professional resources available at Belgard.com/Resources



DIMENSIONS[™] 18

3-PIECE SYSTEM | 60MM



The smooth and consistent finish of DuraFusion Technology complements the clean lines and linear surface of Dimensions for contemporary style with enhanced wear-resistance.









HICKORY 🤝



SCANDINA GRAY



SEPIA 🤝



SHADED GRAY 🤝







QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Smooth face with clean, crisp lines
- · Contemporary larger format sizing
- · Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- · Increased options for creative patterns
- · Simplified quoting and design of projects
- Uniform dimensions compatible with other Dimensions paver sizes
- · Sizing compatible with other Belgard modular paver lines, like Origins™ and Papyrus™



DURAFUSION" TECHNOLOGY Refined texture with enhanced wear-resistance

SHAPES & SIZES

DIMENSIONS 18 I 60MM



9 x 18 x 23/8



18 x 18 x 23/8



18 x 27 x 23/8

PALLET INFORMATION

DIM	ENSIONS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
S 18	9 x 18 x 2³/8		2	2.25		
DIMENSIONS '	18 x 18 x 23/8	112.5	1	2.25	10	3152
DIME	18 x 27 x 2³/ ₈		2	6.75		

Downloadable professional resources available at Belgard.com/Resources




DIMENSIONS™ 6

3-PIECE SYSTEM | 60MM

Versatility meets contemporary design with a multi-piece system that features a smooth face and crisp, clean lines.














Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.







DIMI	ENSIONS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
9 S	3 x 6 x 2 ³ / ₈		16	2		
DIMENSIONS 60MM	6 x 6 x 2 ³ / ₈	120	16	4	10	3230
DIMI	6 x 9 x 2 ³ / ₈		16	6		

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Smooth face with clean, crisp lines
- Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- Increased options for creative patterns
- · Simplified quoting and design of projects
- Uniform dimensions compatible with other Dimensions paver sizes
- Sizing compatible with other Belgard modular paver lines, like Origins™ and Papyrus™
- Ideal for patios, walkways and residential vehicular applications

SHAPES & SIZES

DIMENSIONS 6 I 60MM










DIMENSIONS[™] 12

3-PIECE SYSTEM | 60MM

Versatility meets contemporary design with a mulit-piece system that features a smooth face and crisp, clean lines.







BELLA







RIVIERA TOSCANA VICTORIAN







DIM	ENSIONS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
DIMENSIONS 12 60MM	6 x 12 x 23/8	120	4	2	10	3180
	12 x 12 x 2 ³ / ₈		4	4		
	12 x 18 x 2 ³ / ₈		4	6		

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at Belgard.com/Warranty

FEATURES & BENEFITS

- Smooth face with clean, crisp lines
- Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- · Increased options for creative patterns
- Simplified quoting and design of projects
- · Uniform dimensions compatible with other Dimensions paver sizes
- · Sizing compatible with other Belgard modular paver lines, like Origins™ and Papyrus™

SHAPES & SIZES

DIMENSIONS 12 I 60MM

6 x 12 x 23/8

12 x 12 x 23/8

12 x 18 x 23/8





DIMENSIONS[™] 18

3-PIECE SYSTEM | 60MM

Versatility meets contemporary design with a mulit-piece system that features a smooth face and crisp, clean lines.











DIMI	ENSIONS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
DIMENSIONS 18 60MM	9 x 18 x 2 ³ / ₈	112.5	2	2.25	10	3152
	18 x 18 x 2 ³ / ₈		1	2.25		
	18 x 27 x 2 ³ / ₈		2	6.75		

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Smooth face with clean, crisp lines
- Contemporary larger format sizing
- Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- · Increased options for creative patterns
- · Simplified quoting and design of projects
- Uniform dimensions compatible with other Dimensions paver sizes
- Sizing compatible with other Belgard modular paver lines, like Origins™ and Papyrus™

SHAPES & SIZES

DIMENSIONS 18 I 60MM



9 x 18 x 23/8



18 x 18 x 23/8



18 x 27 x 23/8



DIMENSIONS


PAVER | 60MM


SEPIA 🤝



Ideal for accents, driveways and small patios, the contemporary smooth, linear surface of this paver is enriched with DuraFusion Technology for enhanced texture and wear-resistance.

SHADED GRAY 🤝





MODULAR SIZING





PALLET INFORMATION

DIME	ENSIONS™ PAVER	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
6 X 12 60MM	6 x 12 x 2³⁄в	120	24	12	10	3260

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Clean lines and a modern architectural appearance
- Sized in true 3" increments for design and installation efficiencies
- Can be utilized to construct an ADA-compliant pavement
- 3 mm micro-chamfer width to minimize vibration and enhance wheelchair comfort
- Reduced cuts, installation time and waste
- Increased options for creative patterns
- Sizing compatible with all Belgard modular paver lines look for the Modular Sizing icon
- Ideal for patios, walkways, accents, borders and residential vehicular applications



DURAFUSION" TECHNOLOGY
Refined texture with enhanced wear-resistance

SHAPES & SIZES

6 X 12 | 60MM



6 x 12 x 23/8




DIMENSIONS

PAVER | 60MM

Accentuate contemporary style with a smooth, linear surfaced paver that is ideal for installation of driveways, accents and small patios.









TOSCANA VICTORIAN



QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Smooth face with clean, crisp lines
- Maximized pallet layout for jobsite efficiencies
- Reduced cuts, installation time and waste
- Increased options for creative patterns
- · Simplified quoting and design of projects
- Uniform dimensions compatible with other Dimensions paver sizes
- Sizing compatible with other Belgard modular paver lines, like Origins™ and Papyrus™
- Ideal for walkways, small patios, and residential vehicular applications

SHAPES & SIZES

6 X 9 | 60MM



6 x 9 x 23/8

PALLET INFORMATION

ADA COMPLIANT

MODULAR SIZING

DIMI	ENSIONS™ PAVER	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
6 X 9 60 MM	6 x 9 x 2³/e	112.5	30	11.2	10	3020

Downloadable professional resources available at **Belgard.com/Resources**




DIMENSIONS

SLAB | 60MM



Expansive sizes, clean lines and a smooth surface create ultra-contemporary designs enriched with DuraFusion Technology for enhanced texture and wear-resistance.















DIM	ENSIONS™ SLAB	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
9 X 18 60MM	9 x 18 x 2³/8	112.5	10	11.25	10	2680
12 X 24 60 MM	12 x 24 x 23/6	120	6	12	10	3230
15 X 30 60MM	15 x 30 x 2¾	93.75	3	9.375	10	3219
24 X 24 60MM	24 x 24 x 23/6	80	2	8	10	2170
24 X 36 60MM	24 x 36 x 2⅓	120	2	12	10	3240

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Smooth face with clean, crisp lines
- Contemporary larger format sizing
- · Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- Increased options for creative patterns
- · Simplified quoting and design of projects
- · Uniform dimensions compatible with other Dimensions paver sizes
- Sizing compatible with other Belgard modular paver lines, like Origins™ and Papyrus™



DURAFUSION" TECHNOLOGY Refined texture with enhanced wear-resistance

SHAPES & SIZES

9 X 18 | 60MM



9 x 18 x 23/8

12 X 24 | 60MM



12 x 24 x 23/8

15 X 30 | 60MM



15 x 30 x 23/8



24 x 24 x 23/8




24 x 36 x 23/8




DIMENSIONS

SLAB | 60MM














ASPEN RIVIERA VICTORIAN



MODULAR



PALLET INFORMATION

DDII	MENSIONS™ SLAB	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
12 X 24 60MM	12 x 24 x 23/6	120	6	12	10	3230
24 X 24 60MM	24 x 24 x 23/8	80	2	8	10	2170

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Smooth face with clean, crisp lines
- Contemporary larger format sizing
- Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- Increased options for creative patterns
- · Simplified quoting and design of projects
- Uniform dimensions compatible with other Dimensions paver sizes
- Sizing compatible with other Belgard modular paver lines, like Origins™ and Papyrus™

SHAPES & SIZES

12 X 24 | 60MM



12 x 24 x 23/8

24 X 24 | 60MM



24 x 24 x 23/8




DIMENSIONS

PLANK | 80MM



Enriched with DuraFusion Technology for an enhanced texture and wear-resistance, this thick paver supports vehicular loads and features an elongated shape for a modern look.















DIM	ENSIONS™ PLANK	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
3 X 9 80 MM	3 x 9 x 31/8	82.4	55	10.3	8	3050
3 X 12 80MM	3 x 12 x 31/8	88	44	11	8	3250

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- True installed dimensions for optimal pallet layout
- · Clean lines and a modern architectural appearance
- · Can be utilized to construct an ADA-compliant pavement
- 3 mm micro-chamfer width to minimize vibration and enhance wheelchair comfort
- · Reduced cuts, installation time and waste
- · Increased options for creative patterns
- · Sizing compatible with other Dimensions sizes
- · Sizing compatible with all Belgard modular paver lines - look for the Modular Sizing icon
- · Ideal for walkways, patios and residential vehicular applications



SHAPES & SIZES

3 X 9 | 80MM



3 x 9 x 31/8

3 X 12 | 80MM



3 x 12 x 31/8



EMPIRE THE PAVER I 60MM



The plank shape and hand-tooled face are enriched by DuraFusion Technology for enhanced texture and wear-resistance with seven distinct face styles for unique pattern creation.











DURAFUSION'
TECHNOLOGY

EMPI	IRE™	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
WW0 9	3 x 12 x 2³/8	110	44	11	10	3100

NOTE: All 7 face styles are sold on a single pallet.

Downloadable professional resources available at **Belgard.com/Resources**

ADA COMPLIANT

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Hand-tooled appearance
- 7 unique textures per pallet
- Ideal for patios, walkways and accents
- Contemporary twist for classic herringbone and basketweave designs
- Sizing compatible with all Belgard modular paver lines look for the Modular Sizing icon



SHAPES & SIZES

60MM



3 x 12 x 23/8




GEOMETRIC SHAPES

PAVER | 60MM



Featuring a smooth face in a variety of size-compatible shapes, create ultra-modern and art deco designs enriched with DuraFusion Technology for enhanced texture and wear-resistance.











ADA COMPLIANT

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Smooth face
- · Contemporary aesthetic
- All shapes sized to work together.
- · Reduced cuts, installation time and waste
- Increased options for creative patterns
- Sizing compatible with all Belgard modular paver lines - look for the Modular Sizing icon



SHAPES & SIZES

HEXAGON



12 x 12 x 23/8

DIAMOND



12 x 12 x 23/8

PARALLELOGRAM



6 x 18 x 23/8

PALLET INFORMATION

GEO	METRIC SHAPES	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
HEXAGON	12 x 12 x 23/6	100.02	14	9.09	11	2845
DIAMOND	12 x 12 x 23/6	93.53	9	7.79	12	2664
PARAL- LELOGRAM	6 x 18 x 2 ³ / ₈	114.31	16	10.39	11	3225

Downloadable professional resources available at Belgard.com/Resources



HOLLAND STONE

PAVER | 60MM

The classic architectural appearance is derived from a smooth face and clean lines to offer traditional appeal.











GRAPHITE TOSCANA VICTORIAN







HOL	LAND STONE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
ММ09	4 x 8 x 23/s	120	54	12	10	3230

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Ideal for inlays, borders and as a stand alone
- Ideal for both residential and commercial applications
- Comprehensive library of installation patterns
- · Approved for residential vehicular applications

SHAPES & SIZES

60MM



4 x 8 x 23/8




MEGA-ARBEL®

PAVER | 60MM



Mega-Arbel offers the look and feel of natural flagstone. With an irregular shape and false joints, it creates a random look that flows harmoniously into the surrounding landscape.





BELLA





TOSCANA VICTORIAN



QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Large, dramatic scale that mimics natural stone
- Blends with the natural landscape
- Irregular interlocking system that utilizes a no-repeat pattern
- Ideal for walkways, patios and poolscapes

SHAPES & SIZES

60MM



15% x 21 x 2%

PALLET INFORMATION

MEG	A-ARBEL®	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
мм09	15% x 21 x 2%	104.4	6	8.7	12	2850

Downloadable professional resources available at **Belgard.com/Resources**



ORIGINS[™] 12

3-PIECE SYSTEM | 60MM



Emulating the look and texture of natural stone, this paver system offers earthy tones and a chiseled face enriched with DuraFusion Technology for enhanced color, texture and wear-resistance.

















TEAK 🤝









ADA COMPLIANT

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Look and feel of natural stone
- · Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- · Increased options for creative patterns
- Simplified quoting and design of projects
- · Uniform dimensions compatible with other Origins paver sizes
- · Sizing compatible with all Belgard modular paver lines, like Dimensions™ and Papyrus™



DURAFUSION" TECHNOLOGY Refined texture with enhanced wear-resistance

SHAPES & SIZES

ORIGINS 12 | 60MM



6 x 12 x 23/8



12 x 12 x 23/8



12 x 18 x 23/8

PALLET INFORMATION

ORIO	GINS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
12	6 x 12 x 23/8		4	2		
ORIGINS 12 60MM	12 x 12 x 2 ³ / ₈	120	4	4	10	3180
OR	12 x 18 x 2 ³ / ₈		4	6		

Downloadable professional resources available at Belgard.com/Resources




ORIGINS[™] 18

3-PIECE SYSTEM | 60MM



Emulating the look and texture of natural stone, this paver system offers earthy tones and a chiseled face enriched with DuraFusion Technology for enhanced color, texture and wear-resistance.













CHESWICK 🤝

IRON BAY 😽

NEWPORT GRAY



TEAK 🤝







ADA COMPLIANT

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Look and feel of natural stone
- Contemporary larger format sizing
- · Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- Increased options for creative patterns
- · Simplified quoting and design of projects
- · Uniform dimensions compatible with other Origins paver sizes
- Sizing compatible with all Belgard $modular\ paver\ lines,\ like\ Dimensions^{^{\text{\tiny{TM}}}}$ and Papyrus™



DURAFUSION" TECHNOLOGY Refined texture with enhanced wear-resistance

SHAPES & SIZES

ORIGINS 18 | 60MM



9 x 18 x 23/8



18 x 18 x 23/8



18 x 27 x 23/8

PALLET INFORMATION

ORIO	GINS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
	9 x 18 x 2 ³ / ₈		2	2.25		
ORIGINS 18 60MM	18 x 18 x 2 ³ / ₈	112.5	1	2.25	10	3152
OR	18 x 27 x 2³∕в		2	6.75		

Downloadable professional resources available at Belgard.com/Resources



NATURAL COLLECTION

$\mathsf{ORIGINS}^{^{\mathsf{m}}}$


PAVER | 60MM

NEWPORT GRAY 🤝

TEAK 🤝



With the ideal shape and size for driveways, small patios and borders, the subtle chiseled stone face is enriched with DuraFusion Technology for enhanced color, texture and wear-resistance.





MODULAR SIZING





PALLET INFORMATION

ORIG	GINS™ PAVER	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
6 X 9	6 x 9 x 2³/s	112.5	30	11.2	10	3020

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Look and feel of natural stone
- Ideal for small patios, walkways, accents, borders and residential vehicular applications
- Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- · Increased options for creative patterns
- Simplified quoting and design of projects
- Uniform dimensions compatible with other Origins paver sizes
- Sizing compatible with other Belgard modular paver lines, like Dimensions™ and Papyrus™



SHAPES & SIZES

6 X 9 | 60MM



6 x 9 x 23/8



PAPYRUS[™]

3-PIECE PAVER | 60MM



An organic textural experience with modern elegance, this paver's unique face offers an upscale hand-tooled look enriched with DuraFusion Technology for enhanced color, texture and wear-resistance.





















PAP	YRUS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
18	9 x 18 x 2 ³ / ₈		2	2.25		
PAPYRUS 18 60MM	18 x 18 x 2 ³ / ₈	112.5	1	2.25	10	3152
PAF	18 x 27 x 2 ³ / ₈		2	6.75		

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Upscale organic texture that emulates hand-tooled stone
- · Contemporary larger format sizing
- True 3" increments for optimized pallet layouts and jobsite efficiencies
- · Reduced cuts, installation time and waste
- · Increased options for creative patterns
- · Simplified quoting and design of projects
- Expansion of the Artisan Collection of modular pavers
- · Sizing compatible with all Belgard modular paver lines. Look for the Modular Paver icon



Refined texture with enhanced wear-resistance

SHAPES & SIZES

PAPYRUS 18 | 60MM



9 x 18 x 23/8



18 x 18 x 23/8




18 x 27 x 23/8



QUARRY STONE

3-PIECE PAVER | 60MM













QUA	RRY STONE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
111	6 x 9 x 2 ³ / ₈	105	8	2.78	9	2940
3-PIECE 60MM	9 x 9 x 2 ³ / ₈		8	4.44		
	9 x 12 x 2 ³ / ₈		6	4.44		
6 X 9	6 x 9 x 2³/s	98	30	10.88	9	2774

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Provides the look of chiseled cut stone
- Optional accent piece for borders and creative patterns
- Ideal for walkways, patios, pool decks and light vehicular traffic



DURAFUSION" TECHNOLOGY
Refined texture with enhanced wear-resistance

SHAPES & SIZES

3-PIECE | 60MM



6 x 9 x 23/8



9 x 9 x 23/8



9 x 12 x 23/8

6 X 9 | 60MM



6 x 9 x 23/8




TURFSTONE

GRID PAVER | 80MM



Turfstone features an eco-friendly design that allows greenery to grow right through it, creating a highly unique hardscape design that works in harmony with nature.





 $\mathsf{G}\;\mathsf{R}\;\mathsf{A}\;\mathsf{Y}$



DRIVEWAY APPROVED

PALLET INFORMATION

TURFSTONE™		SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet	
80MM	16 x 24 x 31/a	101	4	10.1	10	2680	

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Manufactured in accordance with ASTM C1319
- Open lattice grid design for turf infill
- 40% surface opening with void space for creating a grass pavement
- Applications include driveways, parking stalls, ramps, service and emergency access lanes

SHAPES & SIZES

80MM




16 x 24 x 31/8



FOUNDATION CONCRETE FINISH | 20MM



These pavers exude timeless sophistication and a uniform look achieved by a smooth, refined surface texture, polished concrete appearance, and neutral color tones.







AMBER BEIGE

SCANDINA GRAY



QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Elegant look of polished concrete
- Incredibly high breakage loads, up to 3,000 pounds
- · Modular for faster installation,
- Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.*
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials.
- Structured top textures create non-slip surfaces.
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F).
 - * It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

SHAPES & SIZES

24 X 24

23.46 x 23.46 x ³/₄

PALLET INFORMATION

	FOUNDATION™	SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ Pallet
24 X 24	23.46 x 23.46 x ³ / ₄	275.04	7.64	36	2	67.84	2517

Downloadable professional resources available at **Belgard.com/Resources**



GENOA[™] STONE FINISH | 20MM



Subtle nuances of natural stone and a smooth, non-slip texture make this porcelain paver the choice for blending earthy tones with a weathered patina for timeless aesthetics.







 $\mathsf{B}\,\mathsf{L}\,\mathsf{A}\,\mathsf{N}\,\mathsf{C}\,\mathsf{O} \\$



GENOA™		SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ PALLET
12 X 24	11.65 x 23.46 x ³ / ₄	303.6	7.59	40	4	68	2804
24 X 24	23.46 x 23.46 x ³ / ₄	275.04	7.64	36	2	72	2517

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Natural stone aesthetic
- Incredibly high breakage loads, up to 3,000 pounds
- · Modular for faster installation,
- Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.*
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials.
- Structured top textures create non-slip surfaces.
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F).

* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

SHAPES & SIZES

12 X 24

11.65 x 23.46 x ³/₄

24 X 24

23.46 x 23.46 x ³/₄




GLOCAL

CONCRETE FINISH | 20MM



The smooth concrete-like finish offers a clean, contemporary aesthetic. Its structured and tight surface texture in neutral shades makes this porcelain paver a versatile design element.









LOW SOLAR HEAT ABSORPTION

GLOCAL		SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ PALLET
24 X 24	23.54 x 23.54 x ³ / ₄	232.5	7.75	30	2	72	2201
24 X 48	23.54 x 47.17 x ³ / ₄	271.25	7.75	35	1	74	2621

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Minimalist look of refined concrete
- · Incredibly high breakage loads, up to 3,000 pounds
- · Modular for faster installation
- · Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.*
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of
- · Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials.
- Structured top textures create non-slip surfaces.
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1

* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

SHAPES & SIZES

24 X 24 23.54 x 23.54 x 3/4

24 X 48

23.54 x 47.17 x 3/4



JURUPA

WOOD FINISH | 20MM



The robust intrinsic characteristics of smooth planed wood offer warmth and sophistication. Resembling wood, each paver has subtle variations clearly framed by grouted details.









MASTER JP 03



V2 CAMP JP 04





	JURUPA	SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ PALLET
12 X 48	11.73 x 47.17	279	7.75	36	2	74	2664

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Robust intrinsic characteristics of smooth planed wood.
- Incredibly high breakage loads, up to 3,000 pounds
- · Modular for faster installation,
- Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.*
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials.
- Structured top textures create non-slip surfaces
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F).
 - * It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

SHAPES & SIZES

12 X 48



11.73 x 47.17



LAGOON

STONE FINISH | 20MM



Painstaking detail and depth of color evoke the expressive power of nature through these stylish modular pavers. Veining effects are inspired by the stratifications of sedimentary rocks.









SANDSHELL LG 02 ST



SHARKSKIN LG 04 ST







	LAGOON	SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ PALLET
24 X 48	23.54 x 47.17 x ³ / ₄	271.25	7.75	35	1	74	2621

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Veining effects with a smoothly flowing movement inspired by the stratifications of sedimentary rocks
- Incredibly high breakage loads, up to 3,000 pounds
- · Modular for faster installation,
- Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.*
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials.
- Structured top textures create non-slip surfaces.
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F).

* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

SHAPES & SIZES

24 X 48



23.54 x 47.17 x 3/4



NOON

WOOD FINISH | 20MM

BELGARD PAVES THE WAY

Warm and stylish, this contemporary expression of simplicity combines the look and feel of natural wood with the durability of porcelain.









EMBER NN 02 ST



MODERATE NN 03 ST







	NOON	SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ Pallet
12 X 48	11.73 x 47.17	279	7.75	36	2	74	2664

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Rustic appeal of reclaimed wood
- · Incredibly high breakage loads, up to 3,000 pounds
- · Modular for faster installation,
- · Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.*
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types
- · Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials
- · Structured top textures create non-slip surfaces
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F)

* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

SHAPES & SIZES

12 X 48



11.73 x 47.17



NORR

STONE FINISH | 20MM



The stone-like look of pebbles in various colors and shapes creates a three-dimensional effect that adds a natural yet contemporary touch to any outdoor space.









W2 HAV RR 06



OKEN RR 08



GRUS RR 09





	NORR	SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ Pallet
32 X 32	31.42 x 31.42 x ³ / ₄	289.33	6.88	42	1	65.48	2751

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Features pebbles of varying colors and shapes to create a pleasant three-dimensional effect
- Incredibly high breakage loads, up to 3,000 pounds
- · Modular for faster installation,
- Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.*
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials.
- Structured top textures create non-slip surfaces
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F).

* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

SHAPES & SIZES

32 X 32

31.42 x 31.42 x ³/₄




NOVEMBER

STONE FINISH | 20MM



Minimalist styling inspired by nature is found with this versatile porcelain paver. Characteristics of stone and cement embody its texture to offer a simple, yet elegant look.









LOW SOLAR HEAT

NOVEMBER		SQFT/	SQFT/	BOXES/	PCS/	WEIGHT/	WEIGHT/
		PALLET	BOX	PALLET	BOX	BOX	Pallet
24 X 24	23.54 x 23.54 x ³ / ₄	232.5	7.75	30	2	72	2160

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Characteristics of stone and cement combine for a simple, minimalist look with elegance
- · Available in 4 versatile colors with choice of controlled shade variation (< 15 graphics, V2 variation)
- · Efficient 24" x 24" size for cost savings
- · Color-body, rectified porcelain is made in Italy
- · Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device*
- · High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types
- · Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials
- · Structured top textures create non-slip surfaces
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F)

* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

SHAPES & SIZES

24 X 24




23.54 x 23.54 x 3/4




QUARZITI 2.0

STONE FINISH | 20MM













MOUNTAINS
QR 02 NAT

v3



WATERFALL

QR 03 NAT



RIVER

QR 04 NAT



MANTLE QR 05 NAT

Only available in 24x24







	QUARZITI 2.0	SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ Pallet
12 X 24	11.73 x 23.54 x ³ / ₄	232.4	5.81	40	3	54.19	2201
24 X 24	23.54 x 23.54 x ³ / ₄	232.5	7.75	30	2	72	2160
24 X 48	23.54 x 47.17 x ³ / ₄	271.25	7.75	35	1	74	2621

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Realistic look of natural quartz
- A variety of modular shapes offer ultimate design flexibility
- Incredibly high breakage loads, up to 3,000 pounds
- · Modular for faster installation
- Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.*
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials.
- Structured top textures create non-slip surfaces.
- Freeze thaw resistant—100% frostfree and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F).
 - * It is important that all pressure washing be done with a maximum of 1600 psi. Care should be taken to prevent damage to the grout (adhesive and grout installations). Some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

SHAPES & SIZES

12 X 24

11.73 x 23.54 x ¾

24 X 24

23.54 x 23.54 x ¾

24 X 48

23.54 x 47.17 x ¾



SILVERLAKE

STONE FINISH | 20MM



Soft veining effects intertwine with neutral shades to offer natural patterns like those found in marble and stones. These traits provide a luxurious look with maximum versatility.

















MODERATE





VARIATION

LOW SOLAR HEAT

PALLET INFORMATION

SILVERLAKE		SQFT/	SQFT/	BOXES/	PCS/	WEIGHT/	WEIGHT/
		PALLET	BOX	PALLET	BOX	BOX	PALLET
24 X 48	23.54 x 47.17 x ³ / ₄	271.25	7.75	35	1	74	2621

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · A range of balanced, neutral colours with soft veining effects
- · Incredibly high breakage loads, up to 3,000 pounds
- · Modular for faster installation,
- Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.*
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of
- · Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials.
- · Structured top textures create non-slip
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to $+60^{\circ}$ C (-60° F to +140°F).

* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

SHAPES & SIZES

24 X 48




23.54 x 47.17 x 3/4



TRAVERTINI

TRAVERTINE FINISH | 20MM











Only available in 24 x 48




DARK VEIN EY 08 NAT Only available in 24 x 48







PEARLY CROSS EY 12 NAT Only available in 32 x 32



☼ LIGHT CROSS EY 13 NAT

Only available in 32 x 32



MISTY CROSS EY 14 NAT

Only available in 24x48



TRAVERTINI		SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ PALLET
32 X 32	31.42 x 31.42 x ³ / ₄	289.33	6.88	42	1	65.48	2751
24 X 48	23.54 x 47.17 x ³ / ₄	271.25	7.75	35	1	74	2621

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE


Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Timeless beauty of travertine
- Aesthetic options include a linear Vein Cut appearance and a softer Cross Cut appearance
- · Large format slabs
- A variety of modular shapes offer ultimate design flexibility
- Incredibly high breakage loads, up to 3,000 pounds
- · Modular for faster installation
- Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.*
- High density and ultra-low absorptionrate creates a tight surface texture andfends off surface mold, moss, dirt andother types of stains
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials.
- Structured top textures create non-slip surfaces.
- Freeze thaw resistant—100% frostfree and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F).

* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

SHAPES & SIZES






UNICO 2.0

COPING | 20MM



Enhance your outdoor spaces with our premium porcelain coping available in a variety of styles to complement multiple porcelain paver lines.





QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Sleek, polished round edge
- Featuring authentic looks in natural stone, cement, and wood to coordinate with various porcelain paver lines
- Use for steps or as coping for swimming pools
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of
- · Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials
- Structured top textures create non-slip surfaces
- · Freeze thaw resistant-100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F)

SHAPES & SIZES





11.62 x 23.54 x 3/4

PALLET INFORMATION

SLIGHT

	UNICO 2.0	LNFT/ PALLET	LNFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ Pallet
COPING	11.62 x 23.54 x ³ / ₄	10	6	36	3	52	2080


Downloadable professional resources available at Belgard.com/Resources

HIGH VARIATION




ASHLAR TANDEM™

FREESTANDING | RETAINING













RIVIERA TOSCANA VICTORIAN















	ASHLAR TANDEM™	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ Pallet	WEIGHT/ Pallet
	7 x 13¾16 x 25⁄8		3.2			
3-PIECE	7 x 15¾16 x 25⁄8	70	3.92	6	90	2003
	7 x 18½ s 25%		4.56			
CAP	15 x 24 x 31⁄4	64 LF	8 LF	8	32	3050
MODULAR BLOCK	7½ x 7% x 7%	49.29	-	4	128	2816

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Distinctive chiseled stone texture manufactured to consistent height tolerances
- Versatile system allows for the creation of numerous outdoor features including seat walls, planters, kitchens, and fire or water features
- Build curved or straight walls
- Offered in 3 sizes to allow for design versatility and customization
- Minimum outside radius of 6'
- · Freestanding walls up to 28"
- Engineered 90° corners
- Gravity walls up to 3 feet* using a 1/2 inch setback per unit (4 degree system batter)
- Reinforced walls up to 8 feet

*Gravity wall heights are based on project specific conditions and may be lower than this value.

SHAPES & SIZES

3-PIECE



7 x 13³/₁₆ x 2⁵/₈



7 x 153/16 x 25/8



7 x 18½16 x 25/8

CAD



15 x 24 x 31/4

MODULAR BLOCK




7½16 x 7% x 7%




BELAIR WALL 2.0

RETAINING | FREESTANDING













SHADED GRAY TOSCANA VICTORIAN















	BELAIR WALL® 2.0	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
/ALL	6 x 6 x 5		0.75			
FREESTANDING WALL	6 x 10 x 5	30	1.25	5	120	2700
	6 x 16 x 5		4			
	6 x 6 x 8		1.25			
RETAINING WALL	6 x 10 x 8	30	2.08	3	60	2445
32	6 x 16 x 8		6.66			
CORNER	16 x 7.25 x 6	28	9.33	2	28	1650
CAP	3 x 8 / 7 x 13½	90 LF	11.25	8	144	3510
CAP END	3 x 8 x 13½	24 LF	12	2	36	912
WALL	6 x 8 x 11	14	7	2	42	1832

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Elegant look of chiseled stone
- · Look and texture of hand-chiseled stone
- Freestanding & gravity walls* can be built up to 3 feet high, including buried course
- Taller walls can be built using geosynthetic reinforcement when designed by a qualified engineer
- · Rear-lip on retaining wall block makes installation fast and accurate
- Freestanding Walls: 4-foot minimum radius using all 3 units
- Retaining Walls: 1" set back/9.5° system batter
- · Minimum outside radius, measured on the top course to the front of the units: 4 feet
- · Minimum inside radius, measured on the base course to the front of the units: 8 feet

*Gravity wall heights are based on project specific conditions and may be lower than this value.

SHAPES & SIZES

FREESTANDING WALL



6 x 6 x 5 6 x 10 x 5



6 x 16 x 5

RETAINING WALL



6 x 6 x 8



6 x 10 x 8

6 x 16 x 8

CORNER



16 x 7.25 x 6

CAP



3 x 8 / 7 x 131/2

CAP END



3 x 8 x 131/2

WALL END



6 x 8 x 11




DIAMOND PRO® AIR SMOOTH



RETAINING

A smooth face and crisp edges in a lightweight large shape offer a clean, eye-catching look for contemporary retaining walls and terraced landscapes.









ANTHRACITE HICKORY

SHADED GRAY









	DIAMOND PRO® AIR SMOOTH	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ Pallet	WEIGHT/ Pallet
WALL BLOCK	8 x 18 x 11½	36	9	4	36	2007.6
CAP	4 x 18 / 12 x 12	67.5 LF	-	-	54	3138
LIGHT- WEIGHT CORNER	8 x 18 x 9	54	-	-	36	2760
CORNER	8 x 17 x 8	22.6	-	-	24	1980

Downloadable professional resources available at Belgard.com/Resources

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Contemporary linear aesthetic
- · Can be installed as a gravity wall or geogridreinforced wall.
- Weighing only 54 lbs., this 1 square foot block maximizes installation and shipping
- Front lug design produces a 9/16" per unit setback for a 4° system batter
- · Cores align for easy filling
- Top course is placed upside down in order to increase capping efficiency
- Ideally situated for retaining walls up to 12
- Can be used to build gravity walls up to 3' 4" high*, including the buried course
- · Minimum outside radius, measured on the top course to the front of the units: 4 feet
- · Minimum inside radius, measured on the base course to the front of the units: 6 feet

*Gravity wall heights are based on project specific conditions and may be lower than this value.

SHAPES & SIZES

WALL BLOCK



8 x 18 x 11½

CAP



4 x 18 / 12 x 12

LIGHTWEIGHT CORNER



8 x 18 x 9

CORNER



8 x 17 x 8



BELLA


HIGHLAND STONE

RETAINING | FREESTANDING



The rough-hewn face of this wall provides a natural stone aesthetic for infusing a look of hand-stacked rustic charm. Each block has a rugged, varied split-stone appearance.

TOSCANA



VICTORIAN















	HIGHLAND STONE®	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
NG WALL	6 x 6 / 4 x 9	32	2.67	4	96	3375
3-PIECE FREESTANDING WALL	6 x 12 / 10 x 9	32	5.33			
	6 x 18 / 16 x 9	27	9	3	36	2960
3 WALL	6 x 6 x 12	27	2.25	- 4	72	2900
3-PIECE RETAINING WALL	6 x 12 x 12	27	4.5			
3-PIEC	6 x 18 x 12	27	6.75	4	36	2760
CORNER	6 x 18 x 9	36	9	4	32	3042
CAP	3 x 18 / 12 x 13	78.75 LF	11.25 LF	7	63	3700

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Rustic look of split stone
- Can be used to create straight or curved walls
- Rear-lip block makes installation fast and accurate
- Freestanding walls can be built up to 3 ft high, Including buried course, but excluding the cap
- Gravity walls can be built up to 4 ft, 6 in high, including buried course*
- Taller walls can be built using geosynthetic reinforcement when designed by a qualified engineer.
- Minimum outside radius, measured on the top course to the front of the units: 4 ft
- Minimum inside radius, measured on the base course to the front of the units: 8 ft

*Gravity wall heights are based on project specific conditions and may be lower than this value.

SHAPES & SIZES

3-PIECE FREESTANDING WALL

1

6x6/4x9



6 x 12 / 10 x 9



6 x 18 / 16 x 9

3-PIECE RETAINING WALL



6 x 6 x 12



6 x 12 x 12



6 x 18 x 12

CORNER



6 x 18 x 9

CORNER



3 x 18 / 12 x 13




MELVILLE TANDEM™

FREESTANDING | RETAINING



A distinctive smooth face and large format size provides a modern aesthetic for a wide variety of outdoor living projects including retaining walls, kitchens, built-in seating and more.

















	MELVILLE TANDEM™	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ Pallet	WEIGHT/ PALLET
3-PIECE	7 x 13¾16 x 25⁄8	70	3.2	6	90	2003
	7 x 15¾16 x 25⁄8		3.92			
	7 x 18½ x 25⁄8		4.56			
CAP	15 x 24 x 31⁄4	64 LF	8 LF	8	32	3050
MODULAR BLOCK	7½ x 7% x 7%	49.29	-	4	128	2816

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Contemporary smooth face and clean lines in a large-format shape
- Versatile system allows for the creation of numerous outdoor features including seat walls, planters, kitchens, and fire or water features
- · Build curved or straight walls
- Offered in 3 sizes to allow for design versatility and customization
- Minimum outside radius of 6'
- Freestanding walls up to 28"
- Engineered 90° corners
- Gravity walls up to 3 feet* using a 1/2 inch setback per unit (4 degree system batter)
- · Reinforced walls up to 8 feet

*Gravity wall heights are based on project specific conditions and may be lower than this value.

SHAPES & SIZES

3-PIECE



7 x 13³/₁₆ x 2⁵/₈



 $7 \times 15\% \times 2\%$



 $7 \times 18\% \times 2\%$

CAP



15 x 24 x 31/4

MODULAR BLOCK



71/16 x 71/8 x 71/8



MELVILLE™ WALL

GARDEN | FREESTANDING



Distinctive smooth faces, subtle edges and clean design make this wall stand out for the modern aesthetics it provides. System is comprised of a double-sided wall unit, along with a matching cap.











ANTHRACITE

HICKORY

LINEN

RIVIERA

SHADED GRAY







VICTORIAN

GRAPHITE

Only available in Cap















S1

	MELVILLE™ WALL	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ Pallet	WEIGHT/ Pallet
WALL	4 x 20 x 10	26.67	4.44	6	48	3120
WEDGE	4 x 9½ x 10	19	3.17	6	72	1932
CAP	2 x 20 x 13	120 LF	10 LF	12	72	3100

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Matching cap provides a seamless aesthetic
- Integrate cap into wall design to create depth and custom appearance (as pictured on opposite page)
- · Multiple installation patterns.
- Pairs well with Melville Plank, Paver, and Curb products
- On-trend color offering complements any project
- Simplistic design allows for easy installation of walls and other outdoor features
- 2 foot maximum height is perfect for garden and planter walls

SHAPES & SIZES

WALL BLOCK



4 x 20 x 10

WEDGE



4 x 9½ x 10

CAP




2 x 20 x 13




SHELTON WALL

FREESTANDING | RETAINING









RIVIERA





TOSCANA VICTORIAN















	SHELTON WALL™	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ Pallet	WEIGHT/ Pallet
3-PIECE	6 x 6 / 4 x 10	26	0.83	6	60	2720
	6 x 12 / 10 x 10		1.83			
	6 x 16 / 14 x 10		2.5			
CAP	3 x 12 / 8 x 12	60 LF	10 LF	6	72	2039

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Features the look of weathered cut stone
- Multi-piece wall system for increased installation flexibility
- Ideal for small freestanding walls, parapet walls, seat benches, pilasters, columns and outdoor living environments
- Build curved or straight, freestanding or retaining walls
- Each unit can be used as an exposed end unit or a 90° corner unit for less cuts
- · No patterns required for random look
- Used for gravity walls up to 2.5 feet* at a near vertical batter or 3 feet* using the 9.5 degree batter/1 inch setback per unit option.
- Taller walls can be built using geosynthetic reinforcement when designed by a qualified engineer.
- · Minimum outside radius of 5 feet
- Minimum inside radius of 3 feet

*Gravity wall heights are based on project specific conditions and may be lower than this value.

SHAPES & SIZES

3-PIECE



6 x 6 / 4 x 10



6 x 12 / 10 x 10



6 x 16 / 14 x 10

CAP



3 x 12 / 8 x 12




STEEPLE CREST™

FREESTANDING | RETAINING

The smooth face and gently distressed edges of this multi-piece wall system add depth and variety for a modern look with a hint of old-world charm.








RIVIERA





TOSCANA VICTORIAN



	STEEPLE CREST™	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ Pallet	WEIGHT/ Pallet
3-PIECE	6 x 6 / 4 x 10	26	0.83	6	60	2720
	6 x 12 / 10 x 10		1.83			
	6 x 16 / 14 x 10		2.5			
CAP	3 x 12 / 8 x 12	60 LF	10 LF	6	72	2039

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Smooth face with gently distressed edges
- Multi-piece wall system for increased installation flexibility
- Ideal for small freestanding walls, parapet walls, seat benches, pilasters, columns and outdoor living environments
- Build curved or straight, freestanding or retaining walls
- Each unit can be used as an exposed end unit or a 90° corner unit for less cuts
- · No patterns required for random look
- Used for gravity walls up to 2.5 feet* at a near vertical batter or 3 feet* using the 9.5 degree batter/1 inch setback per unit option.
- Taller walls can be built using geosynthetic reinforcement when designed by a qualified engineer.
- · Minimum outside radius of 5 feet
- Minimum inside radius of 3 feet

*Gravity wall heights are based on project specific conditions and may be lower than this value.

SHAPES & SIZES

3-PIECE



6 x 6 / 4 x 10



6 x 12 / 10 x 10



6 x 16 / 14 x 10

CAP




3 x 12 / 8 x 12



WESTON STONE

GARDEN | FREESTANDING









B E L L A Only available in 3-piece



BROWN BEIGE CHARCOAL Only available in Universal



CREAM TAN BROWN Only available in Universal



RIVIERA Only available in Universal




TAN RED CHARCOAL Only available in Universal



TOSCANA Only available in 3-piece



VICTORIAN Only available in 3-piece















	WESTON STONE™	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
WALL UNITS	4 x 8 x 8	9.33	1.33		42	766.04
	4 x 8 x 12	14	2	7	42	1149.06
	4 x 8 x 16	18.66	2.66		42	1566.9
UNIVERSAL	12 x 8 x 4	33.5	6.7	5	100	2899

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Weathered stone appearance
- Plantable wall designs & columns can be easily created
- Create a wide variety of custom outdoor living features including kitchens, built-in seating and fire features
- Build curved or straight walls
- · Build freeform walls with minimal cuts
- Can be used to build gravity walls up to 2 feet high, including the buried course
- Minimum outside radius, measured on the top course to the front of the units: 5 feet
- Minimum inside radius, measured on the base course to the front of the units: 3 feet

*Gravity wall heights are based on project specific conditions and may be lower than this value.

SHAPES & SIZES

3-PIECE



 $4 \times 8 \times 8$



4 x 8 x 12



4 x 8 x 16

UNIVERS#



12 x 8 x 4



ANGLIA EDGER™

EDGER



Large edger units feature a chiseled finish and tapered edges to provide an elegant complement to driveways, walkways, patios and flowerbeds.









RIVIERA TOSCANA VICTORIAN



QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Tapered ends create either curves or straight installation
- 8" height simulates natural stone curbing
- Three different lengths offer a random look and flexible installation
- · Large scale pieces create efficient installation
- · Look and feel of natural chiseled stone

SHAPES & SIZES

4-PIECE



51/4 x 8 x 8



51/4 x 8 x 101/2



 $5\frac{1}{4} \times 8 \times 15\frac{5}{8}$



5¼ x 8 x 18

PALLET INFORMATION

ANGLIA EDGER®		LNFT/ PALLET	LNFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
	51/4 x 8 x 8	69.75	2.63	3	60	2650
4-PIECE	5¼ x 8 x 10½		3.5			
	51/4 x 8 x 155/e		5.2			
	5¼ x 8 x 18		11.92			

Downloadable professional resources available at **Belgard.com/Resources**




COLUMN CAP™

CAP



The polished texture of this cap combined with its modern characteristics bring style and durability to the tops of pillars and columns. Seamless design provides a high-quality finish.










GRAPHITE TOSCANA VICTORIAN



Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Contemporary smooth face
- · Crisp tailored edges
- Finishing touch to columns and pillars
- Minimalist look complements a variety of architectural styles

SHAPES & SIZES

CAP



28 x 28 x 3

PALLET INFORMATION

COLUMN CAP		LNFT/	LNFT/	LAYER/	UNITS/	WEIGHT/
		PALLET	LAYER	PALLET	PALLET	Pallet
CAP	28 x 28 x 3	-	-	-	5	1016


Downloadable professional resources available at **Belgard.com/Resources**



STEP



The chiseled look of quarried limestone on the step tread and rise adds style to landscape level changes, while the smooth face of the remaining sides offers design flexibility.










GRAPHITE GRAY VICTORIAN



Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Double-sided texture and two unique faces on the rise allow steps to be rotated for optimal aesthetics
- Smooth sides allow steps to be placed side by side for longer treads
- · Granite-like texture on tread surface
- · Even bottom and consistent size offer installation ease
- Palletized for easy removal by skid-steer
- Dry-cast production provides consistent color throughout unit
- · Riser faces are uniquely designed to nest together, creating an optional landing with a narrow joint

SHAPES & SIZES

STEP UNIT



6 x 48 x 18

PALLET INFORMATION

LANDINGS™ STEP		LNFT/	LNFT/	LAYER/	UNITS/	WEIGHT/
		PALLET	LAYER	PALLET	PALLET	Pallet
STEP	6 x 48 x 18	-	-	6	6	2726.82

Downloadable professional resources available at Belgard.com/Resources




$\mathsf{MELVILLE}^{\scriptscriptstyle\mathsf{M}}$

CURB



The smooth, contemporary finish complements any outdoor space with an elongated shape and flexible installation options for a unique finishing touch.









GRAPHITE TOSCANA VICTORIAN



Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Elegant smooth face and elongated shape
- Perfect complement for oversized slabs and pavers
- Elegant finishing touch for driveways, walkways and gardens
- Pairs well with Melville pavers, walls and fire features
- Bury the course for low-profile curbing or lay at full height for a more dimensional look

SHAPES & SIZES

CURB



4 x 24 x 6½

PALLET INFORMATION

MELVILLE™ CURB		LNFT/	LNFT/	LAYER/	UNITS/	WEIGHT/
		PALLET	LAYER	PALLET	PALLET	Pallet
CURB	4 x 24 x 6½	96	24	4	48	2480

Downloadable professional resources available at **Belgard.com/Resources**




MARINA TO COPING | 60MM

SHADED GRAY



The smooth surface texture and refined, rounded edges make this bullnose coping a classic finishing touch to enhance pools and a variety of outdoor features.

TAN RED CHARCOAL



TOSCANA

Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.

VICTORIAN



Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Traditional look featuring a smooth surface and bullnosed edge
- Rounded edges protect feet and hands when getting out of a pool or going up and down steps.
- Offers a stylish, textured edge to blend seamlessly with patios.
- Helps pool or spa hold its shape by keeping walls straight and rigid, and protects surrounding area from water damage.
- Can be used to provide a finishing touch to steps, planters, walkways, and terraced patios

SHAPES & SIZES

COPING | 60MM



6 x 12 x 23/8

PALLET INFORMATION

MARINA™ COPING		LNFT/	LNFT/	LAYER/	UNITS/	WEIGHT/
		PALLET	LAYER	PALLET	PALLET	PALLET
мм09	6 x 12 x 2%	42	14	2	84	1155

Downloadable professional resources available at **Belgard.com/Resources**




ARTFORMS

MODULAR PANEL SYSTEM



Innovative large-format modular panels offer contemporary lines and the versatility to create unlimited architectural features for outdoor living spaces.











AMBER BEIGE MIDNIGHT

SCANDINA GRAY SHADED GRAY





PALLET INFORMATION

	ARTFORMS™	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ Pallet
OPEN	18 x 36 x 3	- 81	9	9	9	- 2745
CLOSE	18 x 36 x 3				9	
OPEN	6 x 36 x 3	31.5	10.5		3	1005
CLOSE	6 x 36 x 3			3	18	1095

Downloadable professional resources available at **Belgard.com/Resources**

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Large format high-strength concrete panels
- · Clean lines for a contemporary aesthetic
- Mechanically fastened with stainless steel hardware
- · Ideal for outdoor living projects of all sizes
- Suitable for rooftop applications
- · Efficient installation with minimal waste
- · Minimal disruption for property owner
- · Easily added to existing projects
- Endless design possibilities for outdoor living features including seat walls, fire and water features, planters, and outdoor kitchens

SHAPES & SIZES

18 X 36



8 x 36 x 3

Pallets contain both open and close ended units

6 X 36



6 x 36 x 3

Pallets contain both open and close ended units

INSTALLATION HARDWARE*



Anchor Slide & Nut 50 units per box



Joining Plate 10 units per box



Outer Corner 10 units per box



Inner Corner 10 units per box



Stretcher 10 units per box

*Installation hardware is sold separately



METROPOLITAN COLLECTION

$\mathsf{MELVILLE}^{\scriptscriptstyle{\mathsf{TM}}}$

FIRE PIT



The linear design and subtle edges of wall wedge blocks take this fire pit center stage. Compatible with the Elements round gas fire pit insert, it pairs with Melville wall products.









ANTHRACITE SHADED GRAY

HICKORY



Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- Special wedge-shaped blocks of Melville Wall
- Smooth linear face for contemporary appeal
- Coordinates with Melville pavers and the Melville Series of kitchen and fire features
- Pallet includes all blocks needed to complete circular fire pit

SHAPES & SIZES

WEDGE



4 x 9½ x 10

FIRE INSERT



Item #70580597 Elements 34" Smoke-less Wood Fire Pit Insert

GAS INSERT



Item #70585063 Elements 34" Round Gas Fire Pit Burner Kit

ROUND FIRE PIT

549/8" outside diameter 349/8" inside diameter Stacks 4 rows high Caps sold separately. Elements inserts sold separately. Pallet Weight: 1932

Downloadable professional resources available at **Belgard.com/Resources**



WESTON STONE™

FIRE PIT KIT



With the look of tumbled cut stone, this fire pit makes a beautiful addition to any outdoor living space and is the ideal complement to projects with Weston Stone walls.









RIVIERA TOSCANA VICTORIAN



Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty**

FEATURES & BENEFITS

- · Features the look of weathered cut stone
- Cleaner, more sculpted look than stone
- Quick and easy to assemble with everything you need on a single pallet
- A beautiful complement to projects with Weston Stone™ walls

SHAPES & SIZES

UNIT



4 x 8 x 8

ROUND FIRE PIT

48" inside diameter Stacks 3 rows high Fire ring insert is included. Pallet Weight: 1025

Downloadable professional resources available at **Belgard.com/Resources**





QUALITY TO THE CORE

With Belgard, you get the nation's leading pavers and landscape walls backed by the foremost experts in the industry.

BELGARD.COM

© Copyright 2025 Oldcastle APG, Inc. All Rights Reserved. BEL24-D-322433

PICTURED ON THE COVER: DIMENSIONS" SLAB & DIMENSIONS" 6 X 9