

#### TABLE OF

### **CONTENTS**











### 01

41-44

45

47

49

51

#### **PAVERS**

Basalt™ 3 Brooklyn™ 7 Cambridge Cobble® Catalina Grana® 9-12 13-20 Dimensions™ 3-Piece 21-24 Dimensions<sup>™</sup> Paver 25-28 Dimensions<sup>™</sup> Plank Dimensions<sup>™</sup> Slab 29 Dimensions™ Terrazzo 31 33 Empire™ 35 Geometric Shapes 37 Holland Stone 39 Mega-Arbel®

Origins<sup>™</sup> 3-Piece

Origins™ Paver

Papyrus™

Travertino Turfstone<sup>™</sup>

Avalon Slate

### 53 PORCELAIN

53	Foundation <sup>™</sup>
55	Genoa™
57	Glocal
59	Jurupa
61	Lagoon
63	Noon
65	Norr
67	November
69	Quarziti 2.0
71	Silverlake
73	Travertini
75	Unico 2.0

### 99

### COPING, CAPS, EDGERS & STEPS

99 Anchor™ Column Cap
101 Anglia Edger®
103 Landings™ Step
105 Marina™ Coping
107 Melville™ Curb





### 77

#### **WALLS**

79	Belair Wall® 2.0
81	Diamond® 9D Straight
83	Diamond Pro® PS Smooth
85	Diamond Pro®PS Straight
87	Easton Stone™
89	Melville Tandem™
91	Melville™ Wall
93	Shelton Wall™
95	Steeple Crest™
97	Weston Stone <sup>™</sup>

Ashlar Tandem™

### 109

### KITCHENS & FIRE FEATURES

109 Artforms™
111 Bordeaux™ Series
113 Melville™ Series
115 Melville™ Fire Pit



### WE COVER A LOT OF GROUND

LIFETIME TRANSFERABLE LIMITED WARRANTY

# TRANSFERRABLE WARRANTY TIMELY INVESTIGATIONS REPLACEMENT OF DEFECTIVE PRODUCT AT NO CHARGE

Oldcastle APG ("Belgard") is proud to inform you that all of our interlocking concrete paver and retaining walls ("Products") meet and/or exceed the requirements of ASTM C-936 and ASTM C-1372. Belgard guarantees its Products against these standards for the lifetime of the Product defined by CMHA. This guarantee does not apply to splitting, chipping or other breakage that could be caused by impact, abrasion or overloading. This warranty is transferable. The original proof of purchase is required.

This warranty is only valid if the material is installed under the guidelines of the CMHA or the Belgard Installation Guideline Manual. Improper installation voids this warranty. This warranty is for residential applications only and does not apply to commercial applications. It is recommended that the job is installed by a Belgard Contractor Program participant who guarantees their workmanship for a minimum of 3 years from the date of install. For warranty service, contact Belgard at 1-877-BELGARD. A service representative will investigate your claim within 10 business days. If the Belgard product fails to meet the specifications, Belgard will replace the defective product at no charge. Color matching cannot be guaranteed. Belgard will not be responsible for any replacement labor, consequential damages or incidental damages. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state. Some states do not allow for the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

The warranties in this limited warranty are the only warranties applicable to the veneer products. There are no other warranties, representations, or conditions of any kind, express or implied, statutory or otherwise, with respect to the interlocking concrete paver or retaining wall products supplied by manufacturer, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. All such warranties are hereby specifically disclaimed and manufacturer shall have no liability therefor, not withstanding (1) manufacturer's actual knowledge of any intended use of the interlocking concrete paver or retaining wall products or (2) any advice or representations that may have been rendered by manufacturer concerning the design, manufacture, fabrication, sale, use, installation or provision of the interlocking concrete paver or retaining wall products. No statement, product, or description by manufacturer or its employees or other representatives, in addition to or beyond this limited warranty shall constitute a warranty. Buyer agrees that its sole and exclusive remedies for breach of this limited warranty, and the sole and exclusive obligations of manufacturer with respect to any claims for breach of this limited warranty, shall be those remedies expressly set forth herein.

# **AVALON SLATE**

3-PIECE PAVER | 60MM

The dimensional texture of natural cut slate creates graceful outdoor spaces that blend seamlessly with the natural landscape.









SIERRA SONORAN GRAY



### DRIVEWAY

**APPROVED** 



#### PALLET INFORMATION

AVAI	LON SLATE™	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
	6 x 12 x 23/8	30	6	3		
3-PIECE 60MM	9 x 12 x 2 <sup>3</sup> / <sub>8</sub>	30	4	3	10	3360
67	12 x 12 x 2 <sup>3</sup> / <sub>8</sub>	60	6	6		

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- 3-piece system with a natural slate texture
- Ideal for courtyards, walkways, patios, pool decks and residential vehicular applications
- Flexible installation for multiple laying patterns

#### SHAPES & SIZES

3-PIECE | 60MM



6 x 12 x 23/8



9 x 12 x 23/8

12 x 12 x 2<sup>3</sup>/<sub>8</sub>



# BASALT

### 3-PIECE PAVER | 60MM



A contemporary large-format system offering the distinct character of hammered stone, the organic look is enriched with DuraFusion Technology for an enhanced texture and ultimate durability.

















### PALLET INFORMATION

BAS	ALT™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
	9 x 18 x 2³/8		2			
BASALT 18 60MM	18 x 18 x 23/8	112.5	1	12	10	3202
ВА	18 x 27 x 2³/ <sub>8</sub>		2			

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- Upscale texture of flamed or hammered stone
- · Maximized pallet layout for jobsite efficiencies
- Reduced cuts, installation time and waste
- Simplified quoting and design of projects
- · Uniform sizing in true 3-inch increments
- Sizing compatible with all Belgard modular pavers like Origins™ and Dimensions™



DURAFUSION" TECHNOLOGY
Refined texture with enhanced wear-resistance

#### SHAPES & SIZES

BASALT 18 | 60MM

9 x 18 x 23/8



18 x 18 x 23/8



18 x 27 x 23/8




#### HERITAGE COLLECTION

# **BROOKLYN**

PAVER | 60MM



Its warm, weathered stone appearance and texture delivers a timeless look enriched with DuraFusion Technology for enhanced texture and wear-resistance.











ROSEWOOD 🤝













#### PALLET INFORMATION

BRO	OKLYN™	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
WW0 9	3 x 9 x 2³/s	99.5	55	9.95	10	2784

Downloadable professional resources available at Belgard.com/Resources

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- · Warm, weathered appearance and texture
- · Ideal for patios, walkways, accents and residential vehicular applications
- · Uniform thickness and width
- True 3-inch sizing for optimized installation and pallet layouts
- · Sizing compatible with all Belgard modular pavers like Origins<sup>™</sup> and Dimensions<sup>™</sup>
- Superior color technology provides rich color tones with lasting durability



DURAFUSION" TECHNOLOGY Refined texture with enhanced wear-resistance

#### SHAPES & SIZES

60MM



 $3 \times 9 \times 2^{3/8}$ 




### CAMBRIDGE COBBLE®


Gently rounded corners and a domed pillow-top surface provide

clean lines and a classic architectural appearance.

3-PIECE PAVER & CIRCLE KIT | 30MM | 60MM









SIERRA







DRIVEWAY APPROVED

PALLET INFORMATION

CAM	BRIDGE COBBLE°	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
	3 x 6 x 2 <sup>3</sup> / <sub>8</sub>	15	12	1.5		
3-PIECE 60MM	6 x 6 x 2 <sup>3</sup> / <sub>8</sub>	30	12	3	10	3202
.,	6 x 9 x 2 <sup>3</sup> / <sub>8</sub>	67	18	6.7		
3-PIECE 30MM	3 x 6 x 1 <sup>3</sup> /16 6 x 6 x 1 <sup>3</sup> /16 6 x 9 x 1 <sup>3</sup> /16	112	-	11.2	10	1535
ACCENT 60MM	6 x 9 x 23/8	112	30	11.2	10	2994
ACCENT 30MM	6 x 9 x 23/8	112	-	11.2	-	1525 lbs
CIRCLE 60MM	6 x Variable x 2⅓	78.5	-	8.7	9	1546.45

Downloadable professional resources available at **Belgard.com/Resources** 

#### QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- · Clean lines and an architectural appearance
- Classic style perfectly suited for almost any aesthetic and application
- Gently rounded corners with smooth pillow-top surface
- Multi-piece system with accent options available on separate pallet

#### SHAPES & SIZES

3-PIECE | 60MM



3 x 6 x 2%



6 x 6 x 23/8



6 x 9 x 23/8

3-PIECE | 30MM



3 x 6 x 13/16



6 x 6 x 1<sup>3</sup>/<sub>16</sub> 6 x 9 x 1<sup>3</sup>/<sub>16</sub>





6 x 9 x 2%

ACCENT | 30MM



6 x 9 x 23/8

CIRCLE | 60MM



6 x Variable x 23/8





# CATALINA GRANA®

3-PIECE SYSTEM | 60MM

Clean lines, a smooth surface, and a subtle beveled edge work together to create a contemporary eye-pleasing look.











#### PALLET INFORMATION

CATA	ALINA GRANA <sup>®</sup>	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
	6 x 12 x 23/8	30	6	3		
3-PIECE 60MM	9 x 12 x 2³/8	30	4	3	10	3370
C.3	12 x 12 x 23/8	60	6	6		

Downloadable professional resources available at **Belgard.com/Resources** 

#### QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- 3-piece system for flexibility and ease of installation
- Smooth linear surface
- ADA Compliant
- Multiple laying patterns
- Ideal for residential driveways, patios, pool decks and walkways

#### SHAPES & SIZES

3-PIECE | 60MM



6 x 12 x 2<sup>3</sup>/<sub>8</sub>



9 x 12 x 2<sup>3</sup>/<sub>8</sub>




12 x 12 x 2<sup>3</sup>/<sub>8</sub>




### CATALINA GRANA®

3-PIECE SYSTEM | 60MM









#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- · 3-piece system for flexibility and ease of installation
- Smooth linear surface
- ADA Compliant
- · Multiple laying patterns
- · Ideal for residential driveways, patios, pool decks and walkways



#### SHAPES & SIZES





6 x 12 x 23/8



9 x 12 x 2<sup>3</sup>/<sub>8</sub>



12 x 12 x 2<sup>3</sup>/<sub>8</sub>

#### PALLET INFORMATION

APPROVED

CATA	ALINA GRANA <sup>®</sup>	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
	6 x 12 x 23/8	30	6	3		
3-PIECE 60MM	9 x 12 x 2³/8	30	4	3	10	3370
C.3	12 x 12 x 23/8	60	6	6		

Downloadable professional resources available at Belgard.com/Resources



# DIMENSIONS<sup>™</sup> 6

3-PIECE SYSTEM | 30MM

Classic appeal meets contemporary design with a 3-piece system that features a smooth face and crisp, clean lines.





SIERRA



VICTORIAN

SONORAN GRAY



#### MODULAR SIZING



#### PALLET INFORMATION

DIM	ENSIONS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
9 81	3 x 6 x 1 <sup>3</sup> / <sub>16</sub>		16			
DIMENSIONS (	6 x 6 x 1 <sup>3</sup> / <sub>16</sub>	120	16	12	10	1519
DIM	6 x 9 x 1 <sup>3</sup> / <sub>16</sub>		16			

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- · Smooth face with clean, crisp lines
- Maximized pallet layout for jobsite efficiencies
- Reduced cuts, installation time and waste
- · Increased options for creative patterns
- Simplified quoting and design of projects
- Ideal thickness for overlaying sound concrete
- Sizing compatible with all Belgard modular paver lines - look for the Modular Sizing icon

#### SHAPES & SIZES

DIMENSIONS 6 | 30MM




6 x 9 x 1<sup>3</sup>/<sub>16</sub>



# DIMENSIONS<sup>™</sup> 6

3-PIECE SYSTEM | 60MM















BELLA RIO SIERRA SONORAN GRAY



VICTORIAN









DRIVEWAY APPROVED

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- · Smooth face with clean, crisp lines
- Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- Increased options for creative patterns
- Simplified quoting and design of projects
- Ideal for walkways, smaller patios and residential vehicular applications
- Uniform dimensions compatible with other Dimensions paver sizes
- Sizing compatible with all Belgard modular paver lines - look for the Modular Sizing icon

#### SHAPES & SIZES

DIMENSIONS 6 | 60MM



3 x 6 x 23/8



6 x 6 x 23/8



6 x 9 x 23/8

#### PALLET INFORMATION

DIM	ENSIONS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
9 81	3 x 6 x 2 <sup>3</sup> / <sub>8</sub>	20	16	2		
DIMENSIONS 6 60MM	6 x 6 x 2 <sup>3</sup> / <sub>8</sub>	40	16	4	10	3230
DIM	6 x 9 x 2 <sup>3</sup> / <sub>8</sub>	60	16	6		

Downloadable professional resources available at **Belgard.com/Resources** 




# DIMENSIONS<sup>™</sup> 12

3-PIECE SYSTEM | 60MM

Versatility meets contemporary design with multiple system sizes that all feature a smooth face and crisp, clean lines.













BELLA RIO SIERRA SONORAN GRAY



VICTORIAN







#### PALLET INFORMATION

DIM	ENSIONS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
S 12	6 x 12 x 2 <sup>3</sup> / <sub>8</sub>	20	4	2		
DIMENSIONS 1 60MM	12 x 12 x 23/8	40	4	4	10	3180
DIME	12 x 18 x 2³⁄8	60	4	6		

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**


Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- · Smooth face with clean, crisp lines
- Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- · Increased options for creative patterns
- Simplified quoting and design of projects
- Uniform dimensions compatible with other Dimensions paver sizes
- Sizing compatible with all Belgard modular paver lines - look for the Modular Sizing icon

#### SHAPES & SIZES

DIMENSIONS 12 | 60MM





### DIMENSIONS<sup>™</sup> 18

3-PIECE SYSTEM | 60MM



The smooth and consistent finish of DuraFusion complements the clean lines and linear surface of Dimensions for contemporary style with enhanced wear-resistance.








SCANDINA GRAY



SEPIA 🤝









#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- · Smooth face with clean, crisp lines
- · Contemporary larger format
- · Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- · Increased options for creative patterns
- · Simplified quoting and design of projects
- · Uniform dimensions compatible with other Dimensions paver sizes
- · Sizing compatible with all Belgard modular paver lines - look for the Modular Sizing icon



DURAFUSION" TECHNOLOGY Refined texture with enhanced wear-resistance

#### SHAPES & SIZES

DIMENSIONS 18 | 60MM



9 x 18 x 2<sup>3</sup>/<sub>8</sub>



18 x 18 x 2<sup>3</sup>/<sub>8</sub>



18 x 27 x 23/8

#### PALLET INFORMATION

DIMI	ENSIONS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
S 18	9 x 18 x 2 <sup>3</sup> / <sub>8</sub>	22.5	2	2.25		
DIMENSIONS 60MM	18 x 18 x 2 <sup>3</sup> / <sub>8</sub>	22.5	1	2.25	10	3152
DIME	18 x 27 x 2³∕ <sub>8</sub>	67.5	2	6.75		

Downloadable professional resources available at Belgard.com/Resources




# **DIMENSIONS**


PAVER | 60MM


SONORAN GRAY

VICTORIAN









### MODULAR





COMPLIANT

### PALLET INFORMATION

DIMI	ENSIONS™ PAVER	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
6X9 MM09	6 x 9 x 2³/8	112.5	30	12	10	2866

Downloadable professional resources available at Belgard.com/Resources

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- True 3-inch dimensions for optimized installation and pallet layout
- · Clean lines and a modern architectural appearance
- · Ideal for walkways, small patios and residential vehicular applications
- Can be utilized to construct an ADA-compliant pavement
- · 3 mm micro-chamfer width to minimize vibration and enhance wheelchair comfort
- · Reduced cuts, installation time and waste
- · Increased options for creative patterns
- · Sizing compatible with all Belgard modular paver lines - look for the Modular Sizing icon

#### SHAPES & SIZES

6X9 | 60MM



6 x 9 x 23/8



#### METROPOLITAN COLLECTION

# $\mathsf{DIMENSIONS}^{^{\mathsf{T}}}$

PAVER | 60MM




Accentuate contemporary style with a smooth linear surface enriched with DuraFusion technology for enhanced color, texture and wear-resistance.









### MODULAR







### PALLET INFORMATION

DIMI	ENSIONS™ PAVER	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
6 X 9	6 x 9 x 23/s	112.5	30	12	10	2866

Downloadable professional resources available at Belgard.com/Resources

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- True installed dimensions for optimal layout
- · Clean lines and a modern architectural appearance
- · Ideal for walkways, small patios and residential vehicular applications
- Can be utilized to construct an ADA-compliant pavement
- · 3 mm micro-chamfer width to minimize vibration and enhance wheelchair comfort
- · Reduced cuts, installation time and waste
- · Increased options for creative patterns
- · Sizing compatible with all Belgard modular paver lines - look for the Modular Sizing icon



DURAFUSION" TECHNOLOGY Refined texture with enhanced wear-resistance

#### SHAPES & SIZES

6 X 9 | 60MM



6 x 9 x 23/8




# **DIMENSIONS**

PLANK | 80MM



Clean lines and an elongated plank shape offer a truly modern architectural appearance. With a thickness that supports vehicular loads, this paver is ideal for creating contemporary curb appeal.







GRAPHITE SONORAN GRAY



### MODULAR







#### PALLET INFORMATION

DIMENSIONS™ PLANK		SQFT/	UNITS/	SQFT/	LAYER/	WEIGHT/
		PALLET	LAYER	LAYER	PALLET	PALLET
3 X 12 80MM	3 x 12 x 31/8	44	44	11	4	1536

Downloadable professional resources available at Belgard.com/Resources

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- True 3-inch dimensions for optimal installation and pallet layout
- Clean lines and a modern architectural appearance
- Can be utilized to construct an ADA-compliant pavement
- 3 mm micro-chamfer width to minimize vibration and enhance wheelchair comfort
- · Ideal for Driveways, Patios and Walkways
- · Approved for vehicular applications
- Sizing compatible with all Belgard modular paver lines - look for the Modular Sizing icon

#### SHAPES & SIZES

3 X 12 | 80MM



3 x 12 x 31/8



#### METROPOLITAN COLLECTION

# **DIMENSIONS**

PLANK | 80MM



Ideal for creating contemporary cub appeal, the clean lines and plank shape are enriched with DuraFusion Technology for enhanced color, texture and wear-resistance.









### SIZING









#### PALLET INFORMATION

DIMENSIONS™ PLANK		SQFT/	UNITS/	SQFT/	LAYER/	WEIGHT/
		PALLET	LAYER	LAYER	PALLET	Pallet
3X9 80MM	3 x 9 x 31/8	87	60	10.85	8	3132

Downloadable professional resources available at **Belgard.com/Resources** 

#### QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- · True installed dimensions for optimal layout
- Clean lines and a modern architectural appearance
- Can be utilized to construct an ADA-compliant pavement
- 3 mm micro-chamfer width to minimize vibration and enhance wheelchair comfort
- Sizing compatible with all Belgard modular paver lines - look for the Modular Sizing icon
- · Approved for vehicular applications



DURAFUSION" TECHNOLOGY
Refined texture with enhanced wear-resistance

#### SHAPES & SIZES

3X9 | 80MM



3 x 9 x 31/8




# **DIMENSIONS**

SLAB | 60MM



The expansive size is distinguished by clean, crisp lines and a smooth, linear surface enriched with DuraFusion Technology for enhanced color, texture and wear-resistance.











COMPLIANT

PALLET INFORMATION

DIMENSIONS™ SLAB		SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
9 X 18 60MM	9 x 18 x 2³/s	112.5	10	11.3	10	3139
12 X 24 60MM	12 x 24 x 2 <sup>3</sup> / <sub>8</sub>	120	6	12	10	3230
15 X 30 60MM	15 x 30 x 23/8	93.8	3	9.4	10	2619
24 X 24 60MM	24 x 24 x 2³/s	80	2	8	10	2170

Downloadable professional resources available at **Belgard.com/Resources** 

#### QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- Smooth face with clean, crisp lines
- · Contemporary larger format
- Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- Increased options for creative patterns
- Simplified quoting and design of projects
- Uniform dimensions compatible with other Dimensions paver sizes
- Sizing compatible with all Belgard modular paver lines - look for the Modular Sizing icon



DURAFUSION" TECHNOLOGY

Refined texture with enhanced wear-resistance

#### SHAPES & SIZES

9 X 18 | 60MM



9 x 18 x 23/8

12 X 24 | 60MM



12 x 24 x 23/8

15 X 30 | 60MM



 $15\times30\times2\%$ 

24 X 24 | 60MM



24 x 24 x 23/8

\* Special Order




# DIMENSIONS™ TERRAZZO

3-PIECE SYSTEM | 60MM

Clean, crisp lines with a smooth face that's ground and polished to reveal the beauty of natural aggregates.









MISSION WHITE

RUTHERFORD GRAY







#### PALLET INFORMATION

DIMENSIONS™ TERRAZZO		SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
NW09	6 x 12 x 2³⁄₃	20	4	2		
DIMENSIONS TERRAZZO 12   60MM	12 x 12 x 2%	40	4	4	10	3180
	12 x 18 x 2¾	60	4	6		
24 X 24 12 X 24 60MM 60MM	12 x 24 x 23/8	120	6	12	10	3230
24 X 24 60MM	24 x 24 x 23/8	80	6	8	10	2170

Downloadable professional resources available at **Belgard.com/Resources** 

#### QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- Crisp lines with a polished face for a stunning contemporary look
- Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- · Increased options for creative patterns
- Simplified quoting and design of projects
- Uniform dimensions compatible with other Dimensions paver sizes
- Sizing compatible with all Belgard modular paver lines look for the Modular Sizing icon

#### SHAPES & SIZES

DIMENSIONS TERRAZZO 12 | 60MM



6 x 12 x 23/8



12 x 12 x 23/8



12 x 18 x 23/8

12 X 24 | 60MM



12 x 24 x 23/8

24 X 24 | 60MM



24 x 24 x 23/8



# EMPIRE PAVER | 60MM



The plank shape and hand-tooled face are enriched by DuraFusion Technology for enhanced texture and wear-resistance with seven distinct face styles for unique pattern creation.











## MODULAR







### PALLET INFORMATION

EMP	IRE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
3 X 12 60MM	3 x 12 x 2 <sup>3</sup> / <sub>8</sub>	110	44	11	10	3056

Downloadable professional resources available at Belgard.com/Resources

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

### FEATURES & BENEFITS

- · Hand-tooled appearance
- 7 unique textures per pallet
- Ideal for patios, walkways and accents
- Contemporary twist for classic herringbone and basketweave designs
- True 3-inch sizing for optimized installation and pallet layouts
- Sizing compatible with all Belgard modular pavers like Origins<sup>™</sup> and Dimensions<sup>™</sup>



#### SHAPES & SIZES



3 x 12 x 23/8




## GEOMETRIC SHAPES

PAVER | 60MM

The smooth face and variety of shapes offer ultra-modern or art deco aesthetics. In 3-inch increments, these pavers add visual appeal to borders, accents or inlays.







FOUNDRY





G R A P H I T E L I N E N







GEO	GEOMETRIC SHAPES		UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
HEXAGON 60MM	12 x 12 x 2 <sup>3</sup> / <sub>8</sub>	100.02	14	9.09	11	2845
DIAMOND 60MM	11.9 x 10.31 x 2.36	93.53	9	7.79	12	2664
3 X 12 PARALLELOGRAM 60MM	3 x 12 x 2⅓s	85.73	36	7.79	11	2392
6 X 18 PARALLELOGRAM 60MM	6 x 18 x 2¾s	114.31	16	10.39	11	3225

Downloadable professional resources available at Belgard.com/Resources

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- · Smooth face
- · Contemporary aesthetic
- All shapes sized to work together.
- Sizing compatible with all Belgard modular pavers like  $\mathsf{Origins}^\mathsf{m}$  and  $\mathsf{Dimensions}^\mathsf{m}$
- · Reduced cuts, installation time and waste
- · Increased options for creative patterns

### SHAPES & SIZES

HEXAGON | 60MM



12 x 12 x 2%

DIAMOND | 60MM



11.9 x 10.31 x 2.36

3 X 12 PARALLELOGRAM | 60MM



3 x 12 x 23/8



6 x 18 x 23/8




## HOLLAND STONE

PAVER | 60MM

The classic architectural appearance is derived from a smooth face and clean lines to offer traditional appeal.







## DRIVEWAY APPROVED



### PALLET INFORMATION

HOLLAND STONE		SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet	
WW09	4 x 8 x 2³/s	120	54	12	10	2725	

Downloadable professional resources available at **Belgard.com/Resources** 

#### QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- Classic shape works well for inlays, borders, and as a stand-alone
- Ideal for both residential and commercial applications
- Comprehensive library of installation patterns
- · Approved for vehicular applications

#### SHAPES & SIZES

60MM



4 x 8 x 23/8



# MEGA-ARBEL®

SLAB | 60MM



The look of flagstone is expressed by this paver's irregular shape, slightly uneven texture and large dramatic scale. False joints create a random look that adds to its natural appeal.







B E L L A VICTORIAN



MEGA-ARBEL® PAVER		SQFT/	UNITS/	SQFT/	LAYER/	WEIGHT/
		PALLET	LAYER	LAYER	PALLET	Pallet
мм09	153/8 x 21 x 23/8	104.4	6	8.7	12	2766

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

### FEATURES & BENEFITS

- Large, dramatic scale that mimics natural stone
- Features realistic natural color blends
- Irregular interlocking system that utilizes a no-repeat pattern

## SHAPES & SIZES

60MM



15% x 21 x 2%




# ORIGINS<sup>™</sup> 6

3-PIECE SYSTEM | 60MM



Emulating the look and texture of natural stone, this paver system offers earthy tones and a slightly chiseled surface. The stone-like feel blends with outdoor environments.











### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

### FEATURES & BENEFITS

- Look and feel of natural stone
- · Maximized pallet layout for jobsite efficiencies
- · Reduced cuts, installation time and waste
- · Increased options for creative patterns
- · Simplified quoting and design of projects
- Uniform dimensions compatible with other Origins paver sizes
- Sizing compatible with all Belgard modular paver lines - look for the Modular Sizing icon

#### SHAPES & SIZES

ORIGINS 6 | 60MM



3 x 6 x 23/8



6 x 6 x 23/8



6 x 9 x 23/8

#### PALLET INFORMATION

ORIO	GINS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
ORIGINS 6 60MM	3 x 6 x 2 <sup>3</sup> / <sub>8</sub>	20	16	2	10	3230
	6 x 6 x 2 <sup>3</sup> / <sub>8</sub>	40	16	4		
10	6 x 9 x 2 <sup>3</sup> / <sub>8</sub>	60	16	6		

Downloadable professional resources available at Belgard.com/Resources




## ORIGINS<sup>™</sup> 12

3-PIECE SYSTEM | 60MM



Emulating the look and texture of natural stone, this paver system offers earthy tones and a slightly chiseled surface. The stone-like feel blends with outdoor environments.









ORIO	GINS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
12	6 x 12 x 23/8	20	4	2		
ORIGINS 12 60MM	12 x 12 x 2 <sup>3</sup> / <sub>8</sub>	40	4	4	10	3180
OR	12 x 18 x 2 <sup>3</sup> / <sub>8</sub>	60	4	6		

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**


Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

### FEATURES & BENEFITS

- Look and feel of natural stone
- Maximized pallet layout for jobsite efficiencies
- Reduced cuts, installation time and waste
- Increased options for creative patterns
- · Simplified quoting and design of projects
- Uniform dimensions compatible with other Origins paver sizes
- Sizing compatible with all Belgard modular paver lines - look for the Modular Sizing icon

### SHAPES & SIZES

ORIGINS 12 | 60MM



12 x 18 x 2%




#### NATURAL COLLECTION

# $ORIGINS^{^{\mathsf{m}}}$

PAVER | 60MM



With a subtle chiseled stone face, this paver is an ideal choice for driveways, small patios, or for adding a touch of texture as a distinctive border, accent banding and inlaid design.







GRAPHITE SIERRA



## MODULAR







### PALLET INFORMATION

ORIG	GINS™ PAVER	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
6 X 9 60MM	6 x 9 x 2³/s	112	30	11.2	10	3020

Downloadable professional resources available at Belgard.com/Resources

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- True 3-inch dimensions for optimized installation and pallet layouts
- · Clean lines and a modern architectural appearance
- · Ideal for walkways, small patios, and residential vehicular applications
- · Can be utilized to construct an ADA-compliant pavement
- 3 mm micro-chamfer width to minimize vibration and enhance wheelchair comfort
- · Reduced cuts, installation time and waste
- · Increased options for creative patterns
- · Sizing compatible with all Belgard modular paver lines - look for the Modular Sizing icon

#### SHAPES & SIZES

6 X 9 | 60MM



6 x 9 x 23/8




# PAPYRUS<sup>™</sup>

## 3-PIECE PAVER | 60MM



An organic textural experience with modern elegance, this paver's unique face offers an upscale hand-tooled look enriched with DuraFusion for enhanced color, texture and wear-resistance.



















ADA COMPLIANT

PAP	YRUS™ 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
PAPYRUS 18 60MM	9 x 18 x 2³/8	22.5	2	2.25	10	3152
	18 x 18 x 23/8	22.5	1	2.25		
PA	18 x 27 x 2³/ <sub>8</sub>	67.5	2	6.75		

Downloadable professional resources available at **Belgard.com/Resources** 

#### QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- Upscale organic texture that emulates hand-tooled stone
- · Contemporary larger format
- True 3" increments for optimized pallet layouts and jobsite efficiencies
- · Reduced cuts, installation time and waste
- · Increased options for creative patterns
- · Simplified quoting and design of projects
- Expansion of the Artisan Collection of modular pavers
- Sizing compatible with all Belgard modular paver lines - look for the Modular Sizing icon



DURAFUSION" TECHNOLOGY
Refined texture with enhanced wear-resistance

#### SHAPES & SIZES

PAPYRUS 18 | 60MM



9 x 18 x 23/8



18 x 18 x 23/8



18 x 27 x 23/8



#### NATURAL COLLECTION

## TRAVERTINO

3-PIECE TILE | 30MM

Created to mimic the natural textures of travertine










ECHO CANYON

SILVERADO





TRA	VERTINO 3-PIECE	SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ Pallet
30MM	6 x 6 x 11/4		8			
	6 x 12 x 11/4	120	12	12	10	1496
	12 x 12 x 11/4		4			

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- 30mm thickness
- Ideal for overlays including driveways, walkways and pools
- Unique variegated color blends
- Upscale look
- · Slip-resistant
- · Interlocking design
- Multi-piece system
- · Multiple laying options

### SHAPES & SIZES

3-PIECE | 30MM



6 x 6 x 11/4



6 x 12 x 11/4

12 x 12 x 11/4




# $TURFSTONE^{^{\mathsf{T}}}$

GRID PAVER | 80MM

An open lattice grid design offers turf or gravel infill, creating a unique hardscape design that works in harmony with nature.







 $\mathsf{G}\;\mathsf{R}\;\mathsf{A}\;\mathsf{Y}$ 



## DRIVEWAY APPROVED

#### PALLET INFORMATION

TURFSTONE™		SQFT/	UNITS/	SQFT/	LAYER/	WEIGHT/
		PALLET	LAYER	LAYER	PALLET	PALLET
8 0 MM	15¾ x 23½ x 3½	101	5	12.63	8	2195

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- Manufactured in accordance with ASTM C1319
- · Open lattice grid design for turf infill
- 40% surface opening with void space for creating a grass pavement
- Applications include driveways, parking stalls, ramps, service and emergency access lanes

### SHAPES & SIZES

80MM



153/4 x 235/8 x 31/8




# FOUNDATION TO SOME

BELGARD PAVES THE WAY

CONCRETE FINISH | 20MM

These pavers exude timeless sophistication and a uniform look achieved by a smooth, refined surface texture, polished concrete appearance, and neutral color tones.







AMBER BEIGE





	FOUNDATION™	SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ Pallet
24 X 24	23.46 x 23.46 x <sup>3</sup> / <sub>4</sub>	275.04	7.64	36	2	67.84	2533.8

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- · Sophisticated look of polished concrete
- Incredibly high breakage loads, up to 3,000 pounds
- · Modular for faster installation,
- Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials.
- Structured top textures create non-slip surfaces.
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F).

\* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

#### SHAPES & SIZES

24 X 24



23.46 x 23.46 x 3/4



#### PORCELAIN COLLECTION

# GENOA<sup>™</sup> STONE FINISH | 20MM



Subtle nuances of natural stone and a smooth, non-slip texture make this porcelain paver the choice for blending earthy tones with a weathered patina for timeless aesthetics.







**v2** store





	GENOA™	SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ PALLET
12 X 24	11.65 x 23.46 x <sup>3</sup> / <sub>4</sub>	303.6	7.59	40	4	68.23	2807
24 X 24	23.46 x 23.46 x <sup>3</sup> / <sub>4</sub>	275.04	7.64	36	2	67.84	2533.8

Downloadable professional resources available at **Belgard.com/Resources** 

#### QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

### FEATURES & BENEFITS

- · Appearance of weathered stone
- Incredibly high breakage loads, up to 3,000 pounds
- · Modular for faster installation,
- Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials.
- Structured top textures create non-slip surfaces.
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F).

\* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymerics and joints.

#### SHAPES & SIZES

12 X 24 11.65 x 23.46 x ¾



23.46 x 23.46 x <sup>3</sup>/<sub>4</sub>




# GLOCAL

## CONCRETE FINISH | 20MM



The smooth concrete-like finish offers a clean, contemporary aesthetic. Its structured and tight surface texture in neutral shades makes this porcelain paver a versatile design element.



\*Special order







LOW SOLAR HEAT ABSORPTION

GLOCAL		SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ PALLET
24 X 24	23.54 x 23.54 x <sup>3</sup> / <sub>4</sub>	232.5	7.75	30	2	72	2160
24 X 48	23.54 x 47.17 x <sup>3</sup> / <sub>4</sub>	271.25	7.75	35	1	74	2621
48 X 48	47.17 x 47.17 x <sup>3</sup> / <sub>4</sub>	310	15.5	20	1	148.5	3009

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**


Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- · Elegant smooth face and texture
- Incredibly high breakage loads, up to 3,000 pounds
- · Modular for faster installation,
- Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials.
- Structured top textures create non-slip surfaces.
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F).

\* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

#### SHAPES & SIZES





# JURUPA

## WOOD FINISH | 20MM



The robust intrinsic characteristics of smooth planed wood offer warmth and sophistication. Resembling wood, each paver has subtle variations clearly framed by grouted details.










MASTER
JP 03



**V2**CAMP
JP 04





	JURUPA	SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ PALLET
12 X 48	11.73 x 47.17	279	7.75	36	2	74	2664

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

### FEATURES & BENEFITS

- Robust intrinsic characteristics of smooth planed wood.
- Incredibly high breakage loads, up to 3,000 pounds
- · Modular for faster installation,
- Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials.
- Structured top textures create non-slip surfaces.
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F).
  - \* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

#### SHAPES & SIZES

12 X 48

11.73 x 47.17



## LAGOON

## STONE FINISH | 20MM



Painstaking detail and depth of color evoke the expressive power of nature through these stylish modular pavers. Veining effects are inspired by the stratifications of sedimentary rocks.













SHARKSKIN LG 04 ST







LOW SOLAR HEAT ABSORPTION

	LAGOON	SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ PALLET
24 X 48	23.54 x 47.17 x <sup>3</sup> / <sub>4</sub>	271.25	7.75	35	1	74	2621

Downloadable professional resources available at **Belgard.com/Resources** 

#### QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- Veining effects with a smoothly flowing movement inspired by the stratifications of sedimentary rocks
- Incredibly high breakage loads, up to 3,000 pounds
- · Modular for faster installation,
- Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials.
- Structured top textures create non-slip surfaces.
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F).

\* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

#### SHAPES & SIZES

24 X 48



23.54 x 47.17 x 3/4



## NOON

## WOOD FINISH | 20MM



Warm and stylish, this contemporary expression of simplicity combines the look and feel of natural wood with the durability of porcelain.










EMBER NN 02 ST



HONEY
NN 03 ST







HIGH Variation

NOON		SQFT/	SQFT/	BOXES/	PCS/	WEIGHT/	WEIGHT/
		PALLET	BOX	PALLET	BOX	BOX	Pallet
12 X 48	11.73 x 47.17	279	7.75	36	2	74	2664

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- · Natural wood aesthetic
- Incredibly high breakage loads, up to 3,000 pounds
- · Modular for faster installation,
- Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials.
- Structured top textures create non-slip surfaces.
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F).

\* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

#### SHAPES & SIZES

12 X 48



11.73 x 47.17



## NORR

## STONE FINISH | 20MM



The stone-like look of pebbles in various colors and shapes creates a three-dimensional effect that breathes life into surfaces and provides a natural aesthetic with versatility.



Special order







HIGH

N VARIATION

NORR		SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ Pallet
24 X 24	23.54 x 23.54 x <sup>3</sup> / <sub>4</sub>	232.5	7.75	30	2	72	2201
32 X 32	31.42 x 31.42 x <sup>3</sup> / <sub>4</sub>	289.33	6.89	42	1	65.5	2751

Downloadable professional resources available at **Belgard.com/Resources** 

#### QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- Features pebbles of varying colors and shapes to create a pleasant three-dimensional effect
- Incredibly high breakage loads, up to 3,000 pounds
- · Modular for faster installation,
- Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.
- High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials.
- Structured top textures create non-slip surfaces.
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F).

\* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

#### SHAPES & SIZES

24 X 24



23.54 x 23.54 x <sup>3</sup>/<sub>4</sub>

32 X 32



 $31.42 \times 31.42 \times \frac{3}{4}$ 




## NOVEMBER

STONE FINISH | 20MM



Minimalist styling inspired by nature is found with this versatile porcelain paver. Characteristics of stone and cement embody its texture to offer a simple, yet elegant look.









WIND NMO2







LAND NM05







LOW SOLAR HEAT

	NOVEMBER	SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ Pallet
24 X 24	23.54 x 23.54 x <sup>3</sup> / <sub>4</sub>	232.5	7.75	30	2	72	2160

Downloadable professional resources available at Belgard.com/Resources

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

#### FEATURES & BENEFITS

- · Characteristics of stone and cement combine for a simple, minimalist look with elegance
- · Available in 4 versatile colors with choice of controlled shade variation (< 15 graphics, V2 variation)
- Efficient 24" x 24" size for cost savings
- · Color-body, rectified porcelain is made in Italy
- · Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device\*
- · High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- · Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials.
- Structured top textures create non-slip surfaces.
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F).

\* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

#### SHAPES & SIZES

24 X 24




23.54 x 23.54 x 3/4




## QUARZITI 2.0

STONE FINISH | 20MM













MOUNTAINS QR 02 NAT



WATERFALL QR 03 NAT



RIVER QR 04 NAT







MODERATE

LOW SOLAR HEAT

## PALLET INFORMATION

	QUARZITI 2.0	SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ PALLET
12 X 24	11.73 x 23.54 x <sup>3</sup> / <sub>4</sub>	235.5	5.81	40	3	55	2201
24 X 24	23.54 x 23.54 x <sup>3</sup> / <sub>4</sub>	232.5	7.75	30	2	72	2160
24 X 48	23.54 x 47.17 x <sup>3</sup> / <sub>4</sub>	271.25	7.75	35	1	74	2621

Downloadable professional resources available at Belgard.com/Resources

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

### FEATURES & BENEFITS

- · Realistic appearance of natural quartz
- · A variety of modular shapes offer ultimate design flexibility
- · Incredibly high breakage loads, up to 3,000 pounds
- · Modular for faster installation
- · Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.\*
- · High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials.
- Structured top textures create non-slip surfaces.
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from  $-51.1^{\circ}$  to  $+60^{\circ}$  C ( $-60^{\circ}$ F to  $+140^{\circ}$ F).

\* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

### SHAPES & SIZES

12 X 24 11.73 x 23.54 x 3/4 24 X 24 23.54 x 23.54 x 3/4 24 X 48 23.54 x 47.17 x 3/4 \*Special order



## SILVERLAKE

STONE FINISH | 20MM



Soft veining effects intertwine with neutral shades to offer natural patterns like those found in marble and stones. These traits provide a luxurious look with maximum versatility.













ORSI SK 06 ST









HIGH VARIATION

LOW SOLAR HEAT

SILVERLAKE		SQFT/	SQFT/	BOXES/	PCS/	WEIGHT/	WEIGHT/
		PALLET	BOX	PALLET	BOX	BOX	PALLET
24 X 48	23.54 x 47.17 x <sup>3</sup> / <sub>4</sub>	271.25	7.75	35	1	74	2621

Downloadable professional resources available at Belgard.com/Resources

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- · A range of balanced, neutral colours with soft veining effects
- Incredibly high breakage loads, up to 3,000 pounds
- · Modular for faster installation,
- · Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device.\*
- · High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials.
- Structured top textures create non-slip surfaces.
- · Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from  $-51.1^{\circ}$  to  $+60^{\circ}$  C ( $-60^{\circ}$ F to  $+140^{\circ}$ F).
  - \* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

## SHAPES & SIZES

24 X 48



23.54 x 47.17 x 3/4



## TRAVERTINI

## TRAVERTINE FINISH | 20MM



These large-format slabs offer the upscale timeless look of natural travertine with a smooth finish in aesthetic options that include a dramatic linear vein or a softer cross-cut.





















LOW SOLAR HEAT ABSORPTION

TRAVERTINI		SQFT/ PALLET	SQFT/ BOX	BOXES/ PALLET	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ PALLET
24 X 24	23.54 x 23.54 x <sup>3</sup> / <sub>4</sub>	232.5	7.75	30	2	72	2160
24 X 48	23.54 x 47.17 x <sup>3</sup> / <sub>4</sub>	271.25	7.75	35	1	74	2621

Downloadable professional resources available at Belgard.com/Resources

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- · Timeless beauty of travertine
- Aesthetic options include a linear Vein Cut appearance and a softer Cross Cut appearance
- · Large format slabs
- A variety of modular shapes offer ultimate design flexibility
- · Incredibly high breakage loads, up to 3,000 pounds
- · Modular for faster installation
- · Can be cleaned with normal household cleaners and even pressure washed with a low pressure washing device\*
- · High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- · Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials.
- Structured top textures create non-slip surfaces.
- · Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from  $-51.1^{\circ}$  to  $+60^{\circ}$  C ( $-60^{\circ}$ F to  $+140^{\circ}$ F).

\* It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

## SHAPES & SIZES

24 X 24

23.54 x 23.54 x 3/4

24 X 48



23.54 x 47.17 x 3/4



## UNICO 2.0

COPING | 20MM



Enhance your outdoor spaces with our premium porcelain coping available in a variety of styles to complement multiple porcelain paver lines.





## SLIGHT VARIATION







LOW SOLAR HEAT ABSORPTION

## PALLET INFORMATION

	UNICO 2.0	SQFT/ PALLET	SQFT/ BOX	BOXES/ Pallet	PCS/ BOX	WEIGHT/ BOX	WEIGHT/ Pallet
COPING	11.62 x 23.54 x <sup>3</sup> / <sub>4</sub>	254.82	6.37	40	3	52	2080

Downloadable professional resources available at Belgard.com/Resources

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- · Sleek porcelain coping with a polished round edge
- · Featuring authentic looks in natural stone, cement, and wood
- Use for steps or as coping for swimming pools
- · High density and ultra-low absorption rate creates a tight surface texture and fends off surface mold, moss, dirt and other types of stains
- Unaffected by alkalis, acids, chemical agents, salt and other de-icing materials.
- Structured top textures create non-slip surfaces.
- Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from  $-51.1^{\circ}$  to  $+60^{\circ}$  C ( $-60^{\circ}$ F to  $+140^{\circ}$ F).

### SHAPES & SIZES






## ASHLAR TANDEM™

## FREESTANDING | RETAINING

BELGARD PAVES THE WAY

Virtual joints and a chiseled face create the look of a random stone facade for the versatile Tandem system that can build pillars, garden walls and stylish outdoor kitchens and features.







SIERRA VICTORIAN















	ASHLAR TANDEM™	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
	7 x 13¾16 x 25⁄6	19.2	3.2		30	
3-PIECE	7 x 15 <sup>13</sup> /16 x 25/8	23.55	3.92	6	30	2085
	7 x 18 <sup>7</sup> /16 x 2 <sup>5</sup> /e	27.35	4.56		30	
MODULAR BLOCK*	7½ x 7½ x 7½	-	-	-	128	2816
TANDEM	15 x 24 x 31⁄4	-	-	-	32	3008
CON- NECTOR	3 x 12 / 8 x 12	-	-	-	30	-
U START BASE BLOCK	3½ x 18½ x 12	77.88	11.13	7	56	3080

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Distinctive chiseled stone texture manufactured to consistent height tolerances
- · Build curved or straight walls
- 3 sizes on one pallet to allow for design versatility and customization.
- Minimum outside radius of 6'
- Freestanding walls up to 28"
- Engineered 90° corners
- Gravity walls up to 3 feet\* using a ½ inch setback per unit (4 degree system batter)
- · Reinforced walls up to 8 feet

### SHAPES & SIZES

3-PIECE

7 x 13<sup>3</sup>/<sub>16</sub> x 2<sup>5</sup>/<sub>8</sub>



 $7 \times 15^{13}/_{16} \times 25/_{8}$ 



7 x 18½ x 25/8

MODULAR BLOCK\*



71/16 x 71/8 x 71/8

TANDEM CAP\*



15 x 24 x 31/4

CONNECTOR



 $3 \times 12 / 8 \times 12$ 

U START BASE BLOCK



3½ x 18½ x 12

\*Includes clip \*\*Cap available in Graphite




## BELAIR WALL 2.0

## RETAINING | FREESTANDING

A sophisticated appearance of hand-chiseled stone is brought to life with an irregular surface that adds depth and visual interest for a dynamic look.







VICTORIAN















	BELAIR WALL® 2.0	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ Pallet
DING	6 x 6 x 5	3.75	.75		30	
FREESTANDING	6 x 10 x 5	6.25	1.25	5	30	2700
6" FR	6 x 16 x 5	20	4		60	
9NI	6 x 6 x 8	3.75	1.25		15	
6" RETAINING	6 x 10 x 8	6.25	2.08	3	15	2445
1 9	6 x 16 x 8	20	6.6		30	
CORNER/ COLUMN	6 x 16 x 8	22.5	9.33	2	28	2003
TRAPEZOID DOUBLE SIDED CAP	3 x 7 / 8 x 13½	90	11.25	8	144	3510
CAP END 3-SIDED	3 x 8 x 13½	24	12	2	36	912
WALL END 3-SIDED	6 x 8 x 11	14	7	2	42	1832
U START BASE BLOCK	3½ x 18½ x 12	77.88	11.13	7	56	3080

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**


Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

### FEATURES & BENEFITS

- · Elegant chiseled-stone look
- Freestanding & gravity walls' can be built up to 3 feet high, including buried course
- Taller walls can be built using geosynthetic reinforcement when designed by a qualified engineer
- Rear-lip on retaining wall block makes installation fast and accurate
- Freestanding Walls: 4-foot minimum radius using all 3 units
- Retaining Walls: 1"/9.5° Setback/ System batter
- Minimum outside radius, measured on the top course to the front of the units: 4 feet
- Minimum inside radius, measured on the base course to the front of the units: 8 feet

\*Gravity wall heights are based on project specific conditions and may be lower than this value.

### SHAPES & SIZES






## DIAMOND° 9D STRAIGHT

## BELGARD PAVES THE WAY

## RETAINING

The split-face texture of this wall imparts a rough natural stone appearance with pleasing aesthetics that blend well in various landscapes.









BELLA SIERRA VICTORIAN







	DIAMOND° 9D STRAIGHT	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ Pallet
STRAIGHT FACE	6 x 17¼ x 9	43.1	-	-	60	3325
CAP	3 x 7 x 13 3 x 8 x 13	-	1	-	126	2952
U START BASE BLOCK	3½ x 18½ x 12	77.88	11.13	7	56	3080

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- · Classic split-stone look
- All system components are standard-split in-line
- Rear lip locators easily establish a uniform wall batter
- A matching cap and corner completes the system
- Build gravity walls up to 3 feet high\*, including the buried course.
- Taller walls can be built using geosynthetic reinforcement when designed by a qualified engineer.
- Minimum outside radius, measured on the top course to the front of the units: 3 feet
- Minimum inside radius, measured on the base course to the front of the units: 6 feet
- The rear lip establishes a 1½" setback for a 10.6 degree system batter

\*Gravity wall heights are based on project specific conditions and may be lower than this value.

### SHAPES & SIZES

STRAIGHT FACE



6 x 171/4 x 9

CAP



3 x 7 x 13 3 x 8 x 13

U START BASE BLOCK



3½ x 18½ x 12




## DIAMOND PRO PS SMOOTH



RETAINING

A refined appearance with clean lines and the strength of Diamond Pro Retaining Wall Systems, this wall provides a modern touch and is efficiently installed with a pin system.



Due to the natural materials in our products, colors may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect color and finish for each project.







	DIAMOND PRO° PS SMOOTH	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ Pallet	WEIGHT/ Pallet
SM00TH FACE	8 x 18 x 12	36	-	-	36	2550
UNIVERSAL	4 x 17¼ / 12 x 10	78.75	-	-	80	3100

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Contemporary smooth face and clean lines
- · Pin system installation method
- Large cores for ease in handling
- Ease of installation with oversized pin aligning cores
- · Pin cores allow for multiple batter options
- Builds walls in excess of 50 feet when combined with geosynthetic reinforcement
- One square foot of wall face per block
- Gravity walls can be built up to 4 feet high\*, including the buried course, with
   7.1 degree batter
- Minimum outside radius, measured on the top course to the front of the units: 4 feet
- Minimum inside radius, measured on the base course to the front of the units: 6 feet
- Setback/System Batter: Near Vertical and 1"/7.1°; additional system batter can be created by alternating pin placement on each course of wall

\*Gravity wall heights are based on project specific conditions and may be lower than this value.

## SHAPES & SIZES

SMOOTH FACE



8 x 18 x 12

UNIVERSAL CAP



4 x 17½ / 12 x 10

PS: Pin System. Pins Included




## DIAMOND PRO® PS STRAIGHT



RETAINING

The split-face texture of this wall offers a classic look featuring a chiseled edge and a time-worn organic appearance that is ideal for large-scale projects.










B E L L A B R O W N G R A Y







	DIAMOND PRO° PS STRAIGHT	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
STRAIGHT FACE	8 x 18 x 12	36	-	-	36	2550
UNIVERSAL	4 x 17¼ / 12 x 10	78.75	-	-	80	3100

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Classic split-stone appearance
- · Pin system installation method
- Large cores for ease in handling
- Ease of installation with oversized pin aligning cores
- · Pin cores allow for multiple batter options
- Builds walls in excess of 50 feet when combined with geosynthetic reinforcement
- One square foot of wall face per block
- Gravity walls can be built up to 4 feet high\*, including the buried course, with
   7.1 degree batter
- Minimum outside radius, measured on the top course to the front of the units: 4 feet
- Minimum inside radius, measured on the base course to the front of the units: 6 feet
- Setback/System Batter: Near Vertical and 1"/7.1°; additional system batter can be created by alternating pin placement on each course of wall

\*Gravity wall heights are based on project specific conditions and may be lower than this value.

## SHAPES & SIZES

STRAIGHT FACE



8 x 18 x 12

UNIVERSAL CAP



4 x 17¼ / 12 x 10

PS: Pin System. Pins Included



## EASTON STONE

GARDEN | FREESTANDING



Smooth textured and defined by a refined time-worn look, this universal block offers tremendous versatility. Earthen tones and its clean texture facilitate warmth with timeless appeal.











SONORAN GRAY

BELLA

RIO

SIERRA



VICTORIAN











FIRE PITS

KITCH

	EASTON STONE™	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET	
WALL	4 x 12 x 8	42	-	-	126	3700	

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Contemporary smooth texture with gently distressed edges
- Universal block can be used for both walls and caps
- Plantable wall designs & columns can be easily created
- Build freeform walls with minimal cuts
- Can be used to build gravity walls up to 2 feet high, including the buried course

\*Gravity wall heights are based on project specific conditions and may be lower than this value.

### SHAPES & SIZES

WALL BLOCK




4 x 12 x 8



## MELVILLE TANDEM™

## FREESTANDING | RETAINING









RIO





SIERRA

VICTORIAN Swatch represents product color only, not surface texture.



	MELVILLE TANDEM™	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ Pallet
3-PIECE	7 x 13¾16 x 25⁄6	19.2	3.2		30	
	7 x 15½16 x 25%	23.55	3.92	6	30	2003
	7 x 18½16 x 25%	27.35	4.56		30	
MODULAR BLOCK*	7½ x 7½ x 7½	-	-	-	128	2816
TANDEM	3¼ x 24 x 15	-	-	-	32	3050
CONNECTOR	3 x 12 / 8 x 12	-	-	-	30	-
U START BASE BLOCK	3½ x 18½ x 12	77.88	11.13	7	56	3080

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**


Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Contemporary smooth face in multiple sizes
- Build curved or straight walls
- 3 sizes on one pallet to allow for design versatility and customization
- Minimum outside radius of 6'
- Freestanding walls up to 28"
- Engineered 90° corners
- Gravity walls up to 3 feet\* using a ½ inch setback per unit (4 degree system batter)
- · Reinforced walls up to 8 feet

\*Gravity wall heights are based on project specific conditions and may be lower than this value.

### SHAPES & SIZES



7 x 15<sup>11</sup>/<sub>16</sub> x 2<sup>5</sup>/<sub>8</sub>

7 x 187/16 x 25/8

TANDEM CAP

31/4 x 24 x 15

MODULAR BLOCK\*

7½16 x 7½8 x 7½8

CONNECTOR

3 x 12 / 8 x 12

U START BASE BLOCK

3½ x 18½ x 12

\*Includes clip



## MELVILLE™ WALL

## GARDEN | FREESTANDING



Distinctive smooth faces, subtle edges and clean design make this wall stand out for the modern aesthetics it provides. System is comprised of a double-sided wall unit, along with a matching cap.











BELLA


GRAPHITE

HICKORY

RIO



SONORAN GRAY















	MELVILLE™ WALL	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
WALL	4 x 20 x 10	-	-	6	48	3120
WED GE	4 x 9½ x 10	-	-	6	72	1921
CAP	2 x 20 x 13	-	-	10	60	2536

Downloadable professional resources available at **Belgard.com/Resources** 

#### QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Matching cap provides a seamless aesthetic
- Integrate cap into wall design to create depth and custom appearance (as pictured)
- Multiple installation patterns
- Pairs well with Melville Plank, Paver, and Curb products
- On-trend color offering complements any project
- Simplistic design allows for easy installation of walls and other outdoor features
- 2 foot maximum height is perfect for garden and planter walls

### SHAPES & SIZES

WALL UNIT



4 x 20 x 10

WEDGE



4 x 9½ x 10

CAP



2 x 20 x 13



## SHELTON WALL™

FREESTANDING | RETAINING

Exuding old world charm with its rustic finish and earth tone blends, this multi-piece wall system offers multidimensional character and installation flexibility.













BELLA RIO SIERRA VICTORIAN















PALLET INFORMATION

	SHELTON WALL™	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
	6 x 6 / 4 x 10	6.25	1.25			
3-PIECE	6 x 12 / 10 x 10	13.75	2.75	6	-	4069
	6 x 16 / 14 x 10	18.75	3.75			
CAP	3 x 14 / 8 x 12	60	10	6	72	2304
PINS	6 x ¾ diameter 2 pins / block (Included with Block)	-	-	-	80 / box	-

Downloadable professional resources available at **Belgard.com/Resources** 

#### QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- · Rustic look of aged stone
- Multi-piece wall system for increased installation flexibility
- Ideal for small freestanding walls, parapet walls, seat benches, pilasters, columns and outdoor living environments
- Build curved or straight, freestanding or retaining walls
- Each unit can be used as an exposed end unit or a 90° corner unit for less cuts
- No patterns required for random look
- Used for gravity walls up to 2.5 feet at a near vertical batter or 3 feet using the 9.5 degree batter/1 inch setback per unit option
- Taller walls can be built using geosynthetic reinforcement when designed by a qualified engineer.
- Minimum outside radius of 5 feet
- · Minimum inside radius of 3 feet

\*Gravity wall heights are based on project specific conditions and may be lower than this value.

## SHAPES & SIZES

3-PIECE



6 x 6 / 4 x 10



6 x 12 / 10 x 10



6 x 16 / 14 x 10

CAP



3 x 14 / 8 x 12

PINS



6 x ¾ diameter 2 pins / block (Included with Block)




BELLA


RIO

## STEEPLE CREST

FREESTANDING | RETAINING







SIERRA

 ${\tt VICTORIAN}$ 















	STEEPLE CREST™	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
	6 x 6 / 4 x 10	2.62	.52		10	
3-PIECE	6 x 12 / 10 x 10	5.5	1.1	5	10	2712
	6 x 16 / 14 x 10	2.76	1.37		10	
CAP	3 x 12 / 8 x 12	60 LNFT	10 LNFT	6	72	2039
PINS	6 x % diameter 2 pins / block (Included with Block)	-	-	-	80 / box	-

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

### FEATURES & BENEFITS

- Multi-piece wall system for increased installation flexibility
- Ideal for small freestanding walls, parapet walls, seat benches, pilasters, columns and outdoor living environments
- Build curved or straight, freestanding or retaining walls
- Each unit can be used as an exposed end unit or a 90° corner unit for less cuts
- No patterns required for random look
- Used for gravity walls up to 2.5 feet at a near vertical batter or 3 feet using the 9.5 degree batter/1 inch setback per unit option.
- Taller walls can be built using geosynthetic reinforcement when designed by a qualified engineer.
- · Minimum outside radius of 5 feet
- · Minimum inside radius of 3 feet

\*Gravity wall heights are based on project specific conditions and may be lower than this value.

### SHAPES & SIZES

3-PIECE



6 x 6 / 4 x 10



6 x 12 / 10 x 10



6 x 16 / 14 x 10

CAP



3 x 12 / 8 x 12

PINS



6 x 3/8 diameter 2 pins / block (Included with Block)



## WESTON STONE

GARDEN | FREESTANDING



Offering the look of tumbled cut stone, this wall block is double-sided for the design flexibility to create a wide variety of garden walls and outdoor living features.












BELLA RIO SIERRA





VICTORIAN



#### QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Timeless look of weathered stone
- Plantable wall designs & columns can be easily created
- Build curved or straight walls
- Can be used to build gravity walls up to 2 feet high, including the buried course

\*Gravity wall heights are based on project specific conditions and may be lower than this value.

## SHAPES & SIZES

UNIVERSAL



4 x 12 x 8

## PALLET INFORMATION

WESTON STONE™		SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ Pallet	WEIGHT/ Pallet	
UNIVERSAL	4 x 12 x 8	33.5	6.7	5	100	2899	

Downloadable professional resources available at **Belgard.com/Resources** 




#### HERITAGE COLLECTION

# ANCHOR TO COLUMN CAP




Angular edges and a flat, beveled surface provide a contemporary finished look for columns and pillars.







G R A P H I T E VICTORIA N



#### QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Flat top provides platform for accessories such as light fixtures, planters or other decorative elements
- Universal size and easy, adhesive, installation
- Complements any retaining or freestanding wall project
- · Perfect solution for use in any climate

### SHAPES & SIZES

CAP



28 x 28 x 4

## PALLET INFORMATION

ANC	HOR° COLUMN CAP	LNFT/ PALLET	LNFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET	
CAP	28 x 28 x 4	-	-	4	4	600	

Downloadable professional resources available at **Belgard.com/Resources** 



## ANGLIA EDGER®

EDGER

Large edger units feature a chiseled finish and tapered edges to provide an elegant complement to driveways, patios, walkways and flower beds.







VICTORIAN



#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- · Natural look of cobbled stone
- Tapered ends create either curved or straight installations
- 8" height simulates natural stone curbing
- Four different lengths offer a random look and flexible installation
- Large scale pieces create efficient installation

### SHAPES & SIZES

**CURB UNITS** 



5½ x 8 x 8 5¼ x 10½ x 8 5¼ x 155 x 8 5¼ x 18 x 8

## PALLET INFORMATION

ANGLIA EDGER°		LNFT/	LNFT/	LAYER/	UNITS/	WEIGHT/
		PALLET	LAYER	PALLET	PALLET	PALLET
CURB	5¼ x 8 x 8 5¼ x 10½ x 8 5¼ x 15½ x 8 5¼ x 18 x 8	-	-	3	60	2650

Downloadable professional resources available at **Belgard.com/Resources** 



## LANDINGS™

STEP



The chiseled look of quarried limestone on the step tread and rise adds style to landscape level changes, while the smooth face of the remaining sides offers design flexibility.









GRAPHITE GRAY VICTORIAN



#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- · Natural look of quarried stone
- Double-sided texture and two unique faces on the rise allow steps to be rotated for optimal aesthetics
- Smooth sides allow steps to be placed side by side for longer treads
- Granite-like texture on tread surface
- Even bottom and consistent size offer installation ease
- Palletized for easy removal by skid-steer loader
- Dry-cast production provides consistent color throughout unit
- Riser faces are uniquely designed to nest together, creating an optional landing with a narrow joint

## SHAPES & SIZES

STEP UNIT



6 x 48 x 18

## PALLET INFORMATION

LAN	DINGS™ STEP	LNFT/ PALLET	LNFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ Pallet
STEP	6 x 48 x 18	-	-	3	6	2760

Downloadable professional resources available at **Belgard.com/Resources** 




# MARINA TO COPING | 60MM

SONORAN GRAY

RIO



The smooth surface texture and refined, rounded edges make this bullnose coping a classic finishing touch to enhance pools and a variety of outdoor features.



VICTORIAN



#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- · Classic smooth face and bullnosed edge
- Rounded edges protect feet and hands when getting out of a pool or going up and down steps.
- Offers a stylish, textured edge to blend seamlessly with patios.
- Helps pool or spa hold its shape by keeping walls straight and rigid, and protects surrounding area from water damage.

## SHAPES & SIZES

COPING



6 x 12 x 23/8

## PALLET INFORMATION

MARINA™ COPING		LNFT/	LNFT/	LAYER/	UNITS/	WEIGHT/
		PALLET	LAYER	PALLET	PALLET	Pallet
COPING	6 x 12 x 2%	-	-	3	126	1760

Downloadable professional resources available at **Belgard.com/Resources** 



#### METROPOLITAN COLLECTION


## $\mathsf{MELVILLE}^{^{\mathtt{m}}}$

CURB



The smooth, contemporary finish of this curb perfectly complements any paver. Its unique length and sleek design allows for versatility and transitions with modern style.









FOUNDRY GRAPHITE VICTORIAN



#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Elegant smooth face and elongated shape
- Perfect complement for oversized slabs and pavers
- Elegant finishing touch for driveways, walkways and gardens
- Pairs well with Melville pavers, walls and fire features
- Bury the course for low-profile curbing or lay at full height for a more dimensional look

## SHAPES & SIZES

CURB



41/8 x 61/2 x 235/8

## PALLET INFORMATION

MELVILLE™ CURB		LNFT/ PALLET	LNFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET	
CURB	4% x 6½ x 23%	-	-	4	48	2480	

Downloadable professional resources available at **Belgard.com/Resources** 



## **ARTFORMS**

## MODULAR PANEL SYSTEM



Innovative large-format modular panels offer contemporary lines and the versatility to create unlimited architectural features for outdoor living spaces.









AMBER BEIGE MIDNIGHT

SCANDINA GRAY





### PALLET INFORMATION

	ARTFORMS™	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ Pallet	WEIGHT/ Pallet
OPEN	18 x 36 x 3	- 81	9	9	9	- 2745
CLOSE	18 x 36 x 3				9	
OPEN	6 x 36 x 3	31.5	10.5		3	- 1095
CLOSE	6 x 36 x 3			3	18	

Downloadable professional resources available at **Belgard.com/Resources** 

#### QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- · Large format high-strength concrete panels
- · Clean lines for a contemporary aesthetic
- Mechanically fastened with stainless steel hardware
- Ideal for outdoor living projects of all sizes
- Suitable for rooftop applications
- · Efficient installation with minimal waste
- · Minimal disruption for property owner
- · Easily added to existing projects
- Endless design possibilities for outdoor living features including seat walls, fire and water features, planters, and outdoor kitchens

### SHAPES & SIZES

18 X 36



18 x 36 x 3

Pallets contain both open and close ended units

6 X 36



6 x 36 x 3

Pallets contain both open and close ended units

#### INSTALLATION HARDWARE\*



Anchor Slide & Nut 50 units per box



Joining Plate 10 units per box



Outer Corner



10 units per box
Inner Corner



10 units per box



Stretcher 10 units per box

\*Installation hardware is sold separately



## BORDEAUX SERIES

**GRILL ISLAND & FIRE FEATURES** 



Timeless stackstone design with accents that emulate polished limestone, the components of this series transform outdoor living spaces with a coordinated, cohesive look.











PEWTER / MIDNIGHT

PEWTER / BUFF

SIENNA / BUFF

SIENNA / MIDNIGHT



Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Features a timeless stacked stone design with smooth cast stone accents
- Pre-assembled modular features are each packaged as one unit that can be installed in hours versus days
- Units include fork slot configurations for easy transport and installation
- Fireplaces can be retro-fitted for gas burning log sets and burners
- Grill islands include stainless steel grill and door set – specify propane or natural gas when ordering

PLEASE NOTE: Be sure to check with your local municipality for any codes that may affect your installation.

### SHAPES & SIZES

FIREPLACE



2'7"D x 4'3"W x 7'8"H Pallet Weight: 4,170

GRILL ISLAND



2'6"D x 5'11"W x 3'5"H Grill & Doors included Pallet Weight: 3,260

WOOD BOXES



2'11/4"D x 3'3"W x 3'1"H Each Sold as a pair Pallet Weight: 3,070

LINEAR FIRE TABLE



2'11"D x 6'2"W x 2'5"H Pallet Weight: 2,500

LINEAR FIREPLACE



 $3'61\!/\!\!\!/2"D \times 7'8"W \times 4'51\!/\!\!\!/4"H$  Pallet Weight: 4,000



## MELVILLE<sup>™</sup> SERIES

GRILL ISLAND & FIRE FEATURES



Stunning linear design features a smooth face and subtle edges to deliver a sleek, contemporary style. Components work together to provide a cohesive finished look.





SCANDINA GRAY / MIDNIGHT





Downloadable professional resources available at **Belgard.com/Resources** 

#### QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Contemporary smooth linear design that coordinates with Melville™ Wall and Melville™ Tandem Wall
- Pre-assembled modular features are each packaged as one unit that can be installed in hours versus days
- Units include fork slot configurations for easy transport and installation
- Fireplaces can be retro-fitted for gas burning log sets and burners
- Grill islands include stainless steel grill and door set — specify propane or natural gas when ordering

PLEASE NOTE: Be sure to check with your local municipality for any codes that may affect your installation.

## SHAPES & SIZES

#### FIREPLACE



2'7"D x 4'3"W x 7'8"H Pallet Weight: 4,170

#### GRILL ISLAND



2'6"D x 5'11"W x 3'5"H Grill & Doors included Pallet Weight: 3,260

#### WOOD BOXES



I

2'11/4"D x 3'3"W x 3'1"H Each Sold as a pair Pallet Weight: 3,070

#### LINEAR FIRE TABLE



2'11"D x 6'2"W x 2'5"H Pallet Weight: 2,500

#### LINEAR FIREPLACE



 $3'61\!/\!\!\!/2"D \times 7'8"W \times 4'51\!/\!\!\!/4"H$  Pallet Weight: 4,000




#### METROPOLITAN COLLECTION

## $\mathsf{MELVILLE}^{^{\mathtt{m}}}$

FIRE PIT



Special wedge-shaped blocks of our smooth-faced Melville Wall create this circular fire pit to perfectly complement our Melville Series of walls and outdoor features.





#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Special wedge-shaped blocks of Melville Wall
- Smooth linear face for contemporary appeal
- Coordinates with Melville pavers and the Melville Series of kitchen and fire features
- Pallet includes all blocks needed to complete circular fire pit

### SHAPES & SIZES

WEDGE



4 x 9½ x 10

FIRE INSERT



Item #70580597 Elements 34" Smoke-less Wood Fire Pit Insert

GAS INSERT



Item #70585063 Elements 34" Round Gas Fire Pit Burner Kit

#### ROUND FIRE PIT

54%" outside diameter 34%" inside diameter Stacks 4 rows high Cap sold separately. Elements inserts sold separately. Pallet Weight: 1921

Downloadable professional resources available at **Belgard.com/Resources** 





# QUALITY TO THE CORE

With Belgard, you get the nation's leading pavers and landscape walls backed by the foremost experts in the industry.

BELGARD.COM

© Copyright 2025 Oldcastle APG, Inc. All Rights Reserved. BEL24-D-322041

PICTURED ON THE COVER: PAPYRUS™ WITH DIMENSIONS™ 6 X 9 BORDER & MELVILLE™ WALL