


# VS5 SERIES

COMMERCIAL PAVER

THE ULTIMATE IN PAVEMENT STABILITY AND APPEARANCE  
FOR PEDESTRIAN TRAFFIC.



**BELGARD**  
PAVES THE WAY




## AVAILABLE COLOURS



GREY



DARK GREY



MIDNIGHT



SCANDINA GREY



SHADED GREY



TOFINO GREY



MOUNTAIN ASH

ALSO AVAILABLE IN CUSTOM COLOUR BLENDS


## TECHNICAL SPECIFICATIONS

		COVERAGE	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
VS5-88	75 x 300 x 88mm 3 x 12 x 3.46"	4.13/SQFT	67.2	11.7	7	280	1190 kg 2623 lbs
	150 x 300 x 88mm 6 x 12 x 3.46"	2.06/SQFT	81.9	11.7	7	168	1267 kg 2793 lbs
	300 x 300 x 88mm 12 x 12 x 3.46"	1.03/SQFT	81.9	11.7	7	84	1344 kg 2963 lbs
	300 x 600 x 88mm 12 x 24 x 3.46"	2	84	12	7	42	1309 kg 2885 lbs

		COVERAGE	SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
VS5-108	75 x 300 x 88mm 3 x 12 x 4.3125"	4.13/SQFT	57.6	9.6	6	240	1274 kg 2808 lbs
	150 x 300 x 88mm 6 x 12 x 4.3125"	2.06/SQFT	70.2	11.7	6	144	1403 kg 3095 lbs
	300 x 300 x 88mm 12 x 12 x 4.3125"	1.03/SQFT	70.2	11.7	6	72	1403 kg 3095 lbs
	300 x 600 x 88mm 12 x 24 x 4.3125"	2	70.2	11.7	6	36	1403 kg 3095 lbs

## MULTI-DIRECTIONAL INTERLOCK

- Shifting prevention measures are located on VS5's five sides.
- The underside of the paver are profiled, in essence creating the fifth side with shifting prevention measures.
- The "clawing effect" in the pavement bed increases frictional resistance by 54% compared to non-profiled stones.



5 Sided Interlock

# VS5 SERIES

## COMMERCIAL PAVER

THE ULTIMATE IN PAVEMENT STABILITY AND APPEARANCE FOR PEDESTRIAN TRAFFIC.

## FEATURES & BENEFITS

- Designed to be diagonally symmetrical so the pavers always fit together – regardless of how they are rotated.
- 4 sizes allow for modularity and virtually limitless design options
- Available in 2 thicknesses for pedestrian and vehicular applications

## SHAPES & SIZES

### VS5-88 / VS5-108



75 x 300 x 88mm / 108mm  
3 x 12 x 3.46" / 4.3125"




150 x 300 x 88mm / 108mm  
6 x 12 x 3.46" / 4.3125"




300 x 300 x 88mm / 108mm  
12 x 12 x 3.46" / 4.3125"



300 x 600 x 88mm / 108mm  
12 x 24 x 3.46" / 4.3125"



Vertical Deformation  
Track Grooves



Horizontal Deformation