# DIAMOND PRO® AIR STRAIGHT



## RETAINING

With a rugged split-stone face and crisp edges, this lightweight block delivers an organic feel for retaining walls and terraced landscapes.







GRAY



DESERT TAN

C H A R C O A L









## PALLET INFORMATION

| DIAMOND PRO® AIR STRAIGHT |                  | SQFT/<br>PALLET | SQFT/<br>LAYER | LAYER/<br>PALLET | UNITS/<br>PALLET | WEIGHT/<br>Pallet |
|---------------------------|------------------|-----------------|----------------|------------------|------------------|-------------------|
| UNIT                      | 8 x 18 x 11½     | 36              | -              | -                | -                | -                 |
| XL" CAP                   | 3 x 18 / 12 x 13 | -               | -              | 8                | 72               | 2560              |
| CORNER                    | 8 x 18 x 9       | 32              | 10             | 3                | 30               | 2468              |
| CAP                       | 4 x 18 x 10½     | -               | -              | -                | 80               | -                 |

Downloadable professional resources available at **Belgard.com/Resources** 

#### **QUALITY FOR LIFE**

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at **Belgard.com/Warranty** 

## FEATURES & BENEFITS

- Contemporary smooth face in a lightweight large-format block
- Can be installed as a gravity wall or geogrid-reinforced wall
- Optimized shipping and installation, due to square foot sizing and low 54 lb weight
- Front lug design produces a 9/16" per unit setback for a 4° system batter
- · Cores align for easy filling
- Top course is placed upside down in order to increase capping efficiency
- Ideally situated for retaining walls up to 12 feet tall
- Can be used to build gravity walls up to 3' 4" high\*, including the buried course
- Minimum outside radius, measured on the top course to the front of the units: 4 feet
- Minimum inside radius, measured on the base course to the front of the units: 6 feet

\*Gravity wall heights are based on project specific conditions and may be lower than this value.

### SHAPES & SIZES

HMIT



8 x 18 x 11½

XL™ CAP



3 x 18 / 12 x 13

CORNER



8 x 18 x 9

 $\mathsf{CAP}$ 



4 x 18 x 10½

View the product page on **Belgard.com** for more information

