

COMMERCIAL

PRODUCT OFFERING

OLDCASTLE PACIFIC

CALIFORNIA & NEVADA



BELGARD
COMMERCIAL

Paver Applications



Pedestrian

Designated for areas that are primarily for pedestrian applications including commercial plazas that may require occasional access for emergency or maintenance vehicles, as well as residential driveways.



Light Vehicles

Designated for commercial vehicular areas, access ways, and parking lots where only cars and light trucks are anticipated. Heavy vehicles should have limited access and use.




Occasional Heavy Vehicles

Designated for vehicular areas, parking lots, and roadways where limited heavy vehicles are anticipated daily such as large delivery trucks or garbage trucks.



Frequent Heavy Vehicles

Designated for vehicular areas, parking lots, and roadways where heavy vehicles are a regular component of the daily traffic volume.



Paver application icons are general recommendations. Site conditions and pavement cross section must be considered. Paver application icons are based on placement over unbound aggregates for setting beds, base and subbase.

Belgard Paver Colors & Finishes - Core mix



SMOOTH SHOT BLAST GROUND FACE

Belgard Commercial allows you to customize your project with optional finishes: Smooth, Shot Blast and Ground face. Contact your Belgard Commercial Representative for more information.

Contact your Belgard Representative for custom finish options and sample products, as well as ADA Compliant products.

SUNSET



Smooth Shot Blast Ground Face

RUST



Smooth Shot Blast Ground Face

ALMOND



Smooth Shot Blast Ground Face

DESERT



Smooth Shot Blast Ground Face

SAHARA



Smooth Shot Blast Ground Face

LINEN



Smooth Shot Blast Ground Face

CHAMPAGNE



Smooth Shot Blast Ground Face

SUEDE



Smooth Shot Blast Ground Face

TRUFFLE



Smooth Shot Blast Ground Face

FOUNDRY



Smooth Shot Blast Ground Face

GRAPHITE



Smooth Shot Blast Ground Face

CADO



Smooth Shot Blast Ground Face

BLENDED COLORS



Aspen Autumn Avignon Barcelona Bella Baja



Cascade Dorado Elk Mountain Montecito Rio Riviera



Santa Monica Sedona Sierra Toscana Valencia Victorian

Belgard Paver Colors & Finishes - DuraFusion




DuraFusion fuses a top layer of rich pigments with Belgard's core color process. The result is a paver with a richness and purity of color that's sleek and vibrant.


SOLID COLORS



STONE ON TONE



BLENDED COLORS













TRUNCATED DOMES













HANDICAP & EV KITS



Moduline Series® Vehicular & Architectural Pavers

UNITS	THICKNESS	SIZE	APPLICATIONS				ADA*	MECHANICAL INSTALL	COLORS		SPECIAL ORDER FINISHES**			CHAMFER WIDTH	SQ. FT. PER PALLET
									Core Mix	DuraFusion	Ground Face	Shot Blast	Antiqued		
 4" x 12"	80 mm	4" x 12"	80 mm	80mm			✓		✓		✓	✓		3 mm	85
 4" x 18"	80 mm	4" x 18"	80 mm				✓		✓		✓	✓		3 mm	72
 3-Piece Modular <small>(Available in Natural Stone Finish)</small>	80 mm	6" x 6", 6" x 12", 12" x 12"	80 mm	80 mm			✓		✓		✓	✓	✓	3 mm	96
 5-Piece Modular	60mm 80 mm	6" x 6", 6" x 9", 9" x 9", 6" x 12", 9" x 12"	60mm 80 mm	80 mm			✓	✓	✓		✓	✓	✓	3 mm	120 (60mm) 93.5

Geometric Shapes

UNITS	THICKNESS	SIZE	APPLICATIONS				ADA*	MECHANICAL INSTALL	COLORS		SPECIAL ORDER FINISHES**			CHAMFER WIDTH	SQ. FT. PER PALLET	PCS. PER PALLET	PALLET WEIGHT (LBS)
									Core Mix	DuraFusion	Ground Face	Shot Blast	Antiqued				
 Diamond	60 mm	12" x 12"	60 mm				✓		✓	✓	✓	✓		3 mm	93.53	108	2,664
 6" Hexagon	60 mm 80 mm	6" sides 10½" wide	60 mm	80 mm			✓		✓	✓	✓	✓		3 mm	100.02 (60mm) 71.24 (80mm)	154 (60mm) 112 (80mm)	2,845 (60mm) 2,708 (80mm)
 12" Parallelogram	60 mm	3" x 12"	60 mm				✓		✓	✓	✓	✓		3 mm	85.73	396	2,390
 18" Parallelogram	60 mm	6" x 18"	60 mm				✓		✓	✓	✓	✓		3 mm	114.31	176	3,165




























* May be Suitable for ADA applications. Always evaluate site-specific uses to ensure surface suitability. Product installation and surface maintenance influence compliance with ADA Standards for Accessible Design Section 302 Floors or Ground Surfaces. Tumbling or antiquing pavers can also create surface or edges that may make the product unsuitable for ADA applications.

** Custom finishes, contact Belgard Representative for details.

Contact your Belgard Representative for colors and finishes available in your local market.

Secondary processes and finishes including, but not limited to, face-grind and shot blast, may impact dimensional tolerances from base dimensions.

Dimensions™ Series Vehicular & Architectural Pavers


UNITS	THICKNESS	SIZE	APPLICATIONS				ADA*	COLORS		SPECIAL ORDER FINISHES**			CHAMFER WIDTH	SQ. FT. PER PALLET
								Core Mix	DuraFusion	Ground Face	Shot Blast	Antiqued		
 3" x 9"	80 mm	3" x 9"	80 mm	80 mm	80 mm	80 mm	✓	✓	✓	✓	✓	✓	3 mm	82.4
 3" x 12" <small>(Available in new Striated Finish)</small>	60 mm 80 mm 101.6 mm	3" x 12"	60 mm	80 mm	101.6 mm		✓	✓	✓	✓	✓	✓	3 mm	110 (60 mm) 88 (80 mm) 66 (101.6 mm)
 3" x 18"	101.6 mm	3" x 18"	101.6 mm				✓	✓	✓	✓	✓		3 mm	49.5
 6" x 6"	60 mm 80 mm 101.6 mm	6" x 6"	60 mm	80 mm			✓	✓	✓	✓	✓	✓	3 mm	120 (60 mm) 96 (80 mm) 72 (101.6 mm)
 6" x 9"	60 mm 80 mm	6" x 9"	60 mm	80 mm	80 mm	80 mm	✓	✓	✓	✓	✓	✓	3 mm	112.5 (60 mm) 90 (80 mm)
 6" x 12"	60 mm 80 mm 101.6 mm	6" x 12"	60 mm	80 mm	101.6 mm	101.6 mm	✓	✓	✓	✓	✓	✓	3 mm	120 (60 mm) 96 (80 mm) 72 (101.6 mm)
 6" x 24"	101.6 mm	6" x 24"	101.6 mm				✓	✓	✓	✓			3 mm	60
 9" x 9"	80 mm	9" x 9"	80 mm	80 mm	80 mm		✓	✓	✓	✓	✓	✓	3 mm	90
 9" x 18"	60 mm	9" x 18"	60 mm				✓	✓	✓	✓	✓	✓	3 mm	112.5
 12" x 12"	60 mm 80 mm 101.6 mm	12" x 12"	60 mm	80 mm 101.6 mm	101.6 mm		✓	✓	✓	✓	✓	✓	3 mm	120 (60 mm) 96 (80 mm) 72 (101.6 mm)
 12" x 12" ADA Truncated Domes	60 mm	12" x 12"	60 mm				✓		✓					120
 12" x 18"	60 mm	12" x 18"	60 mm				✓	✓	✓	✓			3 mm	120
 12" x 24"	60 mm	12" x 24"	60 mm				✓	✓	✓	✓			3 mm	120
 15" x 30"	60 mm	15" x 30"	60 mm				✓	✓	✓	✓			3 mm	93.75
 18" x 18"	60 mm	18" x 18"	60 mm				✓	✓	✓	✓			3 mm	90
 18" x 24"	60 mm	18" x 24"	60 mm				✓	✓	✓	✓			3 mm	120
 24" x 24"	60 mm	24" x 24"	60 mm				✓	✓	✓				3 mm	80
 24" x 30"	60 mm	24" x 30"	60 mm				✓	✓		✓			3 mm	100
 24" x 36"	60 mm	24" x 36"	60 mm				✓		✓	✓			3 mm	120
 Dimensions™ 18	60 mm	9" x 18" 18" x 18" 18" x 27"	60 mm				✓	✓	✓				3 mm	112.5
 Dimensions™ 12	60 mm	6" x 12" 12" x 12" 12" x 18"	60 mm				✓	✓	✓				3 mm	120
 Dimensions™ 6	60 mm	3" x 6" 6" x 6" 6" x 9"	60 mm				✓	✓				✓	3 mm	120

* May be Suitable for ADA applications. Always evaluate site-specific uses to ensure surface suitability. Product installation and surface maintenance influence compliance with ADA Standards for Accessible Design Section 302 Floors or Ground Surfaces. Tumbling or antiquing pavers can also create surface or edges that may make the product unsuitable for ADA applications.

** Custom finishes, contact Belgard Representative for details.

Contact your Belgard Representative for colors and finishes available in your local market.

Secondary processes and finishes including, but not limited to, face-grind and shot blast, may impact dimensional tolerances from base dimensions.




12X24 FOUNDRY
SHOTBLAST AND GROUND FACE FINISH



3X12 RIO






VICTORIAN



3X12 CHAMPAGNE AND SAHARA
SHOTBLAST FINISH

PICTURED ON SPREAD:
DIMENSIONS & MODULINE SERIES

Vehicular & Architectural Pavers

UNITS	THICKNESS	SIZE	APPLICATIONS				ADA*	MECHANICAL INSTALL	COLORS		SPECIAL ORDER FINISHES**			CHAMFER WIDTH	SQ. FT. PER PALLET	PCS. PER PALLET	PALLET WEIGHT (LBS)
									Core Mix	DuraFusion	Ground Face	Shot Blast	Antiqued				
 Avalon Slate Large (3 pc)	60 mm	6" x 12" 9" x 12" 12" x 12"	60 mm				✓		✓			✓	N/A	120	160	3,230	
 Basalt™	60 mm	18" x 9" 18" x 18" 18" x 27"	60 mm				✓		✓	✓			3 mm	112.5	50	3,152	
 Brooklyn™	60 mm	3" x 9"	60mm						✓	✓			N/A	99.5	550	2,784	
 Cambridge Cobble® (Square)	60 mm 80 mm	6" x 6"	60 mm	80 mm	80 mm				✓			✓	Rounded Chamfer	120 (60 mm) 96 (80 mm)	480 (60 mm) 384 (80 mm)	3,230 (60 mm) 3,580 (80 mm)	
 Cambridge Cobble® (Rectangle)	60 mm 80 mm	6" x 9"	60 mm	80 mm	80 mm	80 mm			✓			✓	Rounded Chamfer	112 (60 mm) 90 (80 mm)	300 (60 mm) 240 (80 mm)	3,020 (60 mm) 3,360 (80 mm)	
 Cambridge Cobble® (Large Rectangle)	60 mm	9" x 12"	60 mm						✓			✓	Rounded Chamfer	120	160	3,086	
 Cambridge Cobble® (Circle Kit)	60 mm	6" x various	60 mm						✓			✓	Rounded Chamfer	78.5	N/A	2,140	
 Catalina™ Grana Large (3 pc)	60 mm	6" x 12" 9" x 12" 12" x 12"	60 mm				✓		✓	✓	✓	✓	4 mm	120	160	3,230	
 Charlestone™	60 mm	6" x 6" 6" x 9" 6" x 12"	60 mm										Rolled Edge	103.88	270	2,997	
 Dublin Cobble® (3 pc)	60 mm	3" x 6" 6" x 6" 6" x 9"	60 mm						✓			✓	N/A	114	480	3,080	
 Dublin Cobble® 6 x 9	60 mm	6" x 9"	60 mm						✓			✓	N/A	57	160	1,540	
 Dublin Cobble® (Large Square)	60 mm	9" x 9"	60 mm						✓			✓	N/A	106	200	2,860	
 Empire™	60 mm	3" x 12"	60 mm							✓			3 mm	110	440	3,100	
 Holland Stone 60 mm <i>(sizes sold separately)</i>	60 mm	4" x 4" 4" x 8" 6" x 12" 8" x 8" 8" x 12" 8" x 16"	60 mm				✓		✓	✓	✓	✓	4 mm	98 (4 x 4) 120 (4 x 8) 120 (6 x 12) 106 (8 x 8) 106 (8 x 12) 106 (8 x 16)	880 (4 x 4) 540 (4 x 8) 240 (6 x 12) 240 (8 x 8) 160 (8 x 12) 120 (8 x 16)	2,475 (4x4) 3,230 (4x8) 3,218 (6x12) 2,779 (8x8) 2,968 (8x12) 2,968 (8x16)	
 Holland Stone 80 mm <i>(sizes sold separately)</i>	80 mm	4" x 4" 4" x 8" 6" x 12" 8" x 8"	80 mm	80 mm	80 mm <i>(4 x 4, 4 x 8, 8 x 8 only)</i>	80 mm <i>(4 x 8 only)</i>	✓	80 mm <i>4 x 8 Herringbone Pattern</i>	✓	✓	✓	✓	4 mm	78 (4 x 4) 96 (4 x 8) 96 (6 x 12) 85 (8 x 8)	704 (4 x 4) 432 (4 x 8) 192 (6 x 12) 192 (8 x 8)	2,673 (4x4) 3,450 (4x8) 3,375 (6x12) 2,933 (8x8)	
 Mega-Arbel®	60 mm 80 mm	15¾" x 21"	60 mm 80 mm						✓				N/A	104.4 (60 mm) 78.3 (80 mm)	72 (60 mm) 54 (80 mm)	2,850 (60 mm) 2,870 (80 mm)	
 Mega-Lafitt™ Slate (3 pc)	80 mm	5¼" x 10½" 10½" x 10½" 10½" x 15¾"	80 mm						✓			✓	N/A	92.7	117	3,340	

Interlocking pavers can be used for a variety of different vehicular applications. Appropriate shape and thickness is based on project-specific conditions including type of loading, base design, and subgrade conditions. It is recommended that you consult a Belgard representative in your area before specifying products for vehicular applications.



Secondary processes and finishes including, but not limited to, face-grind and shot blast, may impact dimensional tolerances from base dimensions.

* May be Suitable for ADA applications. Always evaluate site-specific uses to ensure surface suitability. Product installation and surface maintenance influence compliance with ADA Standards for Accessible Design Section 302 Floors or Ground Surfaces. Tumbling or antiquing pavers can also create surface or edges that may make the product unsuitable for ADA applications.

** Custom finishes, contact Belgard Representative for details.

Contact your Belgard Representative for colors and finishes available in your local market.

Vehicular & Architectural Pavers (Continued)


UNITS	THICKNESS	SIZE	APPLICATIONS				ADA*	COLORS		SPECIAL ORDER FINISHES**			CHAMFER WIDTH	SQ. FT. PER PALLET	PCS. PER PALLET	PALLET WEIGHT (LBS)
								Core Mix	DuraFusion	Ground Face	Shot Blast	Antiqued				
 Mega-Lafitt™ Slate (Large Square)	80 mm	15¾" x 15¾"	80 mm					✓				✓	N/A	93	54	3,340
 Melville™ Plank Slim (3 pc)	60 mm	5" x 11 ¹³ / ₁₆ " 5" x 15 ³ / ₄ " 5" x 19 ¹ / ₁₆ "	60 mm					✓	✓		✓	✓	3 mm	114.5	210	3,150
 Melville™ Plank Large (3 pc)	60 mm	7½" x 11 ¹³ / ₁₆ " 7½" x 15 ³ / ₄ " 7½" x 19 ¹ / ₁₆ "	60 mm					✓	✓		✓	✓	3 mm	122.7	150	3,380
 Mission 4 x 8	60 mm 80 mm	4" x 8"	60 mm 80 mm	80 mm	80 mm	80 mm		✓	✓	✓	✓	✓	6 mm	105 (60 mm) 82 (80 mm)	486 (60 mm) 378 (80 mm)	2,940 (60 mm) 3,034 (80 mm)
 Mission 6 x 6	60 mm	6" x 6"	60 mm					✓	✓	✓	✓	✓	6 mm	105	432	2,940
 Mission 6 x 9	60 mm	6" x 9"	60 mm					✓	✓	✓	✓	✓	6 mm	98	270	2,774
 Mission 6 x 12	60 mm 80 mm	6" x 12"	60 mm 80 mm	80 mm				✓	✓	✓	✓	✓	6 mm	105 (60 mm) 82 (80 mm)	216 (60 mm) 168 (80 mm)	2,940 (60 mm) 3,120 (80 mm)
 Old World Paver™	80 mm	5½" x 7¾" 5½" x 10¼" 5½" x 12 ¹³ / ₁₆ "	80 mm						✓			✓	N/A	90.27	256	3,250
 Origins™ Accent	60 mm	6" x 9"	60 mm					✓	✓	✓			3 mm	112.5	300	3,020
 Origins™ 6	60 mm	3" x 6" 6" x 6" 6" x 9"	60 mm					✓	✓	✓			3 mm	120	480	3,230
 Origins™ 12	60 mm	6" x 12" 12" x 12" 12" x 18"	60 mm					✓	✓	✓			3 mm	120	120	3,180
 Origins™ 18	60 mm	9" x 18" 18" x 18" 27" x 18"	60 mm					✓	✓	✓			3 mm	112.5	50	3,152
 Papyrus™	60 mm	18" x 9" 18" x 18" 18" x 27"	60 mm					✓	✓	✓			3 mm	112.5	50	3,212
 Quarry Stone (3 pc)	60 mm	6" x 9" 9" x 9" 9" x 12"	60 mm						✓					105	198	2,940
 Quarry Stone 9 x 12	60 mm	9" x 12"	60 mm						✓					105	144	2,940
 Quarry Stone 9 x 9	60 mm	9" x 9"	60 mm						✓					98	180	2,744
 Quarry Stone 6 x 9	60 mm	6" x 9"	60 mm						✓					98	270	2,774
 Quarry Stone 6 x 6	60 mm	6" x 6"	60 mm						✓					105	432	2,940
 Urbana® Stone (3 pc)	60 mm 80 mm	4" x 8" 8" x 8" 8" x 12"	60 mm 80 mm	80 mm				✓	✓			✓	N/A	116.4 (60 mm) 105 (80 mm)	270 (60 mm) 108 (80 mm)	3,140 (60 mm) 3,770 (80 mm)
 Urbana® Stone (Large Square)	60 mm 80 mm	12" x 12"	60 mm 80 mm	80 mm				✓	✓			✓	N/A	116.25 (60 mm) 105 (80 mm)	120 (60 mm) 108 (80 mm)	3,140 (60 mm) 3,770 (80 mm)

* May be suitable for ADA applications. Always evaluate site-specific uses to ensure surface suitability. Product installation and surface maintenance influence compliance with ADA Standards for Accessible Design Section 302 Floors or Ground Surfaces. Tumbling or antiquing pavers can also create surface or edges that may make the product unsuitable for ADA applications.

** Custom finishes, contact Belgard Representative for details.

Contact your Belgard Representative for colors and finishes available in your local market.


Secondary processes and finishes including, but not limited to, face-grind and shot blast, may impact dimensional tolerances from base dimensions.




GEOMETRIC SHAPES - HEXAGON






GEOMETRIC SHAPES - DIAMOND



MELVILLE PLANK



MISSION



Permeable Pavers

UNITS	THICKNESS	SIZE	APPLICATIONS				ADA*	MECHANICAL INSTALL	FINISHES		SPECIAL ORDER FINISHES**			MANUF. JOINT WIDTH	% SURFACE OPENING	CHAMFER WIDTH	SQ. FT. PER PALLET	PCS. PER PALLET	PALLET WEIGHT (LBS)
									Standard	DuraFusion	Ground Face	Shot Blast	Antiqued						
AQUALINE™ SERIES																			
3" x 12"	80 mm 101.6 mm	3" x 12"	80 mm	80 mm	101.6 mm	101.6 mm	✓		✓		✓	✓		7 mm	10%	3 mm	88 (80 mm)	352 (80 mm)	3,012 (80 mm)
4.5" x 9" <i>(See note below)</i>	80 mm	4.5" x 9"	80 mm	80 mm	80 mm	80 mm	✓	✓	✓		✓	✓		10 mm	10%	3 mm	90	320	3,100
6" x 6"	80 mm	6" x 6"	80 mm	80 mm	80 mm		✓		✓		✓	✓		7 mm	7%	3 mm	96	384	3,295
6" x 12" <i>(See note below)</i>	80 mm 101.6 mm	6" x 12"	80 mm	80 mm	101.6 mm	101.6 mm	✓	✓	✓		✓	✓		7 mm	5%	3 mm	96 (80 mm) 69 (101.6 mm)	192 (80 mm) 150 (101.6 mm)	3,350 (80 mm) 2,955 (101.6 mm)
12" x 12"	80 mm	12" x 12"	80 mm	80 mm			✓		✓		✓	✓		7 mm	3%	3 mm	96	96	3,485
ADDITIONAL PRODUCT LINES																			
Aqua Dublin	80 mm	3½" x 6¼" 6¼" x 6¼" 10¼" x 6¼"	80 mm	80 mm			✓	✓	✓		✓	✓	✓	10 mm	10%	3 mm	92.4	288	3,240
Narrow Joint Mission	80 mm	4" x 8" 6" x 6" 6" x 12"	80 mm	80 mm	80 mm (6" x 6")	80 mm (4" x 8")	✓			✓	✓	✓	✓	4 mm	4% 4% 5%	4 mm	93 93 93	192 384 432	3,441 3,441 3,441
Narrow Joint Quarry Stone	80 mm	6" x 6" 6" x 9"	80 mm	80 mm	80 mm (6" x 6")	80 mm (6" x 9")				✓			✓	4 mm	4%	N/A	87 93	240 384	3,219 3,441

NOTE: 6 x 12 x 101mm and 4.5 x 9 x 80mm are available in herringbone pattern. Contact your Belgard Representative for further details and product specific specifications. 4.5x9 80 mm is available in stacked and herringbone pattern.

NOTE: Narrow Joint initial surface infiltration rate is approximately 150" per hour. Narrow Joint products recommended for residential projects only.

Concrete Grid Pavements

UNITS	THICKNESS	SIZE	APPLICATIONS				ADA	MECHANICAL INSTALL	FINISHES		SPECIAL ORDER FINISHES**			% SURFACE OPENING	SQ. FT. PER PALLET	PCS. PER PALLET	PALLET WEIGHT (LBS)
									Standard	DuraFusion	Ground Face	Shot Blast	Antiqued				
Turfstone™	80 mm	15¾" x 23½"	80 mm						✓					40%	101	40	2680

* May be Suitable for ADA applications. Always evaluate site-specific uses to ensure surface suitability. Product installation and surface maintenance influence compliance with ADA Standards for Accessible Design Section 302 Floors or Ground Surfaces. Tumbling or antiquing pavers can also create surface or edges that may make the product unsuitable for ADA applications.

** Custom finishes, contact Belgard Representative for details.

Contact your Belgard Representative for colors and finishes available in your local market.

Secondary processes and finishes including, but not limited to, face-grind and shot blast, may impact dimensional tolerances from base dimensions.



AQUA DUBLIN



AQUALINE
COLOR: TOSCANA




AQUALINE



AQUA DUBLIN
COLORS: LINEN AND ALMOND



AQUALINE
COLOR: RIO



AQUALINE

Porcelain Pavers









UNITS	APPEARANCE	THICKNESS	SIZE	COLOR OPTIONS	ADA	PEDESTAL APPLICATION	SQ. FT. PER PALLET	PCS. PER PALLET	PALLET WEIGHT (LBS)
									
 Foundation	Concrete	¾"	24" x 24"	Amber Beige, Scandina Gray	✓	✓	275.04	72	2,646
 Genoa	Stone	¾"	24" x 24"	Blanco, Crema	✓	✓	275.04	72	2,646
 Genoa	Stone	¾"	12" x 24"	Blanco, Crema	✓	✓	303.6	160	3,795
 Glocal	Concrete	¾"	24" x 24"	Clear, Ideal, Type, Classic, Absolute*, Chamois*	✓	✓	232.5	60	2,160
 Glocal <i>(special order - allow 12-14 weeks lead time)</i>	Concrete	¾"	24" x 48"	Clear*, Ideal*, Type, Classic*, Absolute*, Chamois*	✓	✓	271.25	35	2,582
 Glocal <i>(special order - allow 12-14 weeks lead time)</i>	Concrete	¾"	32" x 32"	Ideal*, Type*, Classic*, Absolute*, Chamois*, Perfect*, Sugar*	✓	✓	288.96	42	2,744
 Glocal <i>(special order - allow 12-14 weeks lead time)</i>	Concrete	¾"	48" x 48"	Ideal*, Type*, Classic*, Absolute*, Chamois*	✓	✓	310	20	3,009
 Jurupa	Wood	¾"	12" x 48"	Cool, Master, Camp	✓	✓	279	72	2,628
 Jurupa	Wood	¾"	24" x 24"	Cool, Master, Camp	✓	✓	232.5	60	2,160
 Lagoon	Stone	¾"	24" x 48"	Moonbeam, Sandshell, Sharkskin	✓	✓	271.25	35	2,582
 Na.Me	Stone	¾"	24" x 24"	Bourgogne, Jura Beige	✓	✓	232.5	60	2,160
 Noon	Wood	¾"	12" x 48"	Daylight, Ember, Honey	✓	✓	279	72	2,628
 Norr <i>(special order - allow 12-14 weeks lead time)</i>	Stone	¾"	24" x 24"	Vit*, Gra*, Svart*, Farge*, Hav*, Oken*, Grus*	✓	✓	232.5	60	2,160
 Norr <i>(special order - allow 12-14 weeks lead time)</i>	Stone	¾"	24" x 48"	Vit*, Gra*, Svart*, Farge*, Hav*, Oken*, Grus*	✓	✓	271.25	35	2,582
 Norr	Stone	¾"	32" x 32"	Vit*, Gra*, Svart*, Farge, Hav, Oken, Grus	✓	✓	289.33	42	2,744
 Norr <i>(special order - allow 12-14 weeks lead time)</i>	Stone	¾"	48" x 48"	Vit*, Gra*, Svart*, Farge*, Hav*, Oken*, Grus*	✓	✓	279	18	2,774

If installing on elevated surface over ¾" all porcelain must have a factory applied fiber mesh backing.

Spacers are required for all porcelain paver installations. For vehicular applications, there must be a mortar install over a concrete slab. Visit Belgard.com/porcelain for additional installation details.

* Special Order

Porcelain Pavers (Continued)

UNITS	APPEARANCE	THICKNESS	SIZE	COLOR OPTIONS	ADA	PEDESTAL APPLICATION	SQ. FT. PER PALLET	PCS. PER PALLET	PALLET WEIGHT (LBS)
									
 November	Stone	¾"	24" x 24"	Rain, Wind, Warm, Land	✓	✓	232.5	60	2,162.25
 Nyuma	Concrete	¾"	24" x 24"	Quickline, Portland, Torching, Parker, Talcum, Shotcrete	✓	✓	232.5	60	2,160
 Nyuma	Concrete	¾"	32" x 32"	Quickline, Portland, Torching, Parker, Talcum, Shotcrete	✓	✓	289.33	42	2,744
 Nyuma	Concrete	¾"	24" x 48"	Quickline, Portland, Torching, Parker, Talcum, Shotcrete	✓	✓	271.25	35	2,582
 Oudh	Wood	¾"	12" x 48"	Cedro, Copahu, Elem, Jinkoh, Pino, Laos, Laodano	✓	✓	279	72	2,628
 Quarziti 2.0	Stone	¾"	24" x 24"	Glacier, Mountains, Waterfall, River, Mantle	✓	✓	232.5	60	2,160
 Quarziti 2.0	Stone	¾"	12" x 24"	Glacier, Mountains, Waterfall, River, Mantle*	✓	✓	232.4	120	2,160
 Quarziti 2.0 <i>(special order - allow 12-14 weeks lead time)</i>	Stone	¾"	18" x 36"	Glacier*, Mountains*, Waterfall*, River*, Mantle*	✓	✓	234.9	54	2,198
 Quarziti 2.0	Stone	¾"	24" x 48"	Glacier, Mountains, Waterfall, River, Mantle*	✓	✓	271.25	35	2,582
 Silverlake	Stone	¾"	24" x 48"	Braies, Resia, Orsi	✓	✓	271.25	35	2,621
 Travertini <i>(special order - allow 12-14 weeks lead time)</i>	Travertine	¾"	24" x 24"	Light Vein*, Misty Vein*, Dark Vien*, Pearly Cross*, Light Cross*, Misty Cross*	✓	✓	232.5	60	2,160
 Travertini	Travertine	¾"	32" x 32"	Pearly Cross, Light Cross, Misty Cross	✓	✓	289.33	42	2,744
 Travertini	Travertine	¾"	24" x 48"	Light Vein, Misty Vein, Dark Vien, Pearly Cross*, Light Cross*, Misty Cross*	✓	✓	271.25	35	2,582
 Unico 2.0	Various	¾"	12" x 24"	Glocal: Absolute, Chamois, Classic, Clear, Ideal, Perfect*, Sugar*, Type*; Noon: Daylight, Ember, Honey; Quarziti 2.0: Mountains, Waterfall, River, Mantle*, Glacier	✓		254.82	120	2,080



RESISTANT TO FREEZE THAW

Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F).



RESISTANT TO BREAKAGE

Because every slab can withstand loads of over 2200 lbs.



RESISTANT TO CHEMICAL AGGRESSION

Because our pavers are unaffected by alkalis, acids, chemical agents, salt and other de-icing materials.



RESISTANT TO STAINS

Because a high density and ultra-low absorption rate creates a tight paver surface, it fends off surface mold, moss, dirt and other types of stains.



EASY TO LAY

Because of superior accuracy in dimensional sizing and linear sides, the pavers allow for perfectly executed installations with tight and accurate lines.



EASY TO CLEAN

Because it can be cleaned with normal household cleaners and even pressure washed with a **low pressure** washing device.**



EASY TO REMOVE


Because a 24" x 24" slab weighs just 37 lbs., its light weight permits easy removal, serviceability and even reusability. (Excluding adhered installations).




EASY FOR YOU

Because the structured top textures formed on the surface of our pavers create slip resistant surfaces.

** It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.




NOON



NA ME



QUARZITI 2.0





NOON

Segmental Retaining and Freestanding Walls (SRW & FSW)

UNITS	UNIT SIZE			CONNECTION TYPE		ACCESSORIES* (SOLD SEPARATELY)		TEXTURE			FACE STYLES				BATTER/ SETBACK	SQ. FT. PER PALLET	PCS. PER PALLET	PALLET WEIGHT (LBS)
	Height	Width	Depth	Block	Other	Column/ Corner Unit	Cap Unit	Sculpted	Split	Tumbled	Straight	Beveled	Virtual Joint	Stone Cut				
 Ashlar Tandem™	7"	13 ³ / ₁₆ ", 15 ¹³ / ₁₆ ", 18 ⁷ / ₁₆ "	2 ⁵ / ₈ "	Modular Block	Reinforced Polypropylene Connector		✓	✓							0 / 4°	70.1	90	2,003
 Diamond® 9D	6"	16.7"	9"	Rear Lip			✓		✓						10.6°; 1.125" Per Course	35.5	48	2,670
 Diamond Pro®	8"	18"	12"	Rear Lip			✓		✓		✓	✓	✓	✓	7.1°; 1" Per Course	45	45	3,375
 Diamond Pro® Air Straight	8"	18"	12"	Rear Lip		✓	✓		✓		✓				4°	36	36	2,490
 Diamond Pro® Air Smooth	8"	18"	12"	Rear Lip		✓	✓				✓				4°	36	36	2,490
 Diamond Pro® Air Quarried	8"	18"	12"	Rear Lip		✓	✓	✓			✓				4°	36	36	2,490
 Diamond Pro® PS	8"	18"	12"		Fiberglass Pin		✓		✓				✓	✓	1.7° or 7.1°	36	36	2,699
 GeoHold Pro	8"	18"	12"		Mechanical Connection		✓		✓		✓				1.7°	36	36	3,062
 Melville Tandem™	7"	13 ³ / ₁₆ ", 15 ¹³ / ₁₆ ", 18 ⁷ / ₁₆ "	2 ⁵ / ₈ "	Modular Block	Reinforced Polypropylene Connector		✓				✓				0 / 4°	70.1	90	2,003
 Tandem® Modular Block	7"	7 ⁷ / ₈ "	7 ⁷ / ₈ "												N/A	49.29	128	2,816
 Vertica®	8"	18"	11"	Surface Lug		✓	✓		✓		✓	✓	✓		2°; 9/32" Setback & 4°; 1/2" Setback	45	45	3,825
 Vertica Pro®	8"	18"	20"	Surface Lug		✓	✓		✓		✓	✓			2°; 9/32" Setback	30	30	3,600
 Vertica® Planter Unit	8"	18"	16"	Surface Lug					✓		✓	✓			5" Nominal	30	30	4,038

Complementary Products

PRODUCT	SIZE	PALLET INFORMATION
 Anchor Universal 4" Cap	18" x 4" x 12"	64 units per pallet
 Anchor Universal 8" Cap	18" x 8" x 12"	40 units per pallet
 Diamond Pro® Air Cap	4" x 18" / 12" x 13"	54 units per pallet
 Tandem Cap	15" x 24" x 3 1/4"	32 units per pallet
 U Start Base Block	3 1/2" x 18 1/2" x 12"	56 units per pallet



Rooftop Pavers & Pedestals

Possibilities are endless when designing and building plaza decks using Belgard Commercial Pedestals. The pedestal system's elevation range of 1/8" - 36" allows for building plaza decks over almost any sloping or difficult surface.

Building plaza decks over occupied space has never been easier. The unique screw-to-adjust feature eliminates tedious and time-consuming installation often associated with constructing level decks over sloping surfaces. Construction crews quickly level each plaza paver by adjusting pedestal height, even while loaded.

Future access to waterproofing entails simply removing specific plaza pavers. Pedestal adjustments within the allowed range are accomplished by merely adjusting pedestal height and you're done – saving time and money.

SPECIFICATIONS

- Supports up to 1000 lbs.
- Maximum elevation up to 36" using couplers and braces
- Impervious to water, mold & freeze-thaw
- Preassembled
- Packaged in weather-resistant boxes
- Contains 20% post-industrial recycled material
- Engagement "bumps" warn of over-extension

RESOURCES AVAILABLE

- CAD details
- Specifications
- Technical cut sheets
- Maintenance guide
- Videos: planning, installation & more
- Take-off assistance
- Samples available
- Technical assistance
- Customer service



	MODEL SE SUPPORTS	MODEL NM SUPPORTS	PEDESTAL PRIME SUPPORTS
Self Leveling Head	✓		✓
Fixed Head	✓	✓	✓
Adjustable	✓	✓	✓
Extendable w/ Coupler	✓	✓	✓
Adjustment Key	✓	✓	✓
Locking IPE Pins	✓	✓	✓
Recycleable (LEED)	✓	✓	✓
Loading Capacity	✓	✓	✓
Integrated Extension Coupler			✓

Rooftop Plaza Slabs


UNITS	PAVER THICKNESS	PAVER SIZE	APPLICATIONS		ADA	SQ. FT. PER PALLET	PALLET WEIGHT (LBS)
				ROOFTOPS & PLAZAS			
Saturna 12 x 24	50 mm	12" x 24"	✓	✓	✓	96	2,300
Saturna 18 x 18	40mm	18" x 18"	✓	✓	✓	135	2,900
Saturna 24 x 24	50 mm	24" x 24"	✓	✓	✓	100	2,400
Texada 12 x 24	50 mm	12" x 24"	✓	✓	✓	96	2,300
Texada 18 x 18	40 mm	18" x 18"	✓	✓	✓	135	2,900
Texada 24 x 24	50 mm	24" x 24"	✓	✓	✓	100	2,400
Western Plaza Slab	1 13/16"	24" x 24"	✓	✓	✓	96	2,208
Classic Series Plaza Slab	1 13/16"	24" x 24"	✓	✓	✓	96	2,120
Ipe Wood Plaza Slab	1.69"	24" x 24"	✓	✓	✓	176	990.88
Ipe Wood Plaza Slab	1.69"	24" x 48"	✓	✓	✓	176	990.88
Ipe Wood Ribbed Plaza Slab	1.69"	24" x 24"	✓	✓	✓	176	990.88
Cumaru Wood Plaza Slab	1.69"	24" x 24"	✓	✓	✓	176	990.88
Cumaru Wood Plaza Slab	1.69"	24" x 48"	✓	✓	✓	176	990.88
Bamboo Smooth Plaza Slab	1.69"	24" x 24"	✓	✓	✓	176	990.88

Cubes (Planters/Benches) & Cube Tops

PRODUCT NAME	COMMON SIZES (CUSTOM SIZES AVAILABLE)	COLORS (CUSTOM COLORS AVAILABLE)	MINIMUM QTY
Powder Coated Aluminum Cube	24"L x 24"H x 20"H 24"L x 24"H x 36"H 48"L x 24"H x 20"H 48"L x 24"H x 36"H	Red, Black, White, Charcoal, Silver, Bronze, Zinc*	1
Ipe Cube	24"L x 24"H x 16.5"H 48"L x 24"H x 16.5"H	Brown (Natural variations to be expected)	1
Ipe Top	24"L x 24" H 48"L x 24"H	Brown (Natural variations to be expected)	1

Pedestals & Accessories

PRODUCT NAME	PRODUCT DESCRIPTION	PIECES PER CARTON
STAR-T	3/8" - 9/16" (10-15mm)	50
STAR-B	3/16" Extension (5mm)	50
SE0-P	1.125" - 1.5" (28-38mm)	40
SE1-P	1.5" - 2" (37.5-50mm)	30
SE2-P	2" - 3" (50-75mm)	25
SE3-P	3" - 4.75" (75-120mm)	25
SE4-P	4.75" - 6.75" (120-170mm)	25
SE5-P	6.75" - 8.75" (170-215mm)	25
NM-1	1"-1.57" (25-40mm)	40
NM-2	1.57"-2.75" (40-70mm)	30
NM-3	2.36"-3.93" (60-100mm)	25
NM-4	3.54"-6.30" (90-160mm)	15
NM-5	5.90"-10.63" (150-270mm)	12
NM-EXT	5.7" Extension (145mm)	30
EH-12	1/2" Fixed (12mm)	250
EH-15	5/8" Fixed (16mm)	200
EH-20	3/4" Fixed (20mm)	150
RUB-14	1/4" Fixed RUBBER	150
RUB-38	3/8" Fixed RUBBER	150
RUB-PINS	1/4" Fixed w/ 4 Pins	100
PR1	1.2" - 2.55" Adjustable Pedestal	1 per box
PR2	6.1" Adjustable Pedestal	1 per box
PR3	16" Adjustable Pedestal	1 per box



ROOFTOP PLAZA SLABS - WESTERN PLAZA CONCRETE SLAB




ROOFTOP PLAZA CONCRETE SLABS - SATURNA





ROOFTOP PLAZA CONCRETE SLABS - TEXADA



ROOFTOP PLAZA SLABS - WOOD PLAZA SLAB



ALUMINUM CUBE COLORS



Stocked Colors For Oldcastle Pacific - Fontana

(SUBJECT TO CHANGE)

PRODUCT NAME	CORE MIX	DURAFUSION
PAVERS		
Aqua Dubin	Rio, Toscana, Victorian	
Aqualine 4.5 x 9	Rio, Toscana, Victorian	
Avalon 3-piece Large	Bella, Toscana, Victorian	
Basalt 18		Midnight, Scandina Gray
Brooklyn		Midnight, Rosewood
Cambridge Cobble 6 x 6 60 mm	Autumn, Bella, Rio Toscana, Victorian	
Cambridge Cobble 6 x 9 60 mm	Autumn, Bella, Graphite, Rio, Toscana, Victorian	
Catalina Grana 3-piece Large	Autumn, Bella, Montecito, Rio Toscana, Victorian	Anthracite, Cream Tan Brown, Hickory Scandina Gray, Sepia, Shaded Gray
Charlestone 3-piece	Graphite, Rio, Toscana, Victorian	
Dimensions 3 x 9		Pearl, Fog, Midnight
Dimensions 3 x 12	Rio, Toscana, Victorian	Fog, Midnight, Pearl
Dimensions 6 x 9	Autumn, Bella, Bourbon, Graphite, Montecito, Rio, Toscana, Victorian	Anthracite, Cream Tan Brown, Hickory Midnight, Scandina Gray, Sepia, Shaded Gray
Dimensions 6 x 12		Anthracite, Hickory, Scandina Gray Sepia, Shaded Gray
Dimensions 12 x 12 Truncated Domes		Federal Yellow, Midnight
Dimensions 18	Bella, Linen, Rio Toscana, Victorian	Anthracite, Hickory Scandina Gray Shaded Gray, Sepia
Dimensions 12	Bella, Rio, Toscana, Victorian	Anthracite, Hickory Scandina Gray Sepia, Shaded Gray
Dimensions 6	Bella, Rio, Toscana, Victorian	
Dimensions 9 x 18		Anthracite, Hickory, Scandina Gray Sepia, Shaded Gray
Dimensions 15 x 30		Anthracite, Hickory, Scandina Gray Sepia, Shaded Gray
Dimensions Slab 12 x 24 60 mm	Linen, Rio, Victorian	Anthracite, Hickory, Scandina Gray Shaded Gray, Sepia
Dimensions Slab 24 x 24 60 mm	Linen, Rio, Victorian	Anthracite, Hickory, Scandina Gray Shaded Gray, Sepia
Dimensions Slab 24 x 36 60 mm		Anthracite, Hickory, Scandina Gray Sepia, Shaded Gray
Dublin Cobble 3-piece Tumbled	Montecito, Toscana, Victorian	

Stocked Colors For Oldcastle Pacific - Fontana

(SUBJECT TO CHANGE)

PRODUCT NAME	CORE MIX	DURAFUSION
PAVERS		
Empire		Midnight, Scandina Gray
Geometric Shapes	Foundry, Graphite, Linen	
Holland 4 x 8 60mm	Bella, Graphite, Rio, Toscana Valencia, Victorian	
Holland 4 x 8 80mm	Bella, Rio, Toscana, Valencia, Victorian	
Mega-Arbel Patio Stone	Rio, Toscana, Victorian	
Melville Plank 5" Slim	Foundry, Graphite, Linen, Rio, Victorian	
Melville Plank 7.5" Large	Foundry, Graphite, Linen, Rio, Victorian	
Origins 6 x 9	Bella, Graphite, Rio Toscana, Victorian	Ashwood, Cheswick
Origins 18	Bella, Rio, Toscana, Victorian	Ashwood, Cheswick
Origins 12	Bella, Rio, Toscana, Victorian	Ashwood, Cheswick
Origins 6 and Heritage	Bella, Rio, Toscana, Victorian	
Papyrus 18		Scandina Gray, Sepia
Turfstone	Gray	
WALLS		
Diamond Pro Air Smooth	Anthracite, Hickory, Shaded Gray	
Diamond Pro Air Straight	Gray, Tan	
Diamond Pro Air Quarried	Rio, Toscana	
ACCESSORIES		
Anglia Edger	Rio, Toscana, Victorian	
Marina Coping 6 x 12	Autumn, Bella, Cream Tan Brown, Graphite, Hickory, Montecito, Rio, Scandina Gray, Sepia, Shaded Gray, Toscana, Victorian	
Melville Curb	Graphite, Toscana, Victorian	

Stocked Colors For Oldcastle Pacific - Northern California

(SUBJECT TO CHANGE)

PRODUCT NAME	CORE MIX	DURAFUSION
PAVERS		
Aqualine 4.5 x 9	Toscana, Victorian	
Avalon Slate 3-piece Large	Bella, Riviera, Toscana, Victorian	
Avalon Slate 6 x 9	Bella, Graphite, Riviera, Toscana, Victorian	
Basalt 18		Midnight, Scandina Gray
Brooklyn		Midnight, Rosewood
Cambridge Cobble 6 x 6 60mm	Autumn, Bella, Riviera Toscana, Victorian	
Cambridge Cobble 6 x 9 60mm	Autumn, Bella, Graphite, Riviera Toscana, Victorian	
Catalina Grana 3-piece Large	Aspen, Bella, Riviera, Toscana, Victorian	Anthracite, Brown Beige Charcoal Cream Tan Brown, Gray Charcoal Gray Charcoal Tan, Hickory, Scandina Gray Sepia, Shaded Gray, Tan Brown Charcoal Tan Red Charcoal
Charlestone 3-piece	Graphite, Riviera, Toscana, Victorian	
Dimensions Plank 3 x 9		Pearl, Fog, Midnight
Dimensions Plank 3 x 12		Pearl, Fog, Midnight
Dimensions 6 x 9	Aspen, Bella, Graphite, Riviera Toscana, Victorian	Anthracite, Brown Beige Charcoal Cream Tan Brown, Gray Charcoal Gray Charcoal Tan, Hickory, Midnight Scandina Gray, Sepia, Shaded Gray Tan Brown Charcoal, Tan Red Charcoal
Dimensions 6 x 12		Anthracite, Hickory, Midnight Scandina Gray, Sepia, Shaded Gray
Dimensions 6	Bella, Riviera, Toscana, Victorian	
Dimensions 12	Bella, Riviera, Toscana, Victorian	Anthracite, Hickory, Scandina Gray Sepia, Shaded Gray
Dimensions 18	Bella, Riviera, Toscana, Victorian	Anthracite, Hickory, Scandina Gray Sepia, Shaded Gray
Dimensions 9 x 18 60 mm		Anthracite, Hickory, Scandina Gray Sepia, Shaded Gray
Dimensions 15 x 30 60 mm		Anthracite, Hickory, Scandina Gray Sepia, Shaded Gray
Dimensions Slab 12 x 24 60 mm	Aspen, Riviera, Victorian	Anthracite, Hickory, Scandina Gray Sepia, Shaded Gray
Dimensions Slab 24 x 24 60 mm	Aspen, Riviera, Victorian	Anthracite, Hickory, Scandina Gray Sepia, Shaded Gray
Dimensions Slab 24 x 36 60 mm		Anthracite, Hickory, Scandina Gray Sepia, Shaded Gray

Stocked Colors For Oldcastle Pacific - Northern California

(SUBJECT TO CHANGE)

PRODUCT NAME	CORE MIX	DURAFUSION
PAVERS		
Empire		Midnight, Scandina Gray
Geometric Shapes		Fog, Midnight, Pearl
Holland Stone	Graphite, Toscana, Victorian	
Mega-Arbel 60mm	Bella, Toscana, Victorian	
Origins 6 x 9		Ashwood, Cheswick, Iron Bay, Midnight Newport Gray, Teak
Origins 12		Ashwood, Cheswick, Iron Bay Newport Gray, Teak
Origins 18		Ashwood, Cheswick, Iron Bay Newport Gray, Teak
Papyrus 18		Scandina Gray, Sepia
Quarry Stone 3-piece		Cameron Cream, Chaco Canyon, Oak Barrel Rustic Yellowstone, Sequoia Sandstone Sierra Granite
Turfstone	Gray	
WALLS		
Diamond Pro Air Smooth	Anthracite, Hickory, Shaded Gray	
Melville Tandem	Riviera, Toscana, Victorian	
Tandem Wall Ashlar w/ Joints	Riviera, Toscana, Victorian	
Tandem Cap	Riviera, Toscana, Victorian	
ACCESSORIES		
Anglia Edger	Riviera, Toscana, Victorian	
Landings Step Unit	Graphite, Gray, Victorian	
Marina Coping 6 x 12	Bella, Brown Beige Charcoal, Cream Tan Brown, Graphite, Hickory, Riviera Scandina Gray, Sepia, Shaded Gray Tan Red Charcoal, Toscana, Victorian	
Marina Coping 4 x 12	Bella, Brown Beige Charcoal, Cream Tan Brown, Graphite, Hickory, Riviera Scandina Gray, Sepia, Shaded Gray Tan Red Charcoal, Toscana, Victorian	
Melville Curb	Graphite, Toscana, Victorian	

PLEASE CALL FOR AVAILABILITY ON NON-STOCKED COLORS.

- Minimum non-stocking item order quantity is 1,000 sqft for pavers and 500 sqft for walls
- Setup charges will apply on non-stocking item orders less than 3,000 sqft for pavers and 1,500 sqft for walls
- Non-stocking item orders may take 6 to 8 weeks to manufacture + 2 weeks to Antique (Tumble)



Professional Support



ENVIRONMENTAL SOLUTIONS

Belgard consultants can work with your team to develop the best PICP system design or retaining wall configuration to control runoff volume and discharge rates, improve the quality of local groundwater, reduce or prevent downstream impacts, and minimize the land consumed for stormwater management.



CAD FILES

For your convenience, Belgard offers a constantly expanding library of easy-to-download CAD files of our products and patterns.



CONTINUING EDUCATION

Belgard offers a variety of ongoing educational programs for our industry partners, including Lunch & Learns, online CEU courses, and our Belgard University training program.



SITE PLANNING

The experts at Belgard can help you optimize your site in a number of ways—whether you're looking for creative ways to define public spaces, manage or harvest stormwater, or increase the useable space for development.



ENGINEERING SERVICES

Our team of design consultants can help address both aesthetic and engineering design concerns, material quantity estimates and permit ready plans.

Oldcastle Pacific



10714 Poplar Avenue
Fontana, CA 92337
Ph: 909.355.6422
Toll Free: 866.749.3838

426 E Grant Line Rd
Tracy, CA 95376
Ph: 209.833.7366

13775 Llagas Ave
San Martin, CA 95046
Ph: 408.686.9627

4202 Gibraltar Court
Stockton, CA 95206
Ph: 209.983.1609
Fx: 209.983.8074

5787 Obata Way
Gilroy, CA 95020
Ph: 408.984.8800

DIMENSIONS 12 X 24 PAVERS

BELGARD.COMMERCIAL@OLDCASTLE.COM

CALIFORNIA & NEVADA 45



BELGARDCOMMERCIAL.COM